

**COLD AND ALLERGY RELIEF- chlorpheniramine maleate, phenylephrine hcl tablet  
Best Choice (Valu Merchandisers Company)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each tablet)**

Chlorpheniramine Maleate 4 mg

Phenylephrine HCl 10 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - nasal congestion
  - itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
  - runny nose
  - sneezing
  - nasal congestion

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- heart disease
- glaucoma
- diabetes
- trouble urinating due to an enlarged prostate gland
- thyroid disease
- a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

### **When using this product**

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by a fever

### **If pregnant or breast-feeding,**

ask a health care professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### **Directions**

- take every 4 hours
- do not take more than 6 doses in 24 hours

adults and children 12 years of age and older	take 1 tablet
children 6 to under 12 years of age	take 1/2 tablet
children under 6 years of age	consult a doctor
children under 4 years of age	<b>do not use</b>

### **Other information**

- store at 15°-30°C (59°-86°F)

### **Inactive ingredients**

colloidal silicon dioxide, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized corn starch, sodium starch glycolate and stearic acid

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

#### **Cold & Allergy Relief**

Chlorpheniramine maleate 4 mg

Phenylephrine HCl 10 mg

Antihistamine, Nasal decongestant

- nasal congestion
- runny nose

- sneezing
- itchy, watery eyes

Tablets

Does not contain Pseudoephedrine

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

[www.bestchoicebrand.com](http://www.bestchoicebrand.com)

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT-USE ONLY IF BLISTERS ARE INTACT

**Product Label**

9492Q1B



0 3 2 7 6 7 8 1

**Drug Facts** (continued)

**Active ingredients (in each tablet)**  
Chlorpheniramine Maleate 4 mg.....Antihistamine  
Phenylephrine HCl 10 mg.....Nasal decongestant

**Uses**  
temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:  
 ■ runny nose ■ itchy, watery eyes  
 ■ nasal congestion ■ itching of the nose or throat  
 ■ temporarily relieves these symptoms due to the common cold:  
 ■ runny nose ■ sneezing ■ nasal congestion

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotic, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.  
 Ask a doctor before use if you have:  
 ■ high blood pressure ■ heart disease ■ glaucoma ■ diabetes  
 ■ trouble urinating due to an enlarged prostate gland ■ thyroid disease  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

**When using this product**  
do not use more than directed

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Drug Facts (continued)**  
 ■ drowsiness may occur  
 ■ avoid alcoholic drinks  
 ■ excitability may occur especially in children  
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ be careful when driving a motor vehicle or operating machinery  
 ■ Stop use and ask a doctor if:  
 ■ you get nervous, dizzy, or sleepless  
 ■ symptoms do not get better within 7 days or are accompanied by a fever  
 ■ pregnant or breast-feeding, ask a health care professional before use.  
 ■ Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  
 ■ take every 4 hours ■ do not take more than 6 doses in 24 hours  
 adults and children 12 years of age and older take 1 tablet  
 children 6 to under 12 years of age take 1/2 tablet  
 children under 6 years of age consult a doctor  
 children under 4 years of age do not use

**Other information** ■ store at 15°-30°C (59°-86°F)

**Inactive ingredients** colloidal silicon dioxide, dicalcium phosphate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, pregelatinized corn starch, sodium starch glycolate and stearic acid.

**TAMPER EVIDENT- USE ONLY IF BLISTERS ARE INTACT.**

Lot No.:  
Exp. Date:

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**COLD & ALLERGY RELIEF**

**Best Choice®**

**COLD & ALLERGY RELIEF**

**Best Choice®**

Actual Size

**Chlorpheniramine Maleate 4 mg**  
**Phenylephrine HCl 10 mg**  
Antihistamine, Nasal Decongestant

- Nasal Congestion • Runny Nose
- Sneezing • Itchy, Watery Eyes

**24 TABLETS**  
Does not contain Pseudoephedrine

PLD-B681  
FC001695

**Best Choice®**  
100% Guaranteed  
www.bestchoicebrand.com

PROUDLY DISTRIBUTED BY:  
VALU MERCHANDISERS, CO.  
5000 KANSAS AVE  
KANSAS CITY, KS 66106

**BEST CHOICE**

0 70038 60921 6

# COLD AND ALLERGY RELIEF

chlorpheniramine maleate, phenylephrine hcl tablet

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-891
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	4 mg
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

## Product Characteristics

Color	WHITE	Score	2 pieces
Shape	ROUND	Size	7mm
Flavor		Imprint Code	T127
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-891-24	24 in 1 CARTON	12/31/2014	12/31/2020
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	12/31/2014	12/31/2020

