

SENNAPLUS- sennosides and docusate sodium tablet
Geri-Care Pharmaceutical Corp

hst 455b (555)

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and	2 tablets once a day preferably at bedtime; increase as needed, or as	4 tablets in the morning and 4 tablets

older	directed by a doctor	at bedtime
children under 12 years	ask a doctor	

Other information

- **each tablet contains:** calcium 20 mg, sodium 3 mg
- store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Package Label

HEALTH STAR
NDC 57896-555-06

SENNA-PLUS
SENNOSIDES 8.6 mg
DOCUSATE SODIUM 50 mg
NATURAL VEGETABLE LAXATIVE WITH STOOL SOFTENER

Compare to active ingredients in **SENOKOT-S**[®]
60 Tablets

Drug Facts
Purpose
 Docusate Sodium 50 mg.....Stool softener
 Sennosides 8.6 mg.....Laxative
Uses • relieves occasional constipation (irregularity)
 • this product generally produces a bowel movement in 6 to 12 hours
Warnings
 Do not use • if you are now taking mineral oil, unless directed by a doctor • laxative products for longer than 1 week unless directed by a doctor
 Ask a doctor before use if you have • stomach pain, nausea or vomiting • noticed a sudden change in bowel habits that lasts over two weeks
 Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
 These may indicate a serious condition.
 If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information • each tablet contains:
 calcium 20 mg, sodium 3 mg. Very low sodium.
 • store at 20° to 25°C (68° to 77°F); excursions permitted between 15° to 30°C (59° to 86°F).

Inactive ingredients cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or comments? 1-800-540-3765

*This product is not manufactured or distributed by the owner of the registered trademark Senokot-S®.
 Distributed By: Geri-Care Pharmaceuticals Corp.
 1295 Towbin Avenue, Lakewood, NJ 08701
 Product of India
 REV 1124B

3 57896 45506 4

SENNA-PLUS

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-555
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92))	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-555-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	
2	NDC:57896-555-06	60 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	
3	NDC:57896-555-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	
4	NDC:57896-555-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	05/01/2019	

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)