HEMIRUS HAND CLINIC GEL- ethyl alcohol gel GC US CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

Alcohol 62%

Antiseptic

Uses

- hand sanitizer to help decrease bacteria on the skin.
- when water, soap & tower are not available
- recommended for repeated use

Warnings

Flammable. Keep away from fire or flame

For external use only.

Do not apply around eyes. Do not use

in ears & mouth

When using this product

avoid contact with eyes.

In case of contact flush eyes with water

Stop use and ask a doctor if

redness or irritation develop and persist for more than 72 hours.

Keep out of reach of children.

Children must be supervised in use of this product.

Directions

- pump as needed into your palms and throughly spread on both hands.
- rub into skin until dry.

Other Information

- Store at 20 °C (68 ° to 77 °F).
- may discolor fabrics.

Inactive Ingredients

Water, Phenoxyethanol, Trolamine, Carbomer homopolymer type C (Allyl pentaerythritol crosslinked) Methylparaben, Orange, Isopropyl myristate, D&C Orange No. 4

Questions?

• side effects occur. You may report side effects to FDA at 1-800-FDA-1088.

Instant Hand Sanitizer!

Kills 99.9% of Most Common Germs!

Net Wt. 16.91 fl oz. (500ml)

Manufactured by Woosincosmetics Inc.

33, Sudo-ro, 125beon-gil, Bucheon-si, Gyeonggi-do, Korea 14491



KFDA Approved

неmirus Hand Clinic Gel



Hemirus Hand Clinic Gel Drug Facts Active Ingredient Alcohol 62%

Uses hand sanitizer to help decrease bacteria on the skin. when water, soap & tower are not available. recommended for repeated use

Warnings

Flammable, keep away from fire or flame. For external use only

Do not apply around eyes. Do not use in ears & mouth.

When using this product, avoid contact with eyes. In case of contact flush eyes with water.

Stop use and ask a doctor If redness or irritation develop and persist for more than 72 hours.

Keep out of reach of children. Children must be supervised in use of this product.

Derections Pump as needed into your palm and throughly spread on both hands. rub into skin until dry.

Inactive Ingredients Water, Phenoxyethanol, Trolamine, Carbomer homopolymer type C (Allyl pentaerythritol crosslinked) Methylparaben, Orange, Isopropyl myristate, D&C Orange No. 4

Questions? Side effects occur.
You may report side effects to FDA at 1-800-FDA-1088

fou may report side effects to FDA at 1-600-FL

Manufactured by WoosinCosmetics Inc 33, Sudo-ro, 125beon-gil, Bucheon-si, Gyeonggi-do, Korea 14491

MADE IN KOREA



Antiseptic

HEMIRUS HAND CLINIC GEL

ethyl alcohol gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71454-3038

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958 V90M) (ALCOHOL - UNII:3K9958 V90M)	ALCOHOL	0.62 mL in 500 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENO XYETHANOL (UNII: HIE492ZZ3T)	

TROLAMINE (UNII: 903K93S3TK)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RC)	W27E)
METHYLPARABEN (UNII: A218 C7H19 T)	
ORANGE (UNII: 5EVU04N5QU)	
ISOPROPYL MYRISTATE (UNII: 0 RE8 K4LNJS)	
D&C ORANGE NO. 4 (UNII: Q1LIY3BO0U)	

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:71454-3038-2	30 mL in 1 TUBE; Type 0: Not a Combination Product	03/24/2020	
2 NDC:71454-3038-3	100 mL in 1 TUBE; Type 0: Not a Combination Product	03/24/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/24/2020	

Labeler - GC US CORPORATION (080669481)

Establishment			
Name	Address	ID/FEI	Business Operations
WOOSIN COSMETICS CO.,LTD		688227829	manufacture(71454-3038)

Revised: 3/2020 GC US CORPORATION