

**MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH-
dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid
Raritan Pharmaceuticals Inc**

DRx Choice Maximum Strength Mucus Relief Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

Purposes

Cough suppressant

Expectorant

Nasal Decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep
 - nasal congestion due to a cold

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic

bronchitis or emphysema

- cough that occurs with too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with a fever
- cough comes back, or occurs with rash or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in a 24-hour period
- measure only with dosing cup provided.
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL=milliliter
- **adults and children 12 years of age and older:**20 mL in dosing cup provided every 4 hours
- **children under 12 years of age:**Do not use

Other information

- **each 20 mL contains:** sodium 8 mg
- low sodium
- store at room temperature
- do not refrigerate
- dosing cup provided

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavor, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

DRx CHOICE ®

*Compare to the active ingredients Maximum Strength Mucinex ® Fast-Max™ Severe Congestion & Cough.

Maximum Strength

Mucus Relief

Severe Congestion and Cough

Dextromethorphan HBr 20 mg Cough Suppressant

Guaifenesin - EXPECTORANT

Phenylephrine HCl - Nasal Decongestant

- Controls Cough
- Relieves Nasal & Chest Congestion
- Thins & Loosens Mucus

FOR AGES 12 +

9 FL OZ (266 mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

PEEL CORNER TO READ COMPLETE DRUG FACTS AND INFORMATION

‡Maximum Strength per 4 hour dose.

Manufactured by:

Raritan Pharmaceuticals

8 Joanna Court,

East Brunswick, NJ 08816

*This product is not manufactured or distributed by Reckitt Benckiser, distributor of Maximum Strength Mucinex® Fast-Max® Severe Congestion & Cough.



BACK-1

2.125" Width

Drug Facts

Active Ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg... Cough suppressant
 Guaifenesin 400 mg... Expectorant
 Phenylephrine HCl 10 mg... Nasal decongestant

Purposes

- relieve loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieve:
 - cough due to minor throat and bronchial irritation as may occur with common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep
 - nasal congestion due to a cold

Uses

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING.

3 68163 73809 4

Manufactured by: Baritan Pharmaceuticals, 8 Jonina Court, East Brunswick, NJ 08816

Lot: SPOT UV

Exp: 2020Q4

SEE COVER FOR FULL COMPLETE DRUG FACTS AND INFORMATION

4" Height

BACK-2

2.125" Width

Drug Facts (continued)

Warnings

Do not use:

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug.
- if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have:

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product do not use more than directed

Stop use and ask a doctor if:

- nauseous, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- adults and children 12 years of age and older: 20 mL in dosing cup provided every 4 hours
- children under 12 years of age: Do not use

HINGE AREA

4" Height

BACK-3

2.125" Width

Drug Facts (continued)

Other information

- each 20 mL contains: sodium 8 mg
- low sodium
- store at room temperature
- do not refrigerate

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucrose, xanthan gum

Questions or comments? 1-866-467-2748

HINGE AREA

4" Height

MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68163-738 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|-----------------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 20 mg in 20 mL |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 400 mg in 20 mL |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 10 mg in 20 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| POTASSIUM CITRATE (UNII: EE90ONI6FF) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| PROPYL GALLATE (UNII: 8D4SNN7V92) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |

| | |
|---------------------------------------|--|
| SORBITOL (UNII: 506T60A25R) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:68163-738-09 | 266 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 02/05/2019 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 02/05/2019 | |

Labeler - Raritan Pharmaceuticals Inc (127602287)

Revised: 9/2025

Raritan Pharmaceuticals Inc