

NATURAL GINSENG TONER - allantoin liquid
CORPORATION SORISO

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

ALLANTOIN

water, butylene glycol, carbomer, tocopheryl acetate, etc.

skin protectant

keep out or reach of the children

apply proper amount to the skin

1. Do not use in the following cases(Eczema and scalp wounds)

2.Side Effects

1)Due to the use of this druf if rash, irritation, itching and symptopms of hypersnesitivity occur dicontinue use and consult your phamacisr or doctor

3.General Precautions

1)If in contact with the eyes, wash out thoroughty with water If the symptoms are servere, seek medical advice immediately

2)This product is for exeternal use only. Do not use for internal use

4.Storage and handling precautions

1)If possible, avoid direct sunlight and store in cool and area of low humidity

2)In order to maintain the quality of the product and avoid misuse

3)Avoid placing the product near fire and store out in reach of children

for external use only

GINSENOSE Rg1

Natural Ginseng Toner

TO USE | After washing, rub gently from inside to outside with soaked cotton pads

INGREDIENTS | Water, Butylene Glycol, Glycerin, Magnolia Liliflora Bud Extract, Panax Ginseng Root Extract, Red Ginseng Extract(Rg1), Lespedeza Cuneata Extract, Astragalus Membranaceus Root Extract, Rehmannia Chinensis Root Extract, Cnidium Officinale Root Extract, Morus Alba Bark Extract, Platycodon Grandiflorum Root Extract, Angelica Gigas Root Extract, Scutellaria Baicalensis Root Extract, Coptis Chinensis Root Extract, Phellodendron Amurense Bark Extract, Perilla Frutescens Leaf Extract, Olive Oil PEG-7 Esters, Carbomer, Arginine, Phenoxyethanol, PEG-40 Hydrogenated Castor Oil, Allantoin, Disodium EDTA, Pentylene Glycol, Tocopheryl Acetate, Methylparaben, Sodium Lactate, Lactic Acid, Serine, Urea, Sorbitol, Hydroxyethylcellulose, Sodium Hyaluronate, Ethylparaben, Butylparaben, Sodium Chloride, Propylparaben, Isobutylparaben, Ethylhexylglycerin, Caprylyl Glycol, Fragrance

CAUTION AT USE |

If the following symptoms develop during using the cosmetics, stop using it and consult with a dermatologist.

- 1) In case of Red spot, Swelling, Itching, Irritation
- 2) Do not apply in the area of cut, eczema or dermatitis
- 3) Wash it right away when it gets in the eyes.

CAUTION FOR STORAGE AND HANDLING |

금단수 산양삼 토너

피부친화력이 우수한 산양삼, 알란토인이 보습효과를 부여하고 영양공급을 원활하게하여 건강한 피부로 가꾸어 줍니다.

사용법 | 적당량을 덜어 얼굴 전체에 펴발라 흡수시켜 줍니다.

용량 | 130ml

전성분 | 정제수, 부틸렌글라이콜, 글리세린, 신이추출물, 인삼추출물, 홍삼추출물, 비수리추출물, 황기추출물, 지황추출물, 천궁추출물, 상백피추출물, 길경추출물, 당귀추출물, 황금추출물, 황련추출물, 황백추출물, 자소엽추출물, 올리브오일피이지-7에스터, 카보머, 알지닌, 페녹시에탄올, 피이지-40하이드로제네이티드캐스터오일, 알란토인, 디소듐이디티에이, 펜틸렌글라이콜, 토코페릴아세테이트, 메칠파라벤, 소듐락테이트, 락티애씨드, 세린, 우레아, 소르비톨, 하이드록시에칠셀룰로오스, 소듐하이알루로네이트, 에칠파라벤, 부틸파라벤, 소듐클로라이드, 프로필파라벤, 이소부틸파라벤, 에칠헥실글리세린, 카프릴릴글라이콜, 향료

사용 시의 주의사항 | 1) 화장품을 사용하여 다음과 같은 이상이 있는 경우에는 사용을 중지하여야 하며, 계속 사용하면 증상이 악화되므로 피부과 전문의 등에게 상담할

- 1) After use, keep the cap closed
- 2) Keep out of reach of children
- 3) Do not store in the area of high, low temperature or direct sunlight when it gets in the eyes.

MANUFACTURER & SOLE DEALER
SORISO CO., LTD

27 Sampoong Street, Gyungnsan City,
 Gyungbuk Province
 Customer Service Center : 080-743-0082
 website : www.soriso.net



MADE IN KOREA

것. 가) 사용 중 붉은 반점, 부어오름, 가려움증, 자극 등의 이상이 있는 경우. 나) 적용 부위가 직사광선에 의하여 위와 같은 이상이 있는 경우. 2) 상처가 있는 부위, 습진 및 피부염 등의 이상이 있는 부위에는 사용을 하지 말 것. 3) 보관 및 취급 시의 주의사항. 가) 사용 후에는 반드시 마개를 닫아둘 것. 나) 유아, 소아의 손이 닿지 않는 곳에 보관할 것. 다) 고온 또는 저온의 장소 및 직사광선이 닿는 곳에는 보관하지 말 것.

제조업자 및 제조판매업자

소리소 / 경북 경산시 삼풍로 27
 고객센터 : 080-743-0082

본 제품은 공정거래위원회 고시 소비자분쟁 해결 기준에 의거 보상 받을 수 있습니다.



NATURAL GINSENG TONER

allanto in liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:69969-001 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|-----------------|
| ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z) | ALLANTOIN | 0.1 g in 100 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

WATER (UNII: 059QF0KO0R)

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:69969-001-01 | 130 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part347 | 07/05/2015 | |

Labeler - CORPORATION SORISO (689515253)

Registrant - CORPORATION SORISO (689515253)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------------|---------|-----------|------------------------|
| CORPORATION SORISO | | 689515253 | manufacture(69969-001) |

Revised: 7/2015

CORPORATION SORISO