ZINC OXIDE - zinc oxide ointment RiteAid

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

drug facts

Active ingredient Purpose

Zinc Oxide.....Skin protectant

Active ingredient Purpose

Zinc Oxide.....Skin protectant

Uses

- dries the oozing and weeping od poison ivy oak sumac
- helps treat and prevent diaper rash
- protects chafed skin associated with diaper rash and helps protect from wetness

Keep out of the reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Uses

- dries the oozing and weeping od poison ivy oak sumac
- helps treat and prevent diaper rash
- protects chafed skin associated with diaper rash and helps protect from wetness

Warnings

For external use only.

When using this product do not get into eyes

Stop use and ask a doctor if:

- condition worsens - symptoms last more than 7 days or clear up and occur again within a few days.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away

Directions

- apply as needed

For diaper rash

- change wet and soiled diapers promptly
- cleanse the diaper area, and allow to dry
- apply liberally as often as necessary, with each diaper change, especially at bedtime or anytime when exposure to wet diapers may be prolonged

- children under 12 years

ask a doctor

Other information

Store at 20 degrees to 25 degrees C (68 degrees to 77 degrees F)

Inactive Ingredients

beeswax, mineral oil, petrolatum



Soothing Relief from: Diaper Rash, Chafing, Minor Skin Irritations





Soothing relief from minor skin irritations

NET WT 2 0Z (57 g)



DISTRIBUTED BY:
Rite Aid Corporation
30 Hunter Lane, Camp Hill, PA 17011



BX198RAD20

in chingway and adeal dayees promptly in change, each other change, each other in the manual manual

The but of reads at shildren. It swallowed, get madrical help or comact a Poison Control Comer noth away.

Directions:

Di

of restancial use only. When the little restauration is symptoms lest more than 7 days or clear up and occur again within a fit days use and each if a condition womens.

LYSES

In chies the cozing and weeping of poison:
In which treat and prevent disper rash

In the cozing and weeping of poison with the cozing and prevent disper rash

In product privated for a separated with disper rash and helps product from waters

Stock gurd Facts free ingredient

ZINC OXIDE

zinc oxide ointment

Draduct	Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:11822-0081

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Theave ingredient retire typolety			
Ingredient Name	Basis of Strength	Strength	
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g	

Inactive Inquedicute		
Inactive Ingredients		
Ingredient Name	Strength	
PETROLATUM (UNII: 4T6H12BN9U)		
WHITE WAX (UNII: 7G1J5DA97F)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		

	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:11822-0081-3	57 g in 1 TUBE		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	05/19/2009	

Labeler - RiteAid (014578892)

Registrant - Pharma Pac, LLC (140807475)

Establishment			
Name	Address	ID/FEI	Business Operations
Pharma Pac, LLC		140807475	manufacture

Revised: 2/2011 Rite Aid