

REMIXDIL EXTRA STRENGTH HAIR REGROWTH TREATMENT FOR MEN- minoxidil 5% solution

Rida LLC

Minoxidil 5% w/v

Hair regrowth treatment for men

USE

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% Minoxidil Topical Solution is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

■ The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs

- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

■ Apply one mL (6 sprays) 2 times a day directly onto the scalp in the area of hair loss

■ Using more or more often will not improve results

■ Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

- See hair loss pictures on side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep this carton. It contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies of mostly white men aged 18-19 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- Store at controlled room temperature between 68° - 77°F (20°-25°C).

Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-800-641-8871

Visit website at www.rida-hair.com

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

May be harmful if used when pregnant or breast-feeding.

Product label

1.425"

1.425"

3.0"

MEN'S Remixdii[®]

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

RHRI

Rida Hair Research Institute

MEN'S Remixdii[®]

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

This Package Contains



One 60 ml (2 fl.oz) Bottle of Men's Remixdii Extra Strength (one-month supply).

With child-resistant sprayer pump applicator.

Information leaflet with complete directions on how to use and obtain best results.

(Read enclosed leaflet before use)

Made in USA
Distributed by:
Rida LLC
9620 Towne Centre Dr.,
San Diego, CA 92121

Label part #
Rev. date

MEN'S Remixdii[®]

EXTRA STRENGTH

5% Minoxidil
Topical Solution, USP

- Reactivates Hair Follicles to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

Topical Solution
Unscented

Not for Use by Women

HAIR REGROWTH TREATMENT

ONE MONTH SUPPLY

60 ml (2 fl.oz)

MEN'S Remixdii[®]

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP
HAIR REGROWTH TREATMENT

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Solution 5% has been shown to regrow hair in men with the following degrees of thinning hair of hair loss.



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% may not work.



Drug Facts

Active ingredient Minoxidil 5% w/v

Purpose Hair regrowth treatment for men

Use To regrow hair on the scalp (vertex only, see picture on side of carton)

Warnings

For external use only. Not for use by women only.

Flammable: Keep away from fire or flame

Do not use if: - you are a woman - your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline - you have no family history of hair loss - your hair loss is sudden and/or patchy - you do not know the reason for your hair loss - you are under 18 years of age. Do not use on babies and children - your scalp is red, inflamed, itched or painful - you use other medicines on the scalp.

Ask a doctor before use if you have: heart disease

When using this product: - do not apply on other parts of the body - avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water - some people have experienced changes in hair color and/or texture - it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. - the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if:

- chest pain, rapid heart beat, hairiness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions: - prime the sprayer by holding the bottle upright and pump the sprayer 3 times to ensure delivery of full spray. Do not inhale mist. - apply one ml with spray (3 sprays) 2 times a day directly onto the scalp in the hair loss area - using more or more often will not improve results - continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information: - see hair loss pictures on side of this carton


- before use, read all information on carton and enclosed leaflet - keep the carton it contains important information - hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men - in clinical studies of mostly white men aged 18-40 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution - store at controlled room temperature 20° to 25°C (68° to 77°F)

Inactive ingredients: Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-800-641-8171

• visit website at www.Rida-Hair.com





Rida Hair Research Institute

MEN'S Remixdil[®]

EXTRA STRENGTH

**5% Minoxidil
Topical Solution, USP**

- Reactivates Hair Follicles to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

*Topical Solution
Unscented*

HAIR REGROWTH TREATMENT

ONE MONTH SUPPLY

60 ml (2 fl.oz)

Read and keep carton and leaflet for full product information.

Active ingredient Minoxidil 5% w/v

Warnings
For external use only. For use by men only.

Flammable: Keep away from fire or flame.

Do not use if • you are a woman • you have no family history of hair loss • your hair loss is sudden and/or patchy • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children. • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp

Ask a doctor before use if you have heart disease.

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply one mL with sprayer (6 sprays) 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary, or hair loss will begin again

Other Information
Store at Controlled Room Temperature 20° to 25°C (68° to 77°F).

Inactive Ingredients: Alcohol, Propylene Glycol, Purified Water

Questions? Call toll-free phone number 1-800-641-8871 or reach us online at www.rida-hair.com

For Best Results: Apply Directly to Scalp Twice Daily

Made in USA
Distributed by:
Rida LLC
9620 Towne Centre Dr.,
San Diego, CA 92121

Label part #

Rev. date

REMIXDIL EXTRA STRENGTH HAIR REGROWTH TREATMENT FOR MEN

minoxidil 5% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83004-008
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:83004-008-01	2 in 1 BOX	11/22/2023	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	11/22/2023	

Labeler - Rida LLC (004425803)

Revised: 11/2023

Rida LLC