

# **REMIXDIL EXTRA STRENGTH HAIR REGROWTH TREATMENT FOR MEN- minoxidil 5% solution**

**Rida LLC**

-----  
Minoxidil 5% w/v

Hair regrowth treatment for men

## **USE**

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

For external use only. For use by men only.

Flammable: Keep away from fire or flame

Do not use if

- You are a woman
- Your amount of hair loss is different than that shown on the side of this carton, or your hair loss is on the front of the scalp. 5% Minoxidil Topical Solution is not intended for frontal baldness or receding hairline.
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful
- You use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture
- It takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product

for at least 4 months before you see results.

■ The amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- Chest pain, rapid heartbeat, faintness, or dizziness occurs

- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs
- You do not see hair regrowth in 4 months

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

■ Apply one mL (6 sprays) 2 times a day directly onto the scalp in the area of hair loss

■ Using more or more often will not improve results

■ Continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

- See hair loss pictures on side of this carton
- Before use, read all information on carton and enclosed leaflet
- Keep this carton. It contains important information.
- Hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men
- In clinical studies of mostly white men aged 18-19 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution
- Store at controlled room temperature between 68° - 77°F (20°-25°C).

Alcohol, Propylene Glycol, Purified Water

Questions or comments? 1-800-641-8871

Visit website at [www.rida-hair.com](http://www.rida-hair.com)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

May be harmful if used when pregnant or breast-feeding.

## **Product label**

1.425"

1.425"

3.0"

# MEN'S Remix<sup>dil</sup>

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP  
HAIR REGROWTH TREATMENT

RHRI

Rida Hair Research Institute

## MEN'S Remix<sup>dil</sup>

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP  
HAIR REGROWTH TREATMENT

This Package Contains



One 60 ml (2 fl.oz) Bottle of Men's Remixdil Extra Strength (one-month supply).

With child-resistant sprayer pump applicator.

Information leaflet with complete directions on how to use and obtain best results.

(Read enclosed leaflet before use)

Made in USA  
Distributed by:  
Rida LLC  
9620 Towne Centre Dr.,  
San Diego, CA 92121

Label part #  
Rev. date

# MEN'S Remix<sup>dil</sup>

EXTRA STRENGTH

5% Minoxidil Topical Solution, USP

- Reactivates Hair Follicles to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

Topical Solution  
Unscented

Not for Use by Women

## HAIR REGROWTH TREATMENT

ONE MONTH SUPPLY

60 ml (2 fl.oz)

## MEN'S Remix<sup>dil</sup>

EXTRA STRENGTH

5% MINOXIDIL TOPICAL SOLUTION, USP  
HAIR REGROWTH TREATMENT

Minoxidil Topical Solution 5% is for men who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Solution 5% has been shown to regrow hair in men with the following degrees of thinning hair of hair loss.



If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Solution 5% may not work.



### Drug Facts

**Active ingredient** Minoxidil 5% w/v **Purpose** Hair regrowth treatment for men

**Use** to regrow hair on the scalp (vertex only, see picture on side of carton)

**Warnings**

**For external use only. Not for use by women only.**

**Flammable:** Keep away from fire or flame

**Do not use if:** - you are a woman - your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline - you have no family history of hair loss - your hair loss is sudden and/or patchy - you do not know the reason for your hair loss - you are under 18 years of age. Do not use on babies and children - your scalp is red, inflamed, itched or painful - you use other medicines on the scalp.

**Ask a doctor before use if you have:** heart disease

**When using this product:** - do not apply on other parts of the body - avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water - some people have experienced changes in hair color and/or texture - it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. - the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if:**

- chest pain, rapid heart beat, hairiness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** - prime the sprayer by holding the bottle upright and pump the sprayer 3 times to ensure delivery of full spray. Do not inhale mist - apply one ml with spray (3 sprays) 2 times a day directly onto the scalp on the hair loss area - using more or more often will not improve results - continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

**Other information:** - see hair loss pictures on side of this carton

- before use, read all information on carton and enclosed leaflet - keep the carton it contains important information - hair regrowth has not been shown to last longer than 48 weeks in large clinical trials with continuous treatment with 5% minoxidil topical solution for men - in clinical studies of mostly white men aged 18-40 years with moderate degrees of hair loss, 5% minoxidil topical solution for men provided more hair regrowth than 2% minoxidil topical solution - store at controlled room temperature 20° to 25°C (68° to 77°F)

**Inactive ingredients:** Alcohol, Propylene Glycol, Purified Water

**Questions or comments?** 1-800-641-8171

- visit website at [www.Rida-Hair.com](http://www.Rida-Hair.com)





Rida Hair Research Institute

# MEN'S Remixdil

EXTRA STRENGTH

**5% Minoxidil**  
**Topical Solution, USP**

- Reactivates Hair Follicles to Stimulate Regrowth
- Clinically Proven to Help Regrow Hair

Topical Solution  
**Unscented**

**HAIR REGROWTH TREATMENT**

ONE MONTH SUPPLY

60 ml (2 fl.oz)

**Read and keep carton and leaflet for full product information.**

**Active ingredient** Minoxidil 5% w/v

**Warnings**  
For external use only. For use by men only.

**Flammable:** Keep away from fire or flame.

**Do not use if** • you are a woman • you have no family history of hair loss • your hair loss is sudden and/or patchy • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children. • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp

**Ask a doctor before use if you have heart disease.**

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply one mL with sprayer (6 sprays) 2 times a day directly onto the scalp in the hair loss area
- see carton and enclosed leaflet for complete directions
- using more or more often will not improve results
- continued use is necessary, or hair loss will begin again

**Other Information**  
Store at Controlled Room Temperature 20° to 25°C (68° to 77°F).

**Inactive Ingredients:** Alcohol, Propylene Glycol, Purified Water

**Questions?** Call toll-free phone number 1-800-641-8871 or reach us online at [www.rida-hair.com](http://www.rida-hair.com)

**For Best Results: Apply Directly to Scalp Twice Daily**

Made in USA  
Distributed by:  
Rida LLC  
9620 Towne Centre Dr.,  
San Diego, CA 92121

Label part #

Rev. date

## REMIXDIL EXTRA STRENGTH HAIR REGROWTH TREATMENT FOR MEN

minoxidil 5% solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83004-008
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MINOXIDIL</b> (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	

### Packaging

#	Item Code	Package Description	Marketing Start	Marketing End

#	Item Code	Package Description	Date	Date
1	NDC:83004-008-01	2 in 1 BOX	11/22/2023	
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076239	11/22/2023	

**Labeler** - Rida LLC (004425803)

Revised: 2/2025

Rida LLC