

**THERA PLUS EXTRA STRENGTH MUSCLE RUB TOPICAL ANALGESIC-
menthol gel
FOURSTAR GROUP USA, INC.**

Thera Plus Extra Strength Muscle Rub Topical Analgesic Gel

Drug Facts

Active ingredients

Menthol 2.5%

Purpose

Topical analgesic

Uses

temporarily relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- sprains
- bruises

Warnings

For external use only.

Do not use

- on wounds or damaged skin
- with a heating pad
- on a child under 12 years of age with an arthritis-like condition

When using this product

- avoid contact with eyes and mucous membranes
- do not bandage tightly

Stop use and ask a doctor if

- excessive skin irritation occurs
- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and then occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Direction

- adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 12 years of age: ask a doctor

Other information

- store at room temperature 68° - 72°F (20° - 22°C).

Inactive ingredients

camphor, carbomer, DMDM hydantoin, isoceteth, isopropyl alcohol, PEG-40 hydrogenated castor oil, purified water, sodium hydroxide


Questions?

1-800-639-3803 Weekdays 9 AM to 4 PM EST

Package Labeling:

NET WT. 1.5 OZ (42.5 g)





COMPARE TO THE ACTIVE INGREDIENT OF BENGAY® VANISHING SCENT CREAM™

Extra Strength NDC 80684-139-00
Muscle Rub

Helps deliver fast relief for joint, muscle, arthritis and back pain

Topical Analgesic Gel **NET WT. 1.5 OZ (42.5 g)**
Menthol 2.5%

TAMPER-EVIDENT: Do not use if foil seal is broken or missing

Active ingredient Menthol 2.5% **Purpose** Topical analgesic **Uses** temporarily relieves minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ sprains ■ bruises **Warnings** For external use only. Do not use ■ on wounds or damaged skin ■ with a heating pad ■ on a child under 12 years of age with an arthritis-like condition **When using this product** ■ avoid contact with eyes and mucous membranes ■ do not bandage tightly **Stop use and ask a doctor if** ■ excessive skin irritation occurs ■ condition worsens or symptoms persist for more than 7 days ■ symptom clear up and then occur again within a few days **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Directions** ■ Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 12 years of age: ask a doctor **Other information** ■ store at room temperature 68° - 72°F (20° - 22°C) **Inactive ingredients** camphor, carbomer, DMDM hydantoin, isoceteth, isopropyl alcohol, PEG-40 hydrogenated castor oil, purified water, sodium hydroxide

Questions? 1-800-639-3803 Weekdays 9 AM to 4 PM EST

*Bengay® is a registered trademark of Kenvue Inc. All trademarks and registered trademarks are the property of their respective owners. Theraplus® is not manufactured or distributed by Johnson & Johnson or Kenvue Inc.

MANUFACTURED FOR: FOURSTAR GROUP USA, INC.
 925 GRANT ST., AKRON, OH 44311 USA
 MADE IN CHINA
 LOT: EXP:

THERA PLUS EXTRA STRENGTH MUSCLE RUB TOPICAL ANALGESIC			
menthol gel			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:80684-139
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	25 mg in 1 g
Inactive Ingredients			
Ingredient Name			Strength
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)			
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)			
DMDM HYDANTOIN (UNII: BYR0546TOW)			
ISOPROPYL ALCOHOL (UNII: ND2M416302)			
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)			

WATER (UNII: 059QF0KO0R)

SODIUM HYDROXIDE (UNII: 55X04QC32I)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:80684-139-00	42.5 g in 1 TUBE; Type 0: Not a Combination Product	03/03/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/03/2025	

Labeler - FOURSTAR GROUP USA, INC. (140099503)

Revised: 8/2025

FOURSTAR GROUP USA, INC.