ACETAMINOPHEN PM- acetaminophen and diphenhydramine hydrochloride tablet, coated Harris Teeter

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HTE - 1171 - 2022-0831

Drug Facts

Active ingredients (in each gelcap)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see overdose warning)

adults and children 12 years and over	 take 2 gelcaps at bedtime do not take more than 2 gelcaps of this product in 24 hours
children under 12 years	• do not use

Other information

- store between 20-25°C (68-77°F)
- retain carton for complete product information

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, D&C red #28, D&C yellow #10, edible ink, FD&C blue #1, FD&C blue #2 aluminum lake, FD&C red #40, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, hydroxypropyl cellulose, hypromellose, microcrystalline cellulose, povidone, pregelatinized starch, stearic acid, titanium dioxide, triacetin


Questions or comments?

1-844-705-4384

PRINCIPAL DISPLAY PANEL

Harris Teeter™ NDC 72036-171-02 Extra Strength Acetaminophen PM †Compare to the Active Ingredients in Tylenol® PM Extra Strength Acetaminophen & Diphenhydramine HCl PAIN RELIEVER / NIGHTTIME SLEEP-AID • Contains No Aspirin • For Adults Actual Size

40 GELCAPS



ACETAMINOPHEN PM acetaminophen and diphenhydramine hydrochloride tablet, coated					
	-				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:72036-171	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingree	dient Name		Basis of St	rength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)		ACETAMINOPHEN		500 mg	
DIPHENHYDRAMINE HYDROCHLO (DIPHENHYDRAMINE - UNII:8GTS82S			DIPHENHYDRAMIN HYDROCHLORIDE	E	25 mg

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: 08232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics				
Color	gray (dark blue and light blue ends)	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	G3	
Contains				

Packaging

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:72036- 171-02	1 in 1 CARTON	06/06/2014				
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product					
2	NDC:72036- 171-03	1 in 1 CARTON	06/06/2014	08/31/2021			
2		80 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product					
Μ	Marketing Information						
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
ОТ	rC monograph fina	al part341	06/06/2014				

Labeler - Harris Teeter (047279351)

Revised: 11/2022