

**NITROUS OXIDE- nitrous oxide gas**  
**United States Welding, Inc.**

**NITROUS OXIDE LABEL**

**NITROUS OXIDE USP UN1070**

NON-FLAMMABLE GAS 2      DO NOT REMOVE THIS LABEL      OXIDIZER 5.1  
37736 (12/14)

**Rx only.**

**WARNING:** Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **DANGER:** HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Keep oil and grease away. Use only equipment cleaned for oxygen and rated for cylinder pressure. Do not get liquid in eyes, on skin, and clothing. Cylinder temperatures should not exceed 52C (125F). Open valve slowly. Close valve after each use and when empty. Use back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS). **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. **WARNING:** This product contains a chemical known to the state of California to cause birth defects or other reproductive harm. CAS: 10024-97-2

**UNITED STATES WELDING, INC**

600 S. SANTA FE DR • DENVER CO 80223 • 800-777-6871

CONTENTS: \_\_\_\_\_ LITERS    \_\_\_ CU FT \_\_\_\_\_  
DO NOT REMOVE THIS PRODUCT LABEL.



# NITROUS OXIDE

nitrous oxide gas

## Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:54218-800
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>NITROUS OXIDE</b> (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	99 kg in 100 kg

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:54218-800-01	1.814 kg in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1970	
2	NDC:54218-800-02	2.723 kg in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1970	
3	NDC:54218-800-03	9.072 kg in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1970	
4	NDC:54218-800-04	13.608 kg in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1970	
5	NDC:54218-800-05	25.40 kg in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1970	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
NDA	NDA205704	01/01/1970	

**Labeler** - United States Welding, Inc. (078353927)

**Registrant** - United States Welding, Inc. (078353927)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
United States Welding, Inc.		078353927	manufacture(54218-800)

Revised: 10/2024

United States Welding, Inc.