GOOD SENSE CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution L. Perrigo Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Perrigo Children's Cold & Cough Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg Dextromethorphan HBr, USP 10 mg Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease

- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Ages 6 Yrs. & Over

Children's

Cold & Cough

Antihistamine, Brompheniramine Maleate

Cough Suppressant, Dextromethorphan HBr

Nasal Decongestant, Phenylephrine HCl

Stuffy Nose

Runny Nose

Sneezing

Itchy, Watery Eyes

Coughing

Alcohol-Free

Grape Flavor

Compare to active ingredients of Children's Dimetapp® Cold & Cough

4 FL OZ (118 mL)





COODSENSE®

GOODSENSE.

Ages 6 Yrs. & Over



Antihistamine, Brompheniramine Maleate Cough Suppressant, Dextromethorphan HBr Nasal Decongestant, Phenylephrine HCI

- Stuffy Nose
- Runny Nose
- Sneezing Itchy, Watery
- Coughing
- Alcohol-Free



Compare to active ingredichildren's Dimetapp Cold & Cough

4 FL 0Z (118 mL)

GOODSENSE.

Ages 6 Yrs. & Over



Antihistamine, Brompheniramine Maleate Cough Suppressant, Dextromethorphan HBr Nasal Decongestant, Phenylephrine HCI

- Stuffy Nose
- Runny Nose Sneezina
- Itchy, Watery Eyes
- Coughing

Alcohol-Free





www.StopMedicineAbuse.org

Drug Facts

Active ingredients

Purposes

(In each 10 mL)
Brompheniramine maleate, USP 2 mg.....Antihistamine
Dextromethorphan HBr, USP 10 mg...Cough suppressantNasal decongestan Phenylephrine HCI, USP 5 mg.....

Uses

- The second secon

- sneezing
 itchy, watery eyes
 itching of the nose or throat
 temporarily restores freer breathing through the nose

Warnings

- Do not use

 If you are now taking a prescription monoamine
 oxidase inhibitor (MADI) (certain drugs for
 depression, psychiatric, or emotional conditions, or
 Arakinson's disease), of roz yeweks after stopping
 the MADI drug, If you do not know if your
 prescription drug contains an MADI, ask a doctor or
 pharmacist before taking this product.

 It omake a child sleepy

- Ask a doctor before use if you have
 heart disease high blood pressure
 thyroid disease diabetes
 trouble urinating due to an enlarged prostate gland ■ glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
 cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product
 do not use more than directed
 may cause marked drowsiness
 avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase
- be careful when driving a motor vehicle or operating machinery

 excitability may occur, especially in children

Drug Facts (continued)

- Stop use and ask a doctor if
 you get nervous, dizzy, or sle
- you get nervous, orzey, or steepiess
 symptoms do not get better within 7 days or are
 accompanied by fever
 cough lasts for more than 7 days, comes back, or
- is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health

represented before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
 measure only with dosage cup provided
 keep dosage cup with product

mc = milliner	
age	dose
adults and children	20 ml every 4

-0-	
adults and children	20 mL every 4 hours
12 years and over	90
children 6 to under	10 mL every 4 hours
12 years	100
children under 6 years	do not use

Other information

■ each 10 mL contains: sodium 4 mg ■ store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution


Questions or comments?

DO NOT USE IF PRINTED NECKBAND IS

Gluten Free

Distributed By

Perrigo_® Allegan, MI 49010





LOT NO.

EXP.

98726 C2 C3

GOOD SENSE CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0113-0987

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9 KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD9 1C86K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6 A3C0 OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SO DIUM (UNII: SB8 ZUX40 TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics			
Color	PURPLE (Clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

I	Packaging			
II	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:0113-0987-26	1 in 1 CARTON	02/24/2007	
	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/24/2007	

Labeler - L. Perrigo Company (006013346)

Revised: 12/2018 L. Perrigo Company