

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 1-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 2-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 3-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 4-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 1-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 2-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 3-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 4-  
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 2- octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 3- octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 4- octinoxate cream**

**SHISEIDO AMERICAS CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SHISEIDO FUTURE SOLUTION LX TOTAL RADIANCE FOUNDATION E**

### ***Drug Facts***

#### **Active ingredients**

OCTINOXATE 5.9%

#### **Purpose**

Sunscreen

#### **Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

#### **Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

## Inactive Ingredients

WATER·DIMETHICONE·GLYCERIN·NYLON-12·SD ALCOHOL 40-B·DIETHYLHEXYL SUCCINATE·PEG-150·PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE·PEG-10 DIMETHICONE·CYCLOHEXASILOXANE·SORBITAN SESQUISTEARATE·POTASSIUM METHOXYSALICYLATE·TRIMETHYLSILOXYSILICATE·PIPERIDINEPROPIONIC ACID·TOCOPHERYL ACETATE·DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER·2-O-ETHYL ASCORBIC ACID·POLYMETHYL METHACRYLATE·PRUNUS SPECIOSA LEAF EXTRACT·ANGELICA ACUTILOBA ROOT EXTRACT·SODIUM ACETYLATED HYALURONATE·ISODONIS JAPONICUS LEAF/STALK EXTRACT·CAMELLIA SINENSIS LEAF EXTRACT·DISTEARDIMONIUM HECTORITE·ISODODECANE·ALUMINUM HYDROXIDE·DIMETHICONE/PEG-10/15 CROSSPOLYMER·POLYSILICONE-2·TRISODIUM EDTA·BUTYLENE GLYCOL·SODIUM CITRATE·BHT·BARIUM SULFATE·TOCOPHEROL·CITRIC ACID·SODIUM METABISULFITE·ALCOHOL·POLYMETHYLSILSESQUIOXANE·DIPROPYLENE GLYCOL·ALUMINA·PHENOXYETHANOL·FRAGRANCE·TITANIUM DIOXIDE·IRON OXIDES·MICA·

## Other information

- protect this product in this container from excessive heat and direct sun.

## Questions or comments?

Call toll free 1-800-906-7503

**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 1**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Golden 1 / Doré 1  
GLO.13931

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOCTEATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDIN PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NI NYD DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA. ▼

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- In vitro test

### Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen ▶

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION D.I.S.T.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



### Drug Facts (continued)

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

<http://s1872.com/13935AA>  
See our website for more information.


### Drug Facts (continued)

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 2**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Golden 2 / Doré 2  
GLO.13932

**SHISEIDO**  
GINZA TOKYO

**FUTURE SOLUTION LX**

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-8 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUINOLEATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXY SILICATE • PIPERIDINE PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLY METHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA. ▼



SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \* In vitro test

**Drug Facts**

<b>Active Ingredient</b>	<b>Purpose</b>
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**


**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 3**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**


**SkigenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**



Total Radiance Foundation



Golden 3 / Doré 3  
GLO.13933

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NIYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONON JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmei to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \*In vitro test

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION D.I.S.T.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**


**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 4**

**SHI SEIDO  
GINZA TOKYO**


**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Golden 4 / Doré 4  
GLO.13934

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX  
Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSTEARATE • POTASSIUM METHOXY-SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAFSTALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA



SHISEIDO  
 FUTURE SOLUTION LX  
 TOTAL RADIANCE FOUNDATION E  
 BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \* In vitro test

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
 Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
 CORPORATION D.I.S.T.  
 NEW YORK, NY 10022  
 MADE IN U.S.A.  
 www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


**Drug Facts (continued)**

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

<http://s1872.com/13935AA>  
 See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 1**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkigenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**



Total Radiance Foundation



Neutral 1 / Neutre 1  
GLO.13935

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX  
Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MNYDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORI TE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA ▼

SHISEIDO  
 FUTURE SOLUTION LX  
 TOTAL RADIANCE FOUNDATION E  
 BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skin care ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \*In vitro test

**Drug Facts**

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen ▶

Specially formulated by  
 Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
 CORPORATION D.I.T.  
 NEW YORK, NY 10022  
 MADE IN U.S.A.  
 www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶


**Drug Facts (continued)**

**Other Information**

- protect this product in this container from excessive heat and direct sun.



<http://s1872.com/13935AA>  
 See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 2**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkigenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Neutral 2 / Neutre 2  
GLO.13936

**SHISEIDO**  
GINZA TOKYO

**FUTURE SOLUTION LX**

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDIN PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/METHYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPICIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIN • JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM Hectorite • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA



SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \* In vitro test

### Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION D.I.S.T.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



### Drug Facts (continued)

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)


#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 3**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkigenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**



Total Radiance Foundation



Neutral 3 / Neutre 3  
GLO.13937

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAUCYLATE • TRIMETHYLSILOXYLICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILoba ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 COPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmei to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \*In vitro test

**Drug Facts**

<b>Active ingredient</b> OCTINOXATE 5.9% .....	<b>Purpose</b> Sunscreen
---	-----------------------------

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


**Drug Facts (continued)**

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 4**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Neutral 4 / Neutre 4  
GLO.13938

**SHISEIDO**  
GINZA TOKYO

**FUTURE SOLUTION LX**

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-8 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUINOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYLICATE • PIPERIDINOPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOLANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA ▼



SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellErnel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- In vitro test

### Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



### Drug Facts (continued)

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

### Drug Facts (continued)


#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 2**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**


**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**



Total Radiance Foundation



Rose 2 / Rosé 2  
GLO.13939

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MINYDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOLANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \* In vitro test

**Drug Facts**

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
[www.shiseido.com](http://www.shiseido.com)



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

**Drug Facts (continued)**


**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>  
See our website for more information.



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 3**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkingenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**

Total Radiance Foundation



Rose 3 / Rosé 3  
GLO:13940

SHISEIDO  
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-9 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYSIICATE • PIPERIDINOPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/METHICONE COPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPICIOSA LEAF EXTRACT • ANGELICA ACUTLOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORATE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 COPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXANOLIC ACID • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA ▼



SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- In vitro test

**Drug Facts**

Active ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen ▶

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



**Drug Facts (continued)**

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶


<http://s1872.com/13935AA>  
See our website for more information.

**Drug Facts (continued)**

**Other Information**

- protect this product in this container from excessive heat and direct sun.

**Questions or Comments?**



**PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 4**

**SHI SEIDO  
GINZA TOKYO**

**FUTURE SOLUTION LX  
Total Radiance Foundation**

**SkigenecellEnmei**

**BROAD SPECTRUM SPF 20  
SUNSCREEN**

**30mL NET WT. 1.2 OZ.**



Total Radiance Foundation



Rose 4 / Rosé 4  
GLO.13941

**SHISEIDO**  
GINZA TOKYO

**FUTURE SOLUTION LX**

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20  
SUNSCREEN

30mL NET WT. 1.2 OZ.

### Drug Facts (continued)

#### Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

#### Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYLSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NI NYLON-12 DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA ▼

SHISEIDO  
FUTURE SOLUTION LX  
TOTAL RADIANCE FOUNDATION E  
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.\*
- Apply after skincare.
- \*In vitro test

### Drug Facts

Active Ingredient	Purpose
OCTINOXATE 5.9% .....	Sunscreen ▶

Specially formulated by  
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS  
CORPORATION DIST.  
NEW YORK, NY 10022  
MADE IN U.S.A.  
www.shiseido.com



### Drug Facts (continued)

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

<http://s1872.com/13935AA>  
See our website for more information.


### Drug Facts (continued)

#### Other Information

- protect this product in this container from excessive heat and direct sun.

#### Questions or Comments?

Call toll free 1-800-906-7503



## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 1

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-329
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2036 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	

PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-329-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 2

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-330
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL
<b>Inactive Ingredients</b>		
<b>Ingredient Name</b>	<b>Strength</b>	
<b>WATER</b> (UNII: 059QF0KO0R)		
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)		
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)		
<b>NYLON-12</b> (UNII: 446U8J075B)		
<b>DIETHYLHEXYL SUCCINATE</b> (UNII: 69W9UMG3P8)		
<b>POLYETHYLENE GLYCOL 7000</b> (UNII: Q0JET65GEL)		
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)		
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)		
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)		
<b>POTASSIUM METHOXYALICYLATE</b> (UNII: 5G3H7U4Y7F)		
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)		
<b>PIPERIDINEPROPIONIC ACID</b> (UNII: 6L69A7VPHO)		
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)		
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)		
<b>2-O-ETHYL ASCORBIC ACID</b> (UNII: 801M14RK9K)		
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)		
<b>PRUNUS SPECIOSA LEAF</b> (UNII: Q71D900FVU)		
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)		
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)		
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)		
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)		
<b>ISODODECANE</b> (UNII: A8289P68Y2)		
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)		
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)		
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)		
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)		
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)		
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)		
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)		
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)		
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)		
<b>ALCOHOL</b> (UNII: 3K9958V90M)		
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)		
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)		
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)		
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)		
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)		
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)		
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)		
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)		
<b>MICA</b> (UNII: V8A1AW0880)		



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-330-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 3**

octinoxate cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58411-331
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	

ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-331-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 4

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-332
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-332-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 1

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-333
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	

BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-333-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 2

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-334
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	



POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-334-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

# SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 3

octinoxate cream

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-335
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYLSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-335-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 4

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-336
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	

PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-336-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 2

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-337
--------------	----------------	--------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	



FERROSO FERRIC OXIDE (UNII: XM0M87F357)

MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-337-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 3

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-338
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXY SALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXY SILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINE PROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	

ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LM26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-338-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

## SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 4

octinoxate cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-339
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	<b>OCTINOXATE</b>	1832 mg in 30 mL
---	-------------------	------------------

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>DIETHYLHEXYL SUCCINATE</b> (UNII: 69W9UMG3P8)	
<b>POLYETHYLENE GLYCOL 7000</b> (UNII: Q0JET65GEL)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POTASSIUM METHOXYALICYLATE</b> (UNII: 5G3H7U4Y7F)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>PIPERIDINEPROPIONIC ACID</b> (UNII: 6L69A7VPHO)	
<b>.ALPHA.-TOCOPHEROL ACETATE, DL-</b> (UNII: WR1WPI7EW8)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>2-O-ETHYL ASCORBIC ACID</b> (UNII: 801M14RK9K)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>PRUNUS SPECIOSA LEAF</b> (UNII: Q71D900FVU)	
<b>ANGELICA ACUTILOBA ROOT</b> (UNII: 3W51R3EK30)	
<b>SODIUM ACETYLATED HYALURONATE</b> (UNII: WN66R7GL93)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>EDETATE TRISODIUM</b> (UNII: 420IP921MB)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>BARIUM SULFATE</b> (UNII: 25BB7EKE2E)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>POLYMETHYLSILSESQUOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>MICA</b> (UNII: V8A1AW0880)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-339-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	08/01/2017	

**Labeler** - SHISEIDO AMERICAS CORPORATION (193691821)

### Establishment

Name	Address	ID/FEI	Business Operations
SHISEIDO AMERICA INC.		782677132	manufacture(58411-329, 58411-330, 58411-331, 58411-332, 58411-333, 58411-334, 58411-335, 58411-336, 58411-337, 58411-338, 58411-339) , analysis(58411-329, 58411-330, 58411-331, 58411-332, 58411-333, 58411-334, 58411-335, 58411-336, 58411-337, 58411-338, 58411-339)

Revised: 12/2018

SHISEIDO AMERICAS CORPORATION