

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 1-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 2-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 3-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 4-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 1-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 2-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 3-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 4-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 2-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 3-
octinoxate cream**

**SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 4-
octinoxate cream**

SHISEIDO AMERICAS CORPORATION

SHISEIDO FUTURE SOLUTION LX TOTAL RADIANCE FOUNDATION E

Drug Facts

Active ingredients

OCTINOXATE 5.9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER•DIMETHICONE•GLYCERIN•NYLON-12•SD ALCOHOL 40-B•DIETHYLHEXYL SUCCINATE•PEG-150•PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE•PEG-10 DIMETHICONE•CYCLOHEXASILOXANE•SORBITAN SESQUIISOSTEARATE•POTASSIUM METHOXYSALICYLATE•TRIMETHYLSILOXYSILICATE•PIPERIDINEPROPIONIC ACID•TOCOPHERYL ACETATE•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•2-O-ETHYL ASCORBIC ACID•POLYMETHYL METHACRYLATE•PRUNUS SPECIOSA LEAF EXTRACT•ANGELICA ACUTILOBA ROOT EXTRACT•SODIUM ACETYLATED HYALURONATE•ISODONIS JAPONICUS LEAF/STALK EXTRACT•CAMELLIA SINENSIS LEAF EXTRACT•DISTEARDIMONIUM HECTORITE•ISODODECANE•ALUMINUM HYDROXIDE•DIMETHICONE/PEG-10/15 CROSSPOLYMER•POLYSILICONE-2•TRISODIUM EDTA•BUTYLENE GLYCOL•SODIUM CITRATE•BHT•BARIUM SULFATE•TOCOPHEROL•CITRIC ACID•SODIUM METABISULFITE•ALCOHOL•POLYMETHYLSILSESQUIOXANE•DIPROPYLENE GLYCOL•ALUMINA•PHENOXYETHANOL•FRAGRANCE•TITANIUM DIOXIDE•IRON OXIDES•MICA•

Other information

- protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 1

**SHI SEIDO
GINZA TOKYO**


FUTURE SOLUTION LX
Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Golden 1 / Doré 1
GLO.13931

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOCTEATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDIN PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NI NYD DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA. ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- In vitro test

Drug Facts

<i>Active ingredient</i>	<i>Purpose</i>
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION D.I.S.T.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

<http://s1872.com/13935AA>
See our website for more information.


Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 2

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Golden 2 / Doré 2
GLO.13932

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-8 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXY SILICATE • PIPERIDINE PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MINYL DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA. ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- * In vitro test

Drug Facts

Active Ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)


Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 3

**SHI SEIDO
GINZA TOKYO**


**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Golden 3 / Doré 3
GLO.13933

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NIYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmei to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION D.I.S.T.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)


Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Golden 4

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Golden 4 / Doré 4
GLO.13934

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX
Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAFSTALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILSESQUOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA

SHISEIDO
 FUTURE SOLUTION LX
 TOTAL RADIANCE FOUNDATION E
 BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- * In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
 Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
 CORPORATION D.I.S.T.
 NEW YORK, NY 10022
 MADE IN U.S.A.
 www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings


For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶



<http://s1872.com/13935AA>
 See our website for more information.

Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

13931-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 1

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Neutral 1 / Neutre 1
GLO.13935

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX
Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MNYD/METHICONE COPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORI TE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 COPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- *In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION D.I.T.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

<http://s1872.com/13935AA>
See our website for more information.

Questions or Comments?
Call toll free 1-800-906-7503

13931-40-5040
AAA

PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 2

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Neutral 2 / Neutre 2
GLO.13936

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-8 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDIN PROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/METHYLDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPICIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIN JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

• Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*

• Apply after skincare.

*In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION D.I.S.T.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Other Information


- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>

See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 3

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Neutral 3 / Neutre 3
GLO.13937

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-100 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXYSAUCYLATE • TRIMETHYLSILOXYLICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/VINYL DIMETHICONE COPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 COPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFITE • ALCOHOL • POLYMETHYLSILOXANOL • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO
 FUTURE SOLUTION LX
 TOTAL RADIANCE FOUNDATION E
 BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmei to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen

Specially formulated by
 Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
 CORPORATION DIST.
 NEW YORK, NY 10022
 MADE IN U.S.A.
 www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

<http://s1872.com/13935AA>
 See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Neutral 4

**SHI SEIDO
GINZA TOKYO**


**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Neutral 4 / Neutre 4
GLO.13938

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-8 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUINOSTEARATE • POTASSIUM METHOXY SALICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINOPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM Hectorite • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOLANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellErnel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Drug Facts (continued)


Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 2

**SHI SEIDO
GINZA TOKYO**


**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Rose 2 / Rosé 2
GLO.13939

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/MINYDIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOLANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA • ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- * In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

Drug Facts (continued)


Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

<http://s1872.com/13935AA>
See our website for more information.



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 3

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Rose 3 / Rosé 3
GLO:13940

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-9 • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOSEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYSIICATE • PIPERIDINOPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/METHICONE COPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPICIOSA LEAF EXTRACT • ANGELICA ACUTLOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONIS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONIUM HECTORATE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 COPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANOLIC ACID • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MCA ▼

SHISEIDO
 FUTURE SOLUTION LX
 TOTAL RADIANCE FOUNDATION E
 BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingeneCellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- In vitro test

Drug Facts

Active ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
 Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
 CORPORATION DIST.
 NEW YORK, NY 10022
 MADE IN U.S.A.
 www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶


<http://s1872.com/13935AA>
 See our website for more information.

Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?



PRINCIPAL DISPLAY PANEL - 30 mL Jar Carton - Rose 4

**SHI SEIDO
GINZA TOKYO**

**FUTURE SOLUTION LX
Total Radiance Foundation**

SkingenecellEnmei

**BROAD SPECTRUM SPF 20
SUNSCREEN**

30mL NET WT. 1.2 OZ.

Total Radiance Foundation



Rose 4 / Rosé 4
GLO.13941

SHISEIDO
GINZA TOKYO

FUTURE SOLUTION LX

Total Radiance Foundation

SkingenecellEnmei

BROAD SPECTRUM SPF 20
SUNSCREEN

30mL NET WT. 1.2 OZ.

Drug Facts (continued)

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • NYLON-12 • SD ALCOHOL 40-B • DIETHYLHEXYL SUCCINATE • PEG-150 • PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE • PEG-10 DIMETHICONE • CYCLOHEXASILOXANE • SORBITAN SESQUISOOSTEARATE • POTASSIUM METHOXYSAICYLATE • TRIMETHYLSILOXYSILICATE • PIPERIDINEPROPIONIC ACID • TOCOPHERYL ACETATE • DIMETHICONE/NI NYLON-12 DIMETHICONE CROSSPOLYMER • 2-O-ETHYL ASCORBIC ACID • POLYMETHYL METHACRYLATE • PRUNUS SPECIOSA LEAF EXTRACT • ANGELICA ACUTILOBA ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • ISODONS JAPONICUS LEAF/STALK EXTRACT • CAMELLIA SINENSIS LEAF EXTRACT • DISTEARDIMONUM HECTORITE • ISODODECANE • ALUMINUM HYDROXIDE • DIMETHICONE/PEG-10/15 CROSSPOLYMER • POLYSILOXANE-2 • TRISODIUM EDTA • BUTYLENE GLYCOL • SODIUM CITRATE • BHT • BARIUM SULFATE • TOCOPHEROL • CITRIC ACID • SODIUM METABISULFATE • ALCOHOL • POLYMETHYLSILOXANE • DIPROPYLENE GLYCOL • ALUMINA • PHENOXYETHANOL • FRAGRANCE • TITANIUM DIOXIDE • IRON OXIDES • MICA ▼

SHISEIDO
FUTURE SOLUTION LX
TOTAL RADIANCE FOUNDATION E
BROAD SPECTRUM SPF 20

Treasure the life in your skin.

A truly luxurious age-defying foundation that seems to bring out a radiant aura—as if revealing your true, essential beauty from within. Infused with skincare ingredients, to retexturize and brighten the skin, maintain a resilient look, and deliver a seamless, flawless finish that expands your possibilities for beautiful skin.

- Formulated with SHISEIDO's SkingenecellEnmel to encourage the vitalizing forces that renew beautiful skin from its source.*
- Apply after skincare.
- *In vitro test

Drug Facts

Active Ingredient	Purpose
OCTINOXATE 5.9%	Sunscreen ▶

Specially formulated by
Shiseido Laboratories, Japan.

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10022
MADE IN U.S.A.
www.shiseido.com



Drug Facts (continued)

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. ▶

<http://s1872.com/13935AA>
See our website for more information.


Drug Facts (continued)

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503



SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 1

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-329
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2036 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	

POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-329-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 2

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-330
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-330-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 3

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-331
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	

2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-331-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E GOLDEN 4 octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-332
---------------------	----------------	---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

FERROSO FERRIC OXIDE (UNII: XM0M87F357)

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-332-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 1

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-333
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: VR1WPI7EW8)	

DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-333-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	08/01/2017		

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 2
 octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-334
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-334-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL 3

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-335
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	

TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVJ)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-335-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E NEUTRAL

4

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-336
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: VN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-336-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 2

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-337
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-337-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 3

octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-338
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)	
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)	
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)	
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)	
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISODODECANE (UNII: A8289P68Y2)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	
ALCOHOL (UNII: 3K9958V90M)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
MICA (UNII: V8A1AW0880)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-338-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

SHISEIDO FUTURE LX TOTAL RADIANCE FOUNDATION E ROSE 4

octinoxate cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-339
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	1832 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
DIETHYLHEXYL SUCCINATE (UNII: 69W9UMG3P8)	
POLYETHYLENE GLYCOL 7000 (UNII: Q0JET65GEL)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
POTASSIUM METHOXYSALICYLATE (UNII: 5G3H7U4Y7F)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PIPERIDINEPROPIONIC ACID (UNII: 6L69A7VPHO)
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
PRUNUS SPECIOSA LEAF (UNII: Q71D900FVU)
ANGELICA ACUTILOBA ROOT (UNII: 3W51R3EK30)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
ISODODECANE (UNII: A8289P68Y2)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
EDETATE TRISODIUM (UNII: 420IP921MB)
BUTYLENE GLYCOL (UNII: 3XUS85KORA)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
BARIUM SULFATE (UNII: 25BB7EKE2E)
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
ALCOHOL (UNII: 3K9958V90M)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
ALUMINUM OXIDE (UNII: LMI26O6933)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-339-50	1 in 1 CARTON	08/01/2017	
1		30 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/01/2017	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-329, 58411-330, 58411-331, 58411-332, 58411-333, 58411-334, 58411-335, 58411-336, 58411-337, 58411-338, 58411-339) , manufacture(58411-329, 58411-330, 58411-331, 58411-332, 58411-333, 58411-334, 58411-335, 58411-336, 58411-337, 58411-338, 58411-339)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION