

**AFRIN ORIGINAL- oxymetazoline hydrochloride spray**  
**Lil' Drug Store Products, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Afrin<sup>®</sup> Original**

**Drug Facts**

**Active ingredient**

Oxymetazoline hydrochloride 0.05%

**Purpose**

Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

**When using this product**

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if** symptoms persist

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

### **Other information**

- store between 20° to 25°C (68° to 77°F)
- retain card for future reference on full labeling

### **Inactive ingredients**

benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

### **Questions or comments**

Call 1-800-317-2165

### **PDP/PACKAGE - 6 mL Bottle Blister Pack, Lil' Drug Store**

#1 Doctor & Pharmacist  
Recommended Brand

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin ® Original

NASAL SPRAY

- Relieves Nasal Congestion &

Sinus Congestion/Pressure

**UNBLOCKS IN**

**SECONDS\***

**LASTS 12 HRS**

\*It unblocks your nose in

seconds, providing **12 hours of**

**nasal congestion relief** without

drowsiness, so you can breathe more freely **all day or all night**

[Bayer cross]

[Lil' Drug Store logo]

1/5 FL OZ

(6mL)

#1 Doctor & Pharmacist Recommended Brand

Oxymetazoline HCl Nasal Solution-Nasal Decongestant


# Afrin®



**Original NASAL SPRAY**

- Relieves Nasal Congestion & Sinus Congestion/Pressure

**UNBLOCKS IN SECONDS\***  
**LASTS 12 HRS**

\*It unblocks your nose in seconds, providing 12 hours of nasal congestion relief without drowsiness, so you can breathe more freely all day or all night.



  1/5 FL OZ (6 mL)


**SAFETY SEALED:** Do not use if seal imprinted "Afrin Security Seal" is broken or missing.

LOT/EXP

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Oxymetazoline hydrochloride 0.05%.....	Nasal decongestant
<b>Uses</b>	
■ temporarily relieves nasal congestion due to: ■ common cold ■ hay fever ■ upper respiratory allergies	
■ temporarily relieves sinus congestion and pressure	
■ shrinks swollen nasal membranes so you can breathe more freely	
<b>Warnings</b>	
Ask a doctor before use if you have	
■ heart disease ■ high blood pressure	
■ thyroid disease ■ diabetes	
■ trouble urinating due to an enlarged prostate gland	
<b>When using this product</b>	
■ do not use more than directed	
■ do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.	
■ temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur	
■ use of this container by more than one person may spread infection	
Stop use and ask a doctor if symptoms persist	
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.	
■ children under 6 years of age: ask a doctor	
To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.	
<b>Other information</b>	
■ store between 20° to 25°C (68° to 77°F)	
■ retain card for future reference on full labeling	
<b>Inactive ingredients</b>	
benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic	
<b>Questions or comments</b> 1-800-317-2165	

Afrin, the Bayer Cross & the Afrin Clock & Grid Design are registered trademarks of Bayer. ©2022 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Product of Germany www.patents.livewell.bayer.com

70163C-US-03-22

 Distributed with permission of manufacturer by:  
Lil' Drug Store Products, Inc.  
9300 Earhart Lane SW  
Cedar Rapids, IA 52404

7 92554 70163 1

TRAVEL

BASIX

1/5 FL OZ (6mL)




SAFETY SEALED: Do not use if seal imprinted "Afrin Security Seal" is broken or missing.

# Afrin

<b>Drug Facts</b> <b>Active ingredient</b> Oxymetazoline hydrochloride 0.05%.....Nasal decongestant	<b>Purpose</b> Nasal decongestant
<b>Uses</b> <ul style="list-style-type: none"><li>temporarily relieves nasal congestion due to:<ul style="list-style-type: none"><li>common cold</li><li>hay fever</li><li>upper respiratory allergies</li></ul></li><li>temporarily relieves sinus congestion and pressure</li><li>shrinks swollen nasal membranes so you can breathe more freely</li></ul>	
<b>Warnings</b> Ask a doctor before use if you have: <ul style="list-style-type: none"><li>heart disease</li><li>high blood pressure</li><li>thyroid disease</li><li>diabetes</li><li>trouble urinating due to an enlarged prostate gland</li></ul>	
<b>When using this product</b> <ul style="list-style-type: none"><li>do not use more than directed</li><li>do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.</li><li>temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur</li><li>use of this container by more than one person may spread infection</li></ul>	
<b>Directions</b> <ul style="list-style-type: none"><li>adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.</li><li>children under 6 years of age: ask a doctor</li></ul> To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.	
<b>Other information</b> <ul style="list-style-type: none"><li>store between 20° to 25°C (68° to 77°F)</li><li>retain card for future reference on full labeling</li></ul>	
<b>Inactive ingredients</b> benzalkonium chloride solution, adetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic	
<b>Questions or comments</b> 1-800-317-2165	

©2022 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Product of Germany  
www.patents.livewell.bayer.com

5880C3-BSX-03-22



0 94187 35880 1

Distributed with permission of manufacturer by:  
Lil' Drug Store Products, Inc.  
9300 Earhart Lane SW  
Cedar Rapids, IA 52404  
1-800-351-2000 (8:00 AM - 4:30 PM CST)

## AFRIN ORIGINAL

oxymetazoline hydrochloride spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-7016
<b>Route of Administration</b>	NASAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM</b> (UNII: 3980JIH2SW)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-7016-3	1 in 1 BLISTER PACK	11/09/2018	
1		6 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/01/2008	

## AFRIN ORIGINAL

oxymetazoline hydrochloride spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5880
<b>Route of Administration</b>	NASAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OXYMETAZOLINE HYDROCHLORIDE</b> (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM</b> (UNII: GR686LBA74)	
<b>SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM</b> (UNII: 3980JIH2SW)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5880-0	1 in 1 BLISTER PACK	02/13/2018	
1		6 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	02/13/2018	

**Labeler** - Lil' Drug Store Products, Inc. (093103646)

Revised: 3/2023

Lil' Drug Store Products, Inc.