

AFRIN ORIGINAL- oxymetazoline hydrochloride spray
Lil' Drug Store Products, Inc.

Afrin[®] Original

Drug Facts

Active ingredient

Oxymetazoline hydrochloride 0.05%

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other information

- store between 20° to 25°C (68° to 77°F)
- retain card for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments

Call 1-800-317-2165

PDP/PACKAGE - 6 mL Bottle Blister Pack, Lil' Drug Store

#1 Doctor & Pharmacist
Recommended Brand

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin ® Original

NASAL SPRAY

- Relieves Nasal Congestion &

Sinus Congestion/Pressure

UNBLOCKS IN

SECONDS*

LASTS 12 HRS

*It unblocks your nose in

seconds, providing **12 hours of**

nasal congestion relief without

drowsiness, so you can breathe

more freely **all day or all night**

[Bayer cross]

[Lil' Drug Store logo]

1/5 FL OZ

(6mL)

#1 Doctor & Pharmacist
Recommended Brand

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Afrin®

**Original
NASAL SPRAY**

• Relieves Nasal Congestion &
Sinus Congestion/Pressure

**UNBLOCKS IN
SECONDS***
LASTS 12 HRS

*It unblocks your nose in seconds, providing 12 hours of nasal congestion relief without drowsiness, so you can breathe more freely all day or all night.

1/5 FL OZ
(6 mL)

SAFETY SEALED: Do not use if seal imprinted "Afrin® Security Seal" is broken or missing.

LOT/EXP

Drug Facts	
Active ingredient	Purpose
Oxymetazoline hydrochloride 0.05%.....	Nasal decongestant
Uses	
<ul style="list-style-type: none"> ■ temporarily relieves nasal congestion due to: <ul style="list-style-type: none"> ■ common cold ■ hay fever ■ upper respiratory allergies ■ temporarily relieves sinus congestion and pressure ■ shrinks swollen nasal membranes so you can breathe more freely 	
Warnings	
<p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland 	
When using this product	
<ul style="list-style-type: none"> ■ do not use more than directed ■ do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ use of this container by more than one person may spread infection 	
<p>Stop use and ask a doctor if symptoms persist</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions	
<ul style="list-style-type: none"> ■ adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ children under 6 years of age: ask a doctor <p>To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.</p>	
Other information	
<ul style="list-style-type: none"> ■ store between 20° to 25°C (68° to 77°F) ■ retain card for future reference on full labeling 	
Inactive ingredients	
benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic	
Questions or comments 1-800-317-2165	

Afrin, the Bayer Cross & the Afrin Clock & Grid Design are registered trademarks of Bayer. ©2022 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Product of Germany www.patents.livewell.bayer.com

70163C-US-03-22

Distributed with permission of manufacturer by:
Lil' Drug Store Products, Inc.
9300 Earhart Lane SW
Cedar Rapids, IA 52404

PDP/Package - BASIX

TRAVEL

BASIX

1/5 FL OZ (6mL)



SAFETY SEALED: Do not use if seal imprinted "Afrin Security Seal" is broken or missing.

Afrin

Drug Facts Active ingredient Oxymetazoline hydrochloride 0.05%.....Nasal decongestant		Purpose Nasal decongestant
Uses ■ temporarily relieves nasal congestion due to: ■ common cold ■ hay fever ■ upper respiratory allergies ■ temporarily relieves sinus congestion and pressure ■ shrinks swollen nasal membranes so you can breathe more freely		
Warnings Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland When using this product ■ do not use more than directed ■ do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen. ■ temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur ■ use of this container by more than one person may spread infection Stop use and ask a doctor if symptoms persist		
Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		Directions ■ adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period. ■ children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.
Other information ■ store between 20° to 25°C (68° to 77°F) ■ retain card for future reference on full labeling		
Inactive ingredients benzalkonium chloride solution, edetate disodium, polyethylene glycol, povidone, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic		
Questions or comments 1-800-317-2165		

©2022 Bayer. Dist. by: Bayer HealthCare LLC, Whippany, NJ 07981 Product of Germany
 www.patents.livewell.bayer.com
 58803-BSX-03-22

Distributed with permission of manufacturer by:
 Lil' Drug Store Products, Inc.
 9300 Earhart Lane SW
 Cedar Rapids, IA 52404
 1-800-351-2000 (8:00 AM - 4:30 PM CST)

AFRIN ORIGINAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-7016
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-7016-3	1 in 1 BLISTER PACK	11/09/2018	
1		6 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2008	

AFRIN ORIGINAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-5880
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)	
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-5880-0	1 in 1 BLISTER PACK	02/13/2018	
1		6 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/13/2018	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2024

Lil' Drug Store Products, Inc.