

CHILDRENS ALLERGY PLUS CONGESTION- diphenhydramine hydrochloride, phenylephrine hydrochloride liquid

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Phenylephrine HCl 5 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever, or other upper respiratory allergies
 - runny nose
 - sneezing
 - stuffy nose
 - itchy, watery eyes
 - itching of the nose or throat
 - nasal congestion
- temporarily relieves these symptoms due to the common cold
 - runny nose
 - sneezing
 - nasal congestion
 - stuffy nose
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- to sedate a child or to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI)(certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if the child has

- heart disease
- high blood pressure
- thyroid disease
- diabetes

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers.

When using this product

- **do not exceed recommended dose**
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

Age	Dose
children under 4 years	do not use
children 4 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL every 4 hours
adults and children 12 years and over	10 mL every 4 hours

Other information

- **each 5 mL contains:** sodium 8 mg
- store between 20-25°C (68-77°F)
- do not refrigerate. Protect from light.

Inactive ingredients

carboxymethylcellulose sodium, citric acid, disodium EDTA, FD&C blue #1, FD&C red #40, flavors, glycerin, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-4PM EST

Principal Display Panel

Compare to Children's Benadryl® Allergy Plus Congestion active ingredients††

children's

Allergy & Congestion

PE

DIPHENHYDRAMINE HCl 12.5 mg /

ANTIHISTAMINE

PHENYLEPHRINE HCl 5 mg /

NASAL DECONGESTION

SUGAR FREE

4 - 6 HOUR RELIEF

ALCOHOL FREE

- Relieves sinus congestion, stuffy nose, runny nose, sneezing, itchy throat or nose & itchy, watery eyes

6 YEARS & OLDER

GRAPE FLAVOR

DOSAGE CUP PROVIDED

††This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Benadryl® Allergy Plus Congestion.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD. IL 60015

walgreens.com

Product Label

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product

Age	Dose
children under 4 years	do not use
children 4 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL every 4 hours
adults and children 12 years and over	10 mL every 4 hours

Other information

- each 5 mL contains: sodium 8 mg
- store between 20-25°C (68-77°F)
- do not refrigerate. Protect from light.

Inactive ingredients carbonylmethylcellulose sodium, citric acid, disodium EDTA, FD&C blue #1, FD&C red #40, flavor, glycerin, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Questions or comments?
Call 1-877-753-3635 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING

DOSAGE CUP PROVIDED

Walgreens Pharmacist Recommended
Walgreens Pharmacist Survey
This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Benadryl® Allergy Plus Congestion.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
Walgreens
100% SATISFACTION GUARANTEED
walgreens.com ©2017 Walgreen Co.

Walgreens

Compare to Children's Benadryl® Allergy Plus Congestion active ingredients!

children's ALLERGY & CONGESTION

Wal-Dryl® PE

DIPHENHYDRAMINE HCl 12.5 mg / ANTIHISTAMINE
PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

SUGAR FREE

4-6 HOUR RELIEF

ALCOHOL FREE

Relieves sinus congestion, stuffy nose, runny nose, sneezing, itchy throat or nose & itchy, watery eyes

6 YEARS & OLDER

GRAPE FLAVOR

4 FL OZ (118 mL)

Walgreens

Compare to Children's Benadryl® Allergy Plus Congestion active ingredients!

children's ALLERGY & CONGESTION

Wal-Dryl® PE

DIPHENHYDRAMINE HCl 12.5 mg / ANTIHISTAMINE
PHENYLEPHRINE HCl 5 mg / NASAL DECONGESTANT

SUGAR FREE

4-6 HOUR RELIEF

ALCOHOL FREE

Relieves sinus congestion, stuffy nose, runny nose, sneezing, itchy throat or nose & itchy, watery eyes

6 YEARS & OLDER

GRAPE FLAVOR

4 FL OZ (118 mL)

Drug Facts

Active ingredients (in each 5 mL)	Purposes
Diphenhydramine HCl 12.5 mg	Antihistamine
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- runny nose
- sneezing
- stuffy nose
- temporarily relieves these symptoms due to the common cold
- runny nose
- sneezing
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

- to sedate a child or to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers

When using this product

- do not exceed recommended dose
- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

ITEM 905230 W10067-XXXX-L



3 11917 17723 6

PLD-D376B FC004149
ORG0617-F

Lot No.:
Exp. Date:

WALGREENS Children's Allergy & Congestion PE Grape Flavor

CHILDRENS ALLERGY PLUS CONGESTION

diphenhydramine hydrochloride, phenylephrine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0409
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SUCROSE (UNII: C151H8M554)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SORBITOL (UNII: 506T60A25R)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0409-04	1 in 1 BOX	04/30/2015	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	04/30/2015	

Labeler - Walgreens (008965063)

Revised: 10/2019

Walgreens