

**4378 FIRST AID KIT- 4378 first aid kit
Honeywell Safety Products USA, INC**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

0498-4378: First Aid Kit (FABC, EW, aypanal EX, BZK wipes, Sting relief - Z63158000)

BZK
Active ingredient

Benzalkonium chloride 0.13% w/v

BZK
Purpose

First aid antiseptic

BZK
Uses

Antiseptic cleansing of face, hands, and body without soap and water

BZK
Warnings

For external use only

Do not use

- in the eyes or over large areas of the body
- on mucous membranes
- on irritated skin
- in case of deep puncture wounds, animal bites or serious burns, consult a doctor
- longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

- if irritation, redness or other symptoms develop
- the condition persists or gets worse

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

BZK

Directions

tear open packet and use as a washcloth

BZK

Other information

- store at room temperature 15⁰ to 30⁰ C (5⁰ - 86⁰ F)
- do not reuse towelette

BZK

Inactive ingredient

water

BzK

Questions

1-800-430-5490

Aypanal

Active ingredient (in each tablet)

Acetaminophen 500 mg

Aypanal

Purpose

Pain reliever/fever reducer

Aypanal

Uses

- temporarily relieves minor aches and pains due to the common cold and headache
- temporarily reduces fever

Aypanal

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount.
- with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may

include:

- skin reddening
- blisters
- rash

If skin reaction occurs, stop use and seek medical help right away

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription).
- If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

- liver disease

Ask a doctor or pharmacist before use if

- you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

If pregnant or breastfeeding

- ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Aypanal

Directions

- **do not take more than directed (see overdose warning)**
- adults and children 12 years of age and over: Take 2 tablets with water every 6 hours while symptoms last.
- do not take any more than 8 tablets in 24 hours.
- children under 12: consult a doctor

Aypanal

Other information

- store at room temperature 15^o -30^o C (59^o -86^o F)
- TAMPER EVIDENT- DO NOT USE IF OPEN OR TORN

Aypanal
Inactive ingredients

microcrystalline cellulose, povidone, sodium starch glycolate, starch, stearic acid

Aypanal
Questions or Comments

1-800-430-5490

FABC
Active ingredient

Benzalkonium chloride 0.13%

Lidocaine HCl 0.5%

FABC
Purpose

First Aid antiseptic

External analgesic

FABC
Uses

- prevent skin infection
- for temporary relief of pain associated with minor burns

FABC
Warnings

For external use only

Do not use

- in or near the eyes
- if you are allergic to any of the ingredients
- in large areas of the body, particularly over raw surfaces or blistered areas
- for more than 10 days

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition worsens

- symptoms persist for more than 7 days or clear up and occurs again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

FABC

Directions

- **adults and children 2 years of age and older:**
- clean the affected area
- apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 3 times daily
- may be covered with a sterile bandage
- **children under 2 years of age: consult a doctor**

FABC

Inactive ingredients

aloe barbadensis juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, trolamine, water

FABC

Questions

1-800-430-5490

Sting Relief

Active ingredient (in eachwipe)

Ethyl alcohol 50.0%

Lidocaine HCl 2.0%

Sting Relief

Purpose

Antiseptic

Topical pain relief

Sting Relief

Uses

- prevent infection in minor scrapes, and temporary relief of itching of insect bites

Sting Relief

Warnings

For external use only

Flammable, keep away from open fire or flame

Do not use

- over large areas of the body
- in eyes
- over raw or blistered areas

Stop use and ask a doctor

- if conditions worsen or persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Sting Relief

Directions

- adults and children 2 years and older: Apply to cleaned affected area not more than 3 times daily.
- children under 2 years of age: consult a doctor.

Sting Relief

Inactive ingredients

benzalkonium chloride, menthol, and purified water

Sting Relief

Questions or Comments?

1-800-430-5490

4378

Z631580000 KIT CONTENTS

- 1 INSTANT COLD PACK 4" X 6"
- 1 ADHESIVE TAPE W/P 1/2"X 5 YD
- 1 TWEEZER PLASTICS 4"
- 1 FIRST AID GUIDE ASHI
- 1 ABD COMBINE PAD 5" X 9"
- 1 CPR FILTERSHIELD 77-100
- 1 FIRST AID BURN CREAM 0.9 GRM PKT 20

1 SCISSOR BDGE 4" RED PLS HDL
1 FANNY PACK RED FAK LOGO EMPTY
1 LBL STOCK 4"X2-7/8"
1 LBL STOCK 3"x1-7/8"
6 BZK ANTISEPTIC WIPE, BULK
1 1 PR LRG NITRILE GLVES ZIP BAG
1 1" X 3" PLASTIC BANDS 16/BAG
5 SAFETEC STING RELIEF WIPES BULK
1 TRI BNDG NON WOVEN 40"X40"X56"
3 GAUZE PADS 3"X3" 12PLY
2 HEAVY FLEX LARGE PATCH 2" X 3"
2 AYPANAL EXTRA BULK 2/PK

BZK

Principal Display Panel

47001083
Rev B

Antiseptic Towelettes

Honeywell

02-16-35MD

Antiseptic Towelettes

Benzalkonium chloride
First aid antiseptic

Six-Saturated Towelettes

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

47001083
Rev B

Antiseptic Towelettes

Honeywell

Drug Facts

Active Ingredient	Purpose
Benzalkonium chloride 0.133% w/v	First aid antiseptic

Uses • antiseptic cleaning of face, hands and body without soap and water. • air dries in seconds

Warnings

For external use only

When using this product • do not use in the eyes or apply over large areas of the body

Ask a doctor before use • in case of deep or puncture wounds, animal bites, or serious burns

Stop use and consult a doctor if

• irritation, redness or other symptoms develop • condition persists or gets worse

Do not use • longer than 1 week unless directed by doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • tear open packet, unfold and use as washcloth

Other information

• store at room temperature 15° -30° C (59° -86° F) • do not reuse towelette

Inactive ingredient water

Questions or comments 1-800-430-5490

Aypanal
Principal Display Panel

901850-10

First Aid Burn Cream

021020-10

First Aid Burn Cream

Benzalkonium chloride

First aid antiseptic

Lidocaine HCl

External analgesic

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

10 Packets, Net Wt 1/32 oz (0.9g) each

First Aid Burn Cream

901850-10


Drug Facts	
Active ingredients	Purposes
Benzalkonium chloride 0.13%.....	First aid antiseptic
Lidocaine HCl 0.5%.....	External analgesic
Use - prevent skin infection - for the temporary relief of pain associated with minor burns	
Warnings For external use only	
Do not use - in or near the eyes - if you are allergic to any of the ingredients - in large areas of the body particularly over raw surfaces or blistered areas - for more than 10 days	
Ask a doctor before use if you have - deep or puncture wounds - animal bites - serious burns	
Stop use and ask a doctor if - condition worsens	
- symptoms persist more than 7 days or clear up and occur again within a few days	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
adults and children 2 years and over: - clean the affected area - apply a small amount of this product (equal to the surface area of the tip of a finger) onto affected area 1 to 2 times daily - may be covered with a sterile bandage	
children under 2 years: ask a doctor	
Other information - tamper evident sealed packets - do not use if packet is opened or torn	
Inactive ingredients aloe barbadensis leaf juice, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl stearate SE, methylparaben, mineral oil, PEG-100, propylene glycol, propylparaben, stearic acid, triethylamine, water	
Questions or comments? 1-800-430-5430	

**Sting Relief
Principal Display Panel**

825366 Rev B

Honeywell

Honeywell 032043P




Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Honeywell 032043P



Sting Relief Wipes

Use for:
Minor Cuts • Scrapes • Insect Bites

Single Use Pouches
Saturated Wipes

100 wipes

Drug Facts

Active Ingredients	Purpose
Ethyl alcohol 50.0%	First aid antiseptic
Lidocaine HCl 2.0%	Topical anesthetic

Use: First aid to help prevent infection in minor scrapes and temporary relief of itching of insect bites.

Warnings
For external use only.
Flammable, keep away from fire or flame.

Do not use: • over large areas of the body • in eyes • over raw or blistered areas

Stop use and ask a doctor: • if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.
If swallowed get medical help or contact Poison Control center right away.

Directions:
• adults and children 2 years and older: apply to cleaned affected area not more than 3 times daily.
• children under 2 years of age: consult a doctor.


Inactive Ingredients:
benzalkonium chloride, menthol, purified water

Questions or comments? 1-800-430-5490

Distributed by
Honeywell Safety
Products USA, Inc.
Smithfield, RI 02917

www.honeywellsafety.com

USA
1-800-430-5490
0-401-343-4400



8 21812 01284 1

Made in USA
Packaged in Mexico

4378 Kit Label
Z631580000

FIRST AID KIT



Distributed by Honeywell Safety Products USA, Inc. Smithfield, RI 02917

APPROVED
By Rodrigo Rosas Abilano at 2:58 pm, Mar 11, 2019

4378 FIRST AID KIT

4378 first aid kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0498-4378
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-4378-01	1 in 1 KIT; Type 0: Not a Combination Product	10/18/2018	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	5 POUCH	2 mL
Part 2	6 PACKET	8.4 mL
Part 3	2 PACKET	4
Part 4	20 PACKET	18 g

Part 1 of 4

STING RELIEF PAD

ethyl alcohol, lidocaine swab

Product Information

Item Code (Source)	NDC:0498-0733
---------------------------	---------------

Route of Administration	TOPICAL
--------------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE ANHYDROUS	20 mg in 1 mL
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	0.5 mL in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MENTHOL (UNII: L7T10EIP3A)	
WATER (UNII: 059QF0KO0R)	

Packaging

Item Code	Marketing Start Date	Marketing End Date
-----------	----------------------	--------------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/23/2017	

Part 2 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride liquid

Product Information

Item Code (Source)	NDC:0498-0501
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-0501-00	1.4 mL in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/22/2017	

Part 3 of 4

AYPANAL EX

acetaminophen tablet

Product Information

Item Code (Source) NDC:0498-2110

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	FR1
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0498-2110-01	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		01/02/2017	

Part 4 of 4

FIRST AID BURN

benzalkonium chloride, lidocaine hydrochloride cream

Product Information

Item Code (Source) NDC:0498-0903

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE HYDROCHLORIDE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/20/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		10/18/2018	

Labeler - Honeywell Safety Products USA, INC (118768815)

Revised: 1/2024

Honeywell Safety Products USA, INC