

CALCIUM CARBONATE- calcium carbonate powder
Humco Holding Group, Inc.

Humco Calcium Carbonate, USP

Drug Facts

Active Ingredient

Calcium Carbonate

Purpose

Antacid

Use

For relief of heartburn, acid ingestion, and upset stomach associated with these symptoms.

Warnings

Except under the supervision of a doctor:

- do not administer to children under 6 years of age.
- do not take more than 3 teaspoonfuls in a 24 hour period.

- do not use the maximum dosage of this product for more than 2 weeks except under the advice and supervision of a doctor or other health professional.

Ask a doctor before use

if you are pregnant or nursing a baby.

Keep out of reach of children.

In case of accidental overdose, seek professional assistance or contact a Poison Control immediately.



Directions

Adults and children 6 yrs. of age and older: Take 1/2 level tsp. in 1/2 glass (4 fl oz) of water every 2 hrs. up to maximum dosage or as directed by a doctor.

Inactive Ingredients

None

Principal Display Panel

Drug Facts		CALCIUM CARBONATE POWDER 	USP ANTACID POWDER • For relief of heart burn, acid indigestion and upset stomach	*Safety States Gastro-intestinal	WARNING: Do not use if Tamper Evident Seal is broken or missing. This product is sealed with either a shrink band around cap imprinted "Sealed For Your Protection" or foil seal under cap.
Active ingredient	Purpose				
Calcium Carbonate USP	Antacid				
Indications					
For the relief of heartburn, acid indigestion, and upset stomach associated with these symptoms.					
Warnings					
Except under supervision of a doctor: ■ Do not administer to children under 6 years of age. ■ Do not take more than 2 teaspoons in a 24 hour period. ■ If pregnant or nursing a baby, ask a health professional before use.					
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.					
Keep out of reach of children.					
Directions					
Adults and children 6 yrs of age or older: Take ½ teaspoon in ½ glass (4 fl oz) of water every 2 hours, up to maximum dosage or as directed by doctor. ■ Do not use the maximum dose of this product for more than 2 weeks except under the advice and supervision of a doctor.					
Other information					
Use by expiration date on package.					
		A32565 10 2022	R012318  3 03950 43101 7		
		Packed by: HUMCO, Rockwall, TX 75087 Questions or Comments? (214) 800-662-3435 "We Help People Feel Better"	Go to www.styplix.com/remedies.com to find helpful hints and learn more about Calcium Carbonate.		

CALCIUM CARBONATE

calcium carbonate powder

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0395-0431
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	1 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-0431-01	454 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	01/01/2008	

Labeler - Humco Holding Group, Inc. (825672884)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-0431) , analysis(0395-0431) , pack(0395-0431) , label(0395-0431)

Revised: 12/2023

Humco Holding Group, Inc.