

## **LOW DOSE CHEWABLE ASPIRIN- aspirin tablet, chewable**

### **Bi-Mart**

-----

### **Low Dose Chewable Aspirin**

#### ***Active ingredient (in each tablet)***

Aspirin 81 mg (NSAID\*)

\*nonsteroidal anti-inflammatory drug

#### ***Purpose***

Pain reliever

#### ***Uses***

- for the temporary relief of minor aches and pains or as recommended by your doctor

#### ***Warnings***

**Reye's syndrome:**Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert:**Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning:**This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

#### **Do not use**

- if you are allergic to aspirin or any other pain reliever/fever reducer
- this product for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor

- If you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

**Ask a doctor or pharmacist before use if**

you are taking a prescription drug for

- gout
- diabetes
- arthritis

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stool
  - have stomach pain that does not get better
  - pain gets worse or last more than 10 days
  - redness or swelling is present
  - new symptoms occur
  - ringing in the ears or loss of hearing occurs

**If pregnant or breast-feeding,**

ask a health professional before use. **It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- drink a full glass of water with each dose
- **adults and children 12 years and over:** take 4 to 8 tablets every 4 hours not to exceed 48 tablets in 24 hours unless directed by a doctor
- **children under 12 years:** consult a doctor

***Other information***

- store at room temperature

***Inactive ingredients***

corn starch, dextrans, FD&C yellow #6 aluminum lake, orange flavor, saccharin sodium

***Questions or comments?***

**Call 1-844-912-4012** Monday through Friday 9 AM - 5 PM EST.

**Principal Display Panel**

<p><b>Drug Facts (continued)</b></p> <p>bleeding: ■ feel faint ■ vomit blood          ■ have bloody or black stool ■ have          stomach pain that does not get better          ■ pain gets worse or lasts more than          10 days ■ redness or swelling is          present ■ new symptoms occur          ■ ringing in the ears or loss of          hearing occurs</p>	<p>If pregnant or breast-feeding, ask a          health professional before use. It is          especially important not to use          aspirin during the last 3 months of          pregnancy unless specifically          directed to do so by a doctor          because it may cause problems in          the unborn child or complications          during delivery.          Keep out of reach of children. In          case of accidental overdose, get          medical help or contact a Poison          Control Center (1-800-222-1222)          right away.</p>	<p><b>Directions</b> ■ drink a full glass of          water with each dose          ■ adults and children 12 years and          over: take 4 to 8 tablets every 4          hours not to exceed 48 tablets in 24          hours unless directed by a doctor          ■ children under 12 years: consult a          doctor</p>	<p><b>Other Information</b> ■ store at          room temperature.</p>	<p><b>Inactive ingredients</b> corn          starch, dextrates, FD&amp;C yellow #6          aluminum lake, orange flavor,          saccharin sodium</p>	<p><b>Questions or comments?</b>          Call 1-844-912-4012 Monday          through Friday 9 AM – 5 PM EST.</p>
--	--	--	---	---	---

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37835-573
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength		Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN		81 mg

  

Inactive Ingredients			
Ingredient Name			Strength
STARCH, CORN (UNII: O8232NY3SJ)			
DEXTRATES (UNII: G263MI44RU)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			

  

Product Characteristics			
Color	orange	Score	no score
Shape	ROUND	Size	7mm
Flavor	ORANGE	Imprint Code	AZ;013
Contains			

  

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-573-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	10/01/2025	

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/01/2025	

**Labeler -** Bi-Mart (027630078)

**Registrant -** Bi-Mart (027630078)

## Establishment

Name	Address	ID/FEI	Business Operations
Allegiant Health		079501930	manufacture(37835-573)

Revised: 10/2025

Bi-Mart