HIBICLENS- chlorhexidine gluconate solution Molnlycke Health Care

Hibiclens, 4% CHG, packette

Chlorhexidine gluconate solution 4.0% w/v

Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash
- patient preoperative skin preparation

For external use only

Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- as a patient preoperative skin preparation of the head or face
- in contact with the meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if places or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums
- if contact occurs in any of these areas, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general cleansing of large body areas should not be done except when advised by a health care provider

Stop use and ask a doctor if

irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- *skin wound and general skin cleansing*. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- *surgical hand scrub*. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- *healthcare personnel handwash*. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.
- *patient preoperative skin preparation*. Apply the product liberally to surgical site and swab for at least 2 minutes. Dry with a sterile towel. Repeat.

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

fragrance, gluconolactone, isopropyl alcohol 4& w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions?

1-800-843-8497







HIBICLENS						
chlorhexidine gluconate solu	ution					
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (S	Item Code (Source)		NDC:0234-0575	
Route of Administration	TOPICAL					
Active Ingredient/Activ	e Moiety					
Ingredient Name			Basis of Strength		Strength	
	Ingreulent Name		Dusis of Stici	-9	ouringin	
	THE (UNII: MOR84MUD8E) (CHLORH	EXIDINE -	CHLORHEXIDINE GLUCONATE	-g	213 g in 1000 mL	
	-	EXIDINE -	CHLORHEXIDINE		213 g	
UNII:R4KO0DY52L)	-	EXIDINE -	CHLORHEXIDINE		213 g	
UNII:R4KO0DY52L)	-	EXIDINE -	CHLORHEXIDINE		213 g	
UNII:R4KO0DY52L) Inactive Ingredients	TE (UNII: MOR84MUD8E) (CHLORH Ingredient Name	EXIDINE -	CHLORHEXIDINE		213 g in 1000 mL	
UNII:R4KO0DY52L) Inactive Ingredients ISOPROPYL ALCOHOL (UNI	TE (UNII: MOR84MUD8E) (CHLORH Ingredient Name	EXIDINE -	CHLORHEXIDINE		213 g in 1000 mL	
CHLORHEXIDINE GLUCONA UNII:R4KO0DY52L) Inactive Ingredients ISOPROPYL ALCOHOL (UNI WATER (UNII: 059QF0KO0R) POLOXAMER 237 (UNII: JT3U	TE (UNII: MOR84MUD8E) (CHLORH Ingredient Name I: ND2M416302)	EXIDINE -	CHLORHEXIDINE		213 g in 1000 mL	
UNII:R4KO0DY52L) Inactive Ingredients ISOPROPYL ALCOHOL (UNI WATER (UNII: 059QF0KO0R)	TE (UNII: MOR84MUD8E) (CHLORH Ingredient Name I: ND2M416302) J72U71K)	EXIDINE -	CHLORHEXIDINE		213 g in 1000 mL	
UNII:R4KO0DY52L) Inactive Ingredients ISOPROPYL ALCOHOL (UNI WATER (UNII: 059QF0KO0R) POLOXAMER 237 (UNII: JT3U	TE (UNII: MOR84MUD8E) (CHLORH Ingredient Name I: ND2M416302) J72U71K) EATE (UNII: Z20ETG4E17)	EXIDINE -	CHLORHEXIDINE		213 g in 1000 mL	

Product Characteristics								
Color r		re d	Score					
Shape			Size					
Flavor			Imprint Code					
Contains								
Packaging								
# Item Code	Package Description		Marketing Start Date	Marketing End Date				
1 NDC:0234-0575-17	50 in 1 CARTON			09/17/1976				
1	15 mL in 1 PACKET; Type 0: Not a Combination Product							
Marketing Information								
Marketing Categor	y Application	Number or Mo	nograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA017768			09/17/1976				

Labeler - Molnlycke Health Care (165301032)

Revised: 12/2019

Molnlycke Health Care