

**HYDROCORTISONE- anti-pruritic cream**  
**Cardinal Health**

-----  
**CR-1139 Hydrocortisone Cream USP 1% NDC 70000-0485-1**

***Active Ingredient***

Hydrocortisone USP 1%

***Purpose***

Antipruritic (Anti-Itch)

***Uses***

- For temporary relief of itching associated with minor skin irritations, inflammation, and rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching.
- Other uses of this product should only be under the advice and supervision of a doctor.

***Warnings***

**For external use only**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Do not use**

- in the eyes
- for diaper rash
- for external genital or feminine itching if you have a vaginal discharge
- more than the recommended daily dosage unless directed by a doctor
- this product in the rectum by using fingers or any mechanical device or applicator

**Stop use and ask a doctor if**

- condition worsens or if symptoms persist more than 7 days or clear up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days.
- bleeding occurs near anus when used for anal itching

If swallowed, get medical help or contact a Poison Control Center (1-888-222-1222) right away.

***Directions***

- **Adults and children 2 years of age and older:** Apply to affected area not more than 3 to 4 times daily. **Children under 2 years of age:** consult a doctor.
- When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry, patting or blotting with bathroom tissue or soft cloth before applying. **Children under 12:** consult a doctor before using for anal itching.

### ***Other Information***

Store at room temperature

### ***Inactive Ingredients***

Cetostearyl Alcohol, Glyceryl Palmitostearate, Kathon, Petrolatum, Propylene Glycol, Stearic Acid, Tea Leaf, Water

### ***Questions and Comments?***

**1-888-396-2739**

### ***Label PDP***

NDC 70000-0485-1

LEADER<sup>2</sup>

# Maximum Strength Hydrocortisone Cream

Hydrocortisone, USP 1% | Anti-Itch Cream

LEADER<sup>2</sup>

## Maximum Strength Hydrocortisone Cream

Hydrocortisone, USP 1% | Anti-Itch Cream

COMPARE TO CORTIZONE 10<sup>®</sup> MAXIMUM STRENGTH ANTI-ITCH CREAM active ingredient\*


NET WT 1 OZ (28.4 g)



LOT NO. EXP. R. 07454 R. 01/19

Return to place of purchase if not satisfied.  
100% Money Back Guarantee  
ALL LEADER<sup>2</sup> Brand Products Have A

© 2019 Cardinal Health. All rights reserved. CARDINAL HEALTH, the logo and Health logo are trademarks of Cardinal Health. All other marks are the property of their respective owners.



0191 BUTTERY CARDINAL HEALTH  
DU. R. M. J. H. D. 45107  
www.leader2.com 1-800-421-6273  
Cardinal Health is a leader in pharmaceuticals.  
Made in India

\*This product is not manufactured or distributed by Cardinal Health, Inc. Some of the registered trademarks and service marks of Cardinal Health, Inc. are used herein.

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b> Hydrocortisone USP 1% ..... Antipruritic (Anti-Itch)</p> <p><b>Purpose</b> condition worsens or if symptoms persist more than 7 days or deep up and occur again within a few days. Do not continue to use this or any other hydrocortisone product for longer than 7 days.</p> <p>■ bleeding occurs near anus when used for anal itching</p> <p>Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center (1-888-232-1222) right away.</p> <p><b>Directions</b></p> <p>■ Adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times a day. Children under 2 years of age: consult a doctor.</p> <p>■ When used for anal itching, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry. Gently pat or blot with a clean towel. Use a soft cloth before applying. Children under 2: consult a doctor before using for anal itching.</p> <p><b>Other information</b> ■ Store at room temperature.</p> <p><b>Inactive ingredients</b> Cetostearyl Alcohol, Glycerin Mono Stearate SE, Kathon CG, Propylene Glycol, Purified Water, Stearic Acid, Triethanolamine, White Soft Paraffin</p> <p><b>Questions and Comments?</b> 1-888-396-2739</p> <p>Keep this carton for complete Drug Facts and information.</p>	<p><b>Uses</b></p> <p>■ For temporary relief of itching associated with minor skin irritations, inflammation, or rashes due to eczema, insect bites, poison ivy, poison oak, poison sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis and for external genital, feminine, and anal itching.</p> <p>■ Other uses of this product should only be under the advice and supervision of a doctor.</p> <p><b>Warnings</b></p> <p>For external use only</p> <p>If pregnant or breastfeeding, ask a health professional before use</p> <p><b>Do not use</b></p> <p>■ in the eyes ■ for diaper rash</p> <p>■ for external genital or feminine itching if you have a vaginal discharge or more than the recommended daily dosage unless directed by a doctor</p> <p>■ more than the recommended daily dosage unless directed by a doctor</p> <p>■ this product in the rectum by using fingeres or any mechanical device applicator</p>
---	---

# HYDROCORTISONE

anti-pruritic cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0485
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROCORTISONE</b> (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>GLYCERYL STEARATE SE</b> (UNII: FCZ5MH785I)	
<b>METHYLCHLOROISOTHIAZOLINONE/METHYLISOTHIAZOLINONE MIXTURE</b> (UNII: 15O9QS218W)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0485-1	72 in 1 CASE	01/18/2019	
1		1 in 1 BOX		
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/18/2019	

**Labeler** - Cardinal Health (063997360)

Revised: 11/2023

Cardinal Health