

MECLIZINE- meclizine hcl 12.5 mg tablet
Pharbest Pharmaceuticals, Inc.

Drug Facts

Active ingredient (in each caplet)

Meclizine HCl 12.5mg

Purpose

Antiemetic

Uses

prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings

Do not use for children under 12 years of age unless directed by a doctor.

Do not take this product, Unless directed by a doctor, if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.

When using this product

- do not exceed recommended dosage
- may cause drowsiness
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

Directions

- dosage should be taken 1 hour before travel starts

Adults and children 12 years and over	take 2 or 4 caplets once daily or as directed by doctor
--	--

Other information

- **Tamper Evident:** do not use if safety seal under cap is broken or missing
- each caplet contains: **calcium 28 mg**
- store at 20°-25°C (68°-77°F), excursions permitted between 15-30°C(59-86°F)

Inactive ingredients

Croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

(866) 562-2756 (Mon-Fri, 8 AM to 4 PM EST).

PHARBEST

NDC 16103-386-08

Manufactured in the USA

Motion Sickness Relief

MECLIZINE

Meclizine HCl 12.5 mg

Anti-Emetic

• **Motion Sickness** • **Nausea** • **Vomiting**

100 CAPLETS

PHARBEST  Manufactured in the USA
 NDC 16103-386-08

Motion Sickness Relief

MECLIZINE

Meclizine HCl 12.5 mg

Antiemetic

  

■ Motion Sickness ■ Nausea ■ Vomiting

100 CAPLETS



TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
 Meclizine HCl 12.5 mg.....Antiemetic

Uses
 prevents and treats nausea, vomiting or dizziness associated with motion sickness

Warnings
 Do not use in children under 12 years of age unless directed by a doctor.
 Do not take this product, unless directed by a doctor, if you have ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland
 Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor.
 When using this product ■ do not exceed recommended dosage ■ may cause drowsiness ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ avoid alcoholic drinks ■ use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health

Peel here for more drug facts

LRev 04/25



3 16103 38608 9

Manufactured by:
 Pharbest Pharmaceuticals, Inc.,
 Farmingdale, NY 11735.

Drug Facts (continued)
 professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (800-222-1222).

Directions
 ■ dosage should be taken one hour before travel starts
 adults and children take 2 or 4 caplets once daily or as directed by a doctor

Other information
 ■ each caplet contains: calcium 28 mg
 ■ store at 20-25°C (68-77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?
 (866) 562-2756 (Mon-Fri 8 AM to 4 PM EST)

STOP PEELING

MECLIZINE			
meclizine hcl 12.5 mg tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16103-386
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	MECLIZINE HYDROCHLORIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	12.5 mg
Inactive Ingredients			
	Ingredient Name		Strength
	CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)		
	CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)		
	MAGNESIUM STEARATE (UNII: 70097M6I30)		
	CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
	SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
	STEARIC ACID (UNII: 4ELV7Z65AP)		

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (CAPSULE SHAPED TABLET)	Size	13mm
Flavor		Imprint Code	PH049
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16103-386-08	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2018	
2	NDC:16103-386-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	02/01/2018	

Labeler - Pharbest Pharmaceuticals, Inc. (557054835)

Registrant - Pharbest Pharmaceuticals, Inc. (557054835)

Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(16103-386) , label(16103-386) , pack(16103-386) , analysis(16103-386)

Revised: 12/2025

Pharbest Pharmaceuticals, Inc.