

BLISTEX MEDICATED LIP BALM- dimethicone, octinoxate, and octisalate stick
Blistex Inc

Blistex® Medicated Lip Balm

Drug Facts

Active ingredients	Purpose
Dimethicone 2.0% (w/w)	Lip protectant
Octinoxate 6.6% (w/w)	Sunscreen
Octisalate 4.4% (w/w)	Sunscreen

Uses

- temporarily protects and helps relieve chapped or cracked lips
- helps prevent sunburn

Warnings

Skin Cancer/Skin Aging Alert

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

beeswax, camphor, cetyl alcohol, cetyl palmitate, euphorbia cerifera (candelilla) wax, flavor, isopropyl myristate, lanolin, lanolin oil, menthol, methyl salicylate, mineral oil, ozokerite, paraffin, petrolatum, phenoxyethanol, polybutene, red 6 lake, theobroma cacao (cocoa) seed butter, titanium dioxide

PRINCIPAL DISPLAY PANEL - 4.25 g Cylinder Carton

Blistex®

LIP PROTECTANT/SUNSCREEN

MEDICATED

LIP BALM

Seals In Moisture

To Soothe & Prevent Dry Lips

Net Wt. 0.15 oz. (4.25 g)

SPF 15

Smooth

Easy-Gliding

Protection

Blistex[®]

LIP PROTECTANT/SUNSCREEN

MEDICATED LIP BALM

Seals In Moisture
To Soothe & Prevent Dry Lips

Net Wt. 0.15 oz. (4.25 g)

SPF 15

Smooth
Easy-Gliding
Protection



SATISFACTION
GUARANTEED
Blistex

0030150



euphorbia cataracta (candelilla) wax, flavor, isopropyl myristate, lanolin, lanolin oil, menthol, methyl salicylate, mineral oil, ozokerite, paraffin, petrolatum, phenoxethanol, polybutene, red 6 lake, theobroma cacao (cocoa) seed butter, titanium dioxide

A Poison Control Center night away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

©2017 Blistex Inc. Card is 100% Recyclable. P.O. Box 5302, Oak Brook, IL 60522-5302

POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)
CETYL PALMITATE (UNII: 5ZA2S6B08X)
CETYL ALCOHOL (UNII: 936JST6JCN)
PARAFFIN (UNII: I9O0E3H2ZE)
COCOA BUTTER (UNII: 512OYT1CRR)
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
.ALPHA.,.ALPHA.-DIBROMO-D-CAMPHOR (UNII: F89Z8SAG3O)
METHYL SALICYLATE (UNII: LAV5U5022Y)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
D&C RED NO. 6 (UNII: 481744AI4O)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10157-1119-1	1 in 1 CARTON	01/15/2018	
1		4.25 g in 1 CYLINDER; Type 0: Not a Combination Product		
2	NDC:10157-1119-3	3 in 1 CARTON	01/15/2018	
2		4.25 g in 1 CYLINDER; Type 0: Not a Combination Product		
3	NDC:10157-1119-4	4 in 1 CARTON	01/15/2018	
3		4.25 g in 1 CYLINDER; Type 0: Not a Combination Product		
4	NDC:10157-1119-5	5 in 1 CARTON	12/16/2020	
4		4.25 g in 1 CYLINDER; Type 0: Not a Combination Product		
5	NDC:10157-1119-2	4.25 g in 1 CYLINDER; Type 0: Not a Combination Product	02/08/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M016	01/15/2018	

Labeler - Blistex Inc (005126354)

Establishment

Name	Address	ID/FEI	Business Operations
Blistex Inc		005126354	MANUFACTURE(10157-1119)