

ALLERGY RELIEF CHILDRENS- diphenhydramine hcl solution

CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Pharmacy, Inc. Children's Allergy Relief Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy, watery eyes

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- **each 5 mL contains:** sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if printed neckband is broken or missing

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in Children's Benadryl[®] Allergy Liquid

Children's Allergy Relief

LIQUID MEDICATION

DIPHENHYDRAMINE HCl 12.5 mg/5 mL ORAL SOLUTION

Antihistamine

Relief of:

Sneezing

Runny nose

Itchy, watery eyes

Itchy throat

Cherry Flavored

Alcohol free

4 FL OZ (118 mL)

Children's
Allergy Relief
LIQUID MEDICATION
DIPHENHYDRAMINE HCl
12.5 mg/5 mL
ORAL SOLUTION
Antihistamine



Compare to the active ingredient in Children's Benadryl® Allergy Liquid*
NDC 59779-874-26



Compare to the active ingredient in Children's Benadryl® Allergy Liquid*

Children's
Allergy Relief
LIQUID MEDICATION
DIPHENHYDRAMINE HCl
12.5 mg/5 mL
ORAL SOLUTION
Antihistamine

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat



Cherry Flavored
Alcohol free

4 FL OZ (118 mL)

Children's
Allergy Relief
LIQUID MEDICATION
DIPHENHYDRAMINE HCl
12.5 mg/5 mL
ORAL SOLUTION
Antihistamine

Relief of:

- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat



Cherry Flavored
Alcohol free

4 FL OZ (118 mL)

Drug Facts

Active Ingredient (In each 5 mL) Purpose
Diphenhydramine HCl 12.5 mg.....Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - sneezing
 - itching of the nose or throat
 - runny nose
 - itchy, watery eyes

Warnings

- Do not use
- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- find right dose on chart below
- mL = milliliter
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 mL to 10 mL

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Drug Facts (continued)

Other Information

- each 5 mL contains: sodium 15 mg
- store at 20-25°C (68-77°F). Protect from light. Store in outer carton until contents used.
- do not use if printed neckband is broken or missing

Inactive Ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-719-9260

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Children's Benadryl® Allergy Liquid.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2016 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

V-16430



#477072



LOT NO.

EXP.

: 37926 17 C12

ALLERGY RELIEF CHILDRENS

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59779-874
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)				
SORBITOL (UNII: 506T60A25R)				
GLYCERIN (UNII: PDC6A3C0OX)				
Product Characteristics				
Color	RED (Bluish-Red)	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59779-874-26	1 in 1 CARTON	09/03/2015	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59779-874-34	1 in 1 CARTON	09/03/2015	
2		236 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	09/03/2015		

Labeler - CVS Pharmacy (062312574)