

**FLORMAR BLUR EFFECT BB SUNSCREEN BROAD SPECTRUM SPF 30 03 DARK MEDIUM- octinoxate, octocrylene, avobenzone cream**  
**Kosan Kozmetik Sanayi ve Ticaret A.S.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Flormar Blur Effect BB Cream Sunscreen Broad Spectrum SPF 30 03 Dark Medium**

**Drug Facts**

***Active ingredient***

Octinoxate 5%

Octocrylene 2 %

Avobenzone 1 %

***Purpose***

Sunscreen

**Uses**

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

**☐For external use only**

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Wear alone or under foundation.
- Shake well before use.
- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 30 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. - 2 p.m.
  - Wear long-sleeved shirts, pants, hats and sunglasses.
  - Children under 6 months of age: Ask a Doctor.

**Other Information**

- Protect the product in this container from excessive heat and direct sun.
- Keep the product cool.
- After use, close the tube properly with cap.


**Inactive ingredients**

water, cyclopentasiloxane, butylene glycol, polysilicone-11, cetyl PEG/PPG-10/1 dimethicone, dimethicone, PEG-10 dimethicone, trimethylsiloxysilicate, disteardimonium hectorite, synthetic fluorphlogopite, trimethylsiloxysilicate, SD alcohol 40-B, glycerin, dimethicone/vinyl dimethicone crosspolymer, phenoxyethanol, polyglyceryl-3 polydimethyl siloxyethyl dimethicone, polymethylsilsesquioxane, sodium chloride, stearic acid, silica, fragrance, ethylhexylglycerin, triethoxycaprylylsilane, magnesium stearate, aluminum hydroxide, algae extract, laureth-12, chlorophenesin, propylene glycol, camellia sinensis leaf extract, ilex paraguariensis leaf extract, paullinia cupana seed extract, sodium dehydroacetate. may contain: titanium dioxide, bismuth oxychloride, iron oxides.

**Package Labeling:**

The image shows the packaging for Flormar BB Cream. The background features a blue and pink plaid pattern. The Flormar logo is visible in the center. At the bottom, a yellow box contains the text "BLUR EFFECT" and "BB Cream". Below this, the manufacturer's information is listed: "Kosan Kozmetik Sanayi ve Ticaret A.S., Gebze Organize Sanayi Bolgesi Ihsan Dede Cad.900.SK NO:133 Gebze, Kocaeli 41480 Turkey".

Drug Facts	
Active ingredient	Purpose
Octinoxate 5%.....	Sunscreen
Octocrylene 2%.....	Sunscreen
Avobenzone 1%.....	Sunscreen
Uses	
<ul style="list-style-type: none"> <li>■ Helps prevent sunburn</li> <li>■ If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun.</li> </ul>	
Warnings	
<b>For external use only</b>	
<b>Do not use</b> on damaged or broken skin	
<b>When using this product</b> keep out of eyes. Rinse with water to remove.	
<b>Stop use and ask a doctor if</b> rash occurs. <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> <li>■ Wear alone or under foundation.</li> <li>■ Shake well before use.</li> <li>■ Apply liberally 15 minutes before sun exposure.</li> <li>■ Reapply at least every 2 hours.</li> </ul>	



## FLORMAR BLUR EFFECT BB SUNSCREEN BROAD SPECTRUM SPF 30 03 DARK MEDIUM

octinoxate, octocrylene, avobenzone cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61722-298
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	20 mg in 1 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

CYCLOMETHICONE 5 (UNII: 0TH75PCI0R)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
DIMETHICONE (UNII: 92RU3N3Y1O)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
GLYCERIN (UNII: PDC6A3C0OX)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
STEARIC ACID (UNII: 4ELV7Z65AP)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
MAGNESIUM STEARATE (UNII: 70097M6I30)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LAURETH-12 (UNII: OAH19558U1)
CHLORPHENESIN (UNII: I670DAL4SZ)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
ILEX PARAGUARIENSIS LEAF (UNII: 1Q953B404F)
PAULLINIA CUPANA SEED (UNII: C21GE7524R)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61722-298-00	1 in 1 BOX	08/02/2016	
1		35 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	08/02/2016	

**Labeler** - Kosan Kozmetik Sanayi ve Ticaret A.S. (644090409)

Revised: 10/2019

Kosan Kozmetik Sanayi ve Ticaret A.S.