

MEDICHOICE ISOPROPYL RUBBING ALCOHOL- isopropyl alcohol liquid
Owens & Minor Distribution, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

MediChoice Isopropyl Rubbing Alcohol

Drug Facts

Active ingredient

Isopropyl alcohol 70%

Purpose

First Aid Antiseptic

Uses

• first aid to help prevent the risk of infection in: • minor cuts • scrapes • burns

Warnings

For external use only

Flammable• keep away from fire or flame, heat, spark, electrical. Flash point 72°F.
• do not use with electrocautery procedures.

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

When using this product

• do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• clean the affected area • apply 1 to 3 times daily


Other information

• does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredient

purified water

MediChoice Isopropyl Rubbing Alcohol, USP 4 FL.Oz./118mL (39892-0500-1)

<h1>MEDI CHOICE®</h1>	
NSN 6505-00-655-8366 NDC 39892-0500-1	
	
<h2>ISOPROPYL RUBBING ALCOHOL, USP</h2> <p>A cooling and refreshing rubbing and massaging compound.</p>	
<h1>70%</h1>	(01) 10885632112744
<p>TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.</p>	<p>FIRST AID ANTISEPTIC Made in USA </p>
<h3>4 FL. OZ. (118 ml)</h3>	
Distributed by Owens & Minor 9120 Lockwood Boulevard Mechanicsville, VA 23116	1-07-10020029C
	Reorder: IA7004

Drug Facts

Active ingredient	Purpose
Isopropyl alcohol 70%	First Aid Antiseptic

Uses • first aid to help prevent the risk of infection in:
• minor cuts • scrapes • burns

Warnings For external use only

Flammable
• keep away from fire or flame, heat, spark, electrical. Flash point 72°F.
• do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • apply 1 to 3 times daily

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredient purified water

MediChoice Isopropyl Rubbing Alcohol, USP 16 FL.Oz./473mL (39892-0500-2)

MEDICHOICE®



NSN 6505-00-655-8366
NDC 39892-0500-2

ISOPROPYL RUBBING ALCOHOL, USP

A cooling and refreshing rubbing and massaging compound.

70%



TAMPER EVIDENT CAP FOR YOUR PROTECTION. IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

FIRST AID ANTISEPTIC
Made in USA

16 FL. OZ. (473 ml)

Distributed by Owens & Minor
9120 Lockwood Boulevard
Mechanicsville, VA 23116

1-07-D0022029C

Reorder: IA7016

Drug Facts

Active ingredient	Purpose
Isopropyl alcohol 70%	First Aid Antiseptic

Uses • first aid to help prevent the risk of infection in:
• minor cuts • scrapes • burns

Warnings For external use only

Flammable
• keep away from fire or flame, heat, spark, electrical. Flash point 72°F.
• do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • clean the affected area • apply 1 to 3 times daily

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredient purified water

MEDICHOICE ISOPROPYL RUBBING ALCOHOL

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:39892-0500
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	700 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0500-1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2019	
2	NDC:39892-0500-2	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/20/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/20/2019	

Labeler - Owens & Minor Distribution, Inc. (847412269)

Revised: 12/2019

Owens & Minor Distribution, Inc.