

SHISEIDO ESSENTIAL ENERGY HYDRATING DAY- homosalate, octocrylene, octisalate, and avobenzone emulsion
SHISEIDO AMERICAS CORPORATION

SHISEIDO ESSENTIAL ENERGY HYDRATING DAY CREAM

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
AVOBENZONE 2.0%	Sunscreen
HOMOSALATE 5.0%	Sunscreen
OCTISALATE 5.0%	Sunscreen
OCTOCRYLENE 5.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable. Do not use near heat, flame. or while smoking

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every two hours
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- children under 6 months: Ask a doctor

Inactive Ingredients

WATER • SD ALCOHOL 40-B • DIMETHICONE • GLYCERIN • DIPROPYLENE GLYCOL • ISODECYL NEOPENTANOATE • PEG-20 • AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER • ERYTHRITOL • PEG/PPG-14/7 DIMETHYL ETHER • PEG/PPG-17/4 DIMETHYL ETHER • LAURYL BETAINE • XANTHAN GUM • 2-O-ETHYL ASCORBIC ACID • CAFFEINE • PHYTOSTERYL MACADAMIATE • SODIUM HYALURONATE • CITRUS UNSHIU PEEL EXTRACT • ANGELICA KEISKEI LEAF/STEM EXTRACT • ZIZIPHUS JUJUBA FRUIT EXTRACT • PANAX GINSENG ROOT EXTRACT • SODIUM ACETYLATED HYALURONATE • SCUTELLARIA BAICALENSIS ROOT EXTRACT • SANGUISORBA OFFICINALIS ROOT EXTRACT • PYROLA INCARNATA EXTRACT • BEHENYL ALCOHOL • SILICA • DIGLYCERIN • POLYSILICONE-11 • BATYL ALCOHOL • BUTYLENE GLYCOL • BIS-BUTYLDIMETHICONE POLYGLYCERYL-3 • CARBOMER • POTASSIUM HYDROXIDE • PEG-60 GLYCERYL ISOSTEARATE • ALCOHOL • TOCOPHEROL • BHT • ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER • SODIUM METABISULFITE • ISOSTEARIC ACID • DISODIUM EDTA • SODIUM METAPHOSPHATE • PPG-3 DIPIVALATE • SYZYGIUM JAMBOS LEAF EXTRACT • ALPINIA SPECIOSA LEAF EXTRACT • ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT • PHENOXYETHANOL • SODIUM BENZOATE • FRAGRANCE • IRON OXIDES

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton

SHISEIDO
GINZA TOKYO

ESSENTIAL ENERGY

Hydrating Day Cream
BROAD SPECTRUM SPF 20
SUNSCREEN
ANTI-POLLUTION

Hyaluronic Acid RED

50mL NET WT. 1.7 OZ.

ESSENTIAL ENERGY
Hydrating Day Cream



SHISEIDO
GINZA TOKYO

ESSENTIAL ENERGY

Hydrating Day Cream

BROAD SPECTRUM SPF 20

SUNSCREEN

ANTI-POLLUTION

Hyaluronic Acid RED

50mL NET WT. 1.7 OZ.

Drug Facts (continued)

Directions

For sunscreen use:
■ apply liberally 15 minutes before sun exposure ■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: · limit time in the sun, especially from 10 a.m. – 2 p.m. · wear long-sleeve shirts, pants, hats, and sunglasses ■ children under 6 months: Ask a doctor

Inactive ingredients

WATER · SD ALCOHOL 40-8 · DIMETHICONE · GLYCERIN · DIPROPYLENE GLYCOL · ISODECYL NEOPENTANOATE · PEG-20 · AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER · ERYTHRITOL · PEG/PPG-14/7 DIMETHYL ETHER · PEG/PPG-17/4 DIMETHYL ETHER · LAURYL BETAINE · XANTHAN GUM · 2-O-ETHYL ASCORBIC ACID · CAFFEINE · PHYTOSTERYL MACADAMIANTE · SODIUM HYALURONATE · CITRUS UNSHED PEEL EXTRACT · ANGELICA KEISKEI LEAF/STEM EXTRACT · ZIZIPHUS JUIUBA FRUIT EXTRACT · PANAX GINSENG ROOT EXTRACT · SODIUM ACETYLATED HYALURONATE · SCUTELLARIA BANCALENSIS ROOT EXTRACT · SANGUISORBA OFFICINALIS ROOT EXTRACT · PYROLA INCARNATA EXTRACT · BEHENYL ALCOHOL · SILICA · DIGLYCERIN · POLYSILOXANE-11 · BATYL ALCOHOL · BUTYLENE GLYCOL · BIS-BUTYLDIMETHICONE · POLYGLYCERYL-3-CARBOMER · POTASSIUM HYDROXIDE · PEG-60 GLYCERYL ISOSTEARATE · ALCOHOL · TOCOPHEROL · BHT · ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER · SODIUM METABISULFITE · ISOSTEARIC ACID · DISODIUM EDTA · SODIUM METAPHOSPHATE · PPG-3 DIPALATE · SYZYGIUM JAMBOS LEAF EXTRACT · ALPINA SPECIOSA LEAF EXTRACT · ROSMARINUS OFFICINALIS (ROSEMARY) LEAF EXTRACT · PHENOXYETHANOL · SODIUM BENZOATE · FRAGRANCE · IRON OXIDES

Other Information

■ protect this product in this container from excessive heat and direct sun.

Questions or Comments? Call toll free 1-800-906-7503

<M08419-811>

71 X 71 X 77.5
1 2 3 4 5 6 7 8 9 0

SHISEIDO
ESSENTIAL ENERGY
HYDRATING DAY CREAM
BROAD SPECTRUM SPF 20
ANTI-POLLUTION*

Beyond hydration. The sustainable power source for a fresh, healthy glow.
With SHISEIDO's original Hyaluronic Acid RED, 24-hour intense moisture rushes into skin's deeper layers**. Vital nutrients are delivered throughout, kickstarting a healthy, hydrated condition that sustains itself. Feel virtually transformed from within. Skin glows with energy. Soft and smooth. Ideally prepped for makeup.
*For all skin types. Sensitive skin-friendly.
*Apply morning after cleanser.
NON-COMEDOGENIC, DERMATOLOGIST-TESTED.
*Fine dust
**Epidermis

Drug Facts

Active ingredients

AVOBENZONE 2.0%
HOMOSALATE 5.0%
OCTISALATE 5.0%
OCTOCRYLENE 5.0%

Purpose

Sunscreen



Power of Science.
#ALIVEwithBeauty

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO. 18287
www.shiseido.com



Drug Facts (continued)

Uses

■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable. Do not use near heat, flame, or while smoking. ▶



<http://s1872.com/18287AA>
See our website for more information.

7 30852 18287 5

FSCマーク
W29XH12

18287-41-5040
AAA

SHISEIDO ESSENTIAL ENERGY HYDRATING DAY

homosalate, octocrylene, octisalate, and avobenzone emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-656
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	2.53 g in 50 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2.53 g in 50 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.53 g in 50 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.012 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
ISODECYL NEOPENTANOATE (UNII: W60VYE24XC)	
POLYETHYLENE GLYCOL 1000 (UNII: U076Q6Q621)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DOCOSANOL (UNII: 9G1OE216XY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIGLYCERIN (UNII: 3YC120743U)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE/BEHENETH-25 METHACRYLATE CROSSPOLYMER (52000 MPA.S) (UNII: LZ291VH90H)	
BATILOL (UNII: 39YR661C4U)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
PEG/PPG-14/7 DIMETHYL ETHER (UNII: 6DNW9T7YT2)	
PEG/PPG-17/4 DIMETHYL ETHER (UNII: 4ET18WJG5K)	
ERYTHRITOL (UNII: RA96B954X6)	
PEG-60 GLYCERYL ISOSTEARATE (UNII: WQP0973914)	
LAURYL BETAINE (UNII: Y4P927Q133)	
ALCOHOL (UNII: 3K9958V90M)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	

2-O-ETHYL ASCORBIC ACID (UNII: 801M14RK9K)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
XANTHAN GUM (UNII: TTV12P4NEE)
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)
SODIUM METABISULFITE (UNII: 4VON5FNS3C)
CAFFEINE (UNII: 3G6A5W338E)
ISOSTEARIC ACID (UNII: X33R8U0062)
SODIUM POLYMETAPHOSPHATE (UNII: P1BM4ZH95L)
EDETATE DISODIUM (UNII: 7FLD91C86K)
PHYTOSTERYL MACADAMIATE (UNII: 233VSF903M)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
TANGERINE PEEL (UNII: JU3D414057)
ANGELICA KEISKEI TOP (UNII: AP628M4TQO)
JUJUBE FRUIT (UNII: G55HNL2C70)
ASIAN GINSENG (UNII: CUQ3A77YXI)
SODIUM ACETYLATED HYALURONATE (UNII: WN66R7GL93)
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)
SYZYGIUM JAMBOS LEAF (UNII: 407Z4W5LFF)
ALPINIA ZERUMBET LEAF (UNII: MS8P33AMKX)
SODIUM BENZOATE (UNII: OJ245FE5EU)
ROSEMARY (UNII: IJ67X351P9)
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-656-60	1 in 1 CARTON	05/01/2021	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	05/01/2021	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)