

**FATHER JOHNS MEDICINE- dextromethorphan hbr liquid**  
**Oakhurst Company**

-----  
**Father John's Medicine**

Shake well before using. Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over | 2 teaspoons every 4 hours

Children 6 years to under 12 years of age | 1 teaspoon every 4 hours

Children under 6 years of age | ask a doctor

Do not use:

If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (Certain drugs for depression, psychiatric or emotional conditions, or parkinsons disease), or for 2 weeks after stopping the maoi drug. if you are uncertain whether your prescription contains a MAOI, consult a health professional before taking this product.

Carmael Color

Citric Acid

Cod liver oil

Flavors

Glycerin

Gum Arabic

Licorice

Purified Water

Sodium Benzoate

Sodium Citrate

Sugar

Dextrinetgirogab HBr..... 10 mg per teaspoon

Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

Cough Suppresant

Keep out of reach of children. In case of overdose get medical help or contact a poison control center right away.

Registered in U.S. Pat. Office



# FATHER JOHN'S MEDICINE

## Cough Suppressant

For  
**COUGHS**  
and  
**COLDS**

Shake well before using.  
Store in a cool place.  
Keep out of reach of children.

Distributed by  
**DANKHOFST COMPANY**  
12901 WALKER, ST. LOUIS, MO  
www.fatherjohns.com

8 FL. OZ.

237 mL

**Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.**

**DO NOT USE IF BOTTLE SAFETY SEAL IS BROKEN OR MISSING**

**Questions? Comments? Call Toll Free: 1-800-831-1135**

# Father John's Medicine

8 FL. OZ.

237 mL



# FATHER JOHN'S MEDICINE

## Cough Suppressant

For  
**COUGHS**  
and  
**COLDS**

Contains NO ALCOHOL OR HARMFUL FORMING INGREDIENTS

8 FL. OZ.

237 mL



### Drug Facts

**Active Ingredients**  
Dextromethorphan HBr 10 mg per teaspoon

**Purpose**  
Cough suppressant

**Use** - Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

#### WARNINGS

**Do not use** - if you are taking a prescription medication because it may interact (MAOI), tricyclic antidepressants (TCAs), or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

**Ask a doctor before use if you have** - a persistent or chronic cough such as occurs with smoking, asthma, emphysema, or a cough accompanied by excessive phlegm (mucus).

**Stop use and ask a doctor if** - cough persists for more than one week; cough turns to rust; cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding** ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.

**DIRECTIONS** - Shake well before using. Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over	2 teaspoons every 4 hours
Children 6 years to under 12 years of age	1 teaspoon every 4 hours
Children under 6 years of age	ask a doctor

**Other information** - store in a cool place • alcohol free • **Flammable liquid** - do not use if bottle safety seal is broken or missing

**Inactive ingredients** - organic colorants and dyes, cellulose gel, flavors, glycerin, gum arabic, locust, purified water, sodium benzoate, sodium citrate, sugar.

Registered in U.S. Pat. Office



**FATHER JOHN'S MEDICINE**  
Cough Suppressant

For  
**COUGHS**  
Due to  
**COLDS**

Shake well before using.  
Store in a cool place.  
Keep out of reach of children.

Distributed by  
**DRUGS & COMPANY**  
MIDDLETOWN, NY 11769  
www.fatherjohns.com

4 FL. OZ.

118 mL

Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.

**DO NOT USE  
IF BOTTLE SAFETY SEAL  
IS BROKEN OR MISSING**



Questions? Comments?  
Call Toll Free: 1-800-831-1135

*Father John's  
Medicine*

4 FL. OZ.

118 mL



**FATHER JOHN'S MEDICINE**  
Cough Suppressant

For  
**COUGHS**  
Due to  
**COLDS**

Contains NO ALCOHOL or  
HABIT FORMING INGREDIENTS

4 FL. OZ.

118 mL



**Drug Facts**

Active ingredients	Purpose
Dextromethorphan HBr 10 mg per teaspoon	Cough suppressant

**Use** Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

**WARNINGS**

**Do not use** - if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

**Ask a doctor before use if you have** - a persistent or chronic cough such as occurs with smoking, asthma, emphysema - a cough accompanied by excessive phlegm (mucus).

**Stop use and ask a doctor if** - cough persists for more than one week - cough tends to recur - cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding** - ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.


**DIRECTIONS** - Shake well before using.  
Do not take more than six doses in 24 hours.

Adults and children 12 years of age and over	2 teaspoons every 4 hours
Children 6 years to under 12 years of age	1 teaspoon every 4 hours
Children under 6 years of age	ask a doctor

**Other information** - store in a cool place - alcohol free - **Tartrazine present** - do not use if bottle safety seal is broken or missing.

**Inactive ingredients** caramel color, olive-wheat cod liver oil, flavors, glycerin, gum arabic, lactose, purified water, sodium benzoate, sodium citrate, sugar.

Registered in U.S. Pat. Office



**FATHER JOHN'S MEDICINE**  
Cough Suppressant


For  
**COUGHS**  
due to  
**COLDS**

Shake well before using.  
Store in a cool place.  
Keep out of reach of children.

Distributed by:  
**OAKHURST COMPANY**  
LEVITTOWN, NY 11756  
www.oakhurstco.com

4 FL. OZ.      118 mL

**Father John's, a wholesome family medicine, was originally compounded for Rev. Father John O'Brien of Lowell, Massachusetts, in 1855.**



**FATHER JOHN'S MEDICINE**  
Cough Suppressant

For  
**COUGHS**  
due to  
**COLDS**

DO NOT USE  
IF BOTTLE SAFETY SEAL  
IS BROKEN OR MISSING

Contains NO ALCOHOL or  
HABIT FORMING INGREDIENTS

4 FL. OZ.      118 mL

**Drug Facts**

Active ingredients	Purpose
Dextromethorphan HBr 10 mg per teaspoon.....	Cough suppressant

**Use** Temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold or inhaled irritants.

**WARNINGS**

**Do not use** - if you are taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you are uncertain whether your prescription contains an MAOI, consult a health professional before taking this product.

**Ask a doctor before use if you have** - a persistent or chronic cough such as occurs with smoking, asthma, emphysema - a cough accompanied by excessive phlegm (mucus).

**Stop use and ask a doctor if** - cough persists for more than one week - cough tends to recur - cough is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding** ask a health professional before use. **Keep out of reach of children.** In case of overdose get medical help or contact a Poison Control Center right away.

**DIRECTIONS:** - Shake well before using  
- Do not take more than six doses in 24 hours.

<b>Adults and children 12 years of age and over</b>	2 teaspoonfuls every 4 hours
<b>Children 6 years to under 12 years of age</b>	1 teaspoonful every 4 hours
<b>Children under 6 years of age</b>	ask a doctor

**Other information** - store in a cool place - alcohol free - **Tamper evident:** - do not use if bottle safety seal is broken or missing

**Inactive ingredients** caramel color, citric acid, cod liver oil, flavors, glycerin, gum arabic, licorice, purified water, sodium benzoate, sodium citrate, sugar.

## FATHER JOHNS MEDICINE

dextromethorphan hbr liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:45728-444
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>LICORICE</b> (UNII: 61ZBX54883)	
<b>CLOVE OIL</b> (UNII: 578389D6D0)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>LAVENDER OIL</b> (UNII: ZBP1YXW0H8)	
<b>NUTMEG OIL</b> (UNII: Z1CLM48948)	
<b>CINNAMALDEHYDE</b> (UNII: SR60A3XG0F)	
<b>CARMEL</b> (UNII: T9D99G2B1R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

<b>COD LIVER OIL</b> (UNII: BBL281NWFG)				
<b>ACACIA</b> (UNII: 5C5403N26O)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:45728-444-94	1 in 1 CARTON	06/17/2019	
1		118 mL in 1 CONTAINER; Type 0: Not a Combination Product		
2	NDC:45728-444-98	1 in 1 CONTAINER	06/17/2019	
2		237 mL in 1 CONTAINER; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	06/17/2019		

**Labeler** - Oakhurst Company (001385111)

**Registrant** - Pharma Nobis, LLC (118564114)

<b>Establishment</b>				
Name	Address	ID/FEI	Business Operations	
Pharma Nobis, LLC		118564114	manufacture(45728-444) , label(45728-444) , analysis(45728-444) , pack(45728-444)	

Revised: 12/2023

Oakhurst Company