SHOPRITE CHILDRENS COLD AND ALLERGY- phenylephrine hcl, brompheniramine maleate liquid

Wakefern Food Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ShopRite Children's Cold & Allergy Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate, USP 2 mg Phenylephrine HCl, USP 5 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland

• a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- each 10 mL contains: sodium 4 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments?

1-800-SHOPRITE

Principal Display Panel

Compare to: Active Ingredients in Dimetapp® Cold & Allergy

Children's

AGES 6 & UP

COLD & ALLERGY

ANTIHISTAMINE

(Brompheniramine Maleate)

NASAL DECONGESTANT

(Phenylephrine HCl)

MULTI-SYMPTOM

Relieves: Sneezing, Nasal Congestion, Runny Nose & Itchy, Watery Eyes

Alcohol Free

Grape flavor


4 FL OZ (118 mL)





Children's

AGES 6 & UP





ANTIHISTAMINE (Brompheniramine Maleate)

NASAL DECONGESTANT (Phenylephrine HCl)

MULTI-SYMPTOM

Relieves: Sneezing, Nasal Congestion, Runny Nose & Itchy, Watery Eyes Alcohol Free



ANTIHISTAMINE (Brompheniramine Maleate)

NASAL DECONGESTANT (Phenylephrine HCl)

MULTI-SYMPTOM

Relieves: Sneezing, Nasal Congestion, Runny Nose & Itchy, Watery Eyes Alcohol Free







Active ingredients

AGES 6 & UP Children s

Purposes

MOTH-SYMPTOM & ALLERGY

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory common cold, hay fever or other upper respiratory allergies

 temporarily relieves these symptoms due to hay fever (allergic thinitis):

 unnny nose

 sneezing

 itchy, watery eyes

 itching of the nose or throat

 temporarily restores freer breathing through the nose

Warnings

- Do not use

 if you are now taking a prescription monoamine
 oxidase inhibitor (MAOI) (certain drugs for depression
 psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

 to make a child sleepy

- Ask a doctor before use if you have
 heart disease a diabetes an plaucoma
 thyroid disease a high blood pressure
 trouble urinating due to an enlarged prostate gland
 a breating problem such as emplysema or
 chronic bronchitis

sk a doctor or pharmacist before use if you are taking sedatives or tranquilizers

- When using this product do not use more than directed
- drowsiness may occur
 avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating
- machinery excitability may occur, especially in children
- Stop use and ask a doctor if
 you get nervous, dizzy, or sleepless
 symptoms do not get better within 7 days or are
 accompanied by fever
- If pregnant or breast-feeding, ask a health

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than 6 doses in any 24-hour period
 measure only with dosage cup provided
 keep dosage cup with product
 mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other Information

each 10 mL contains: sodium 4 mg ■ store at 20-25°C (63-77°F)

Inactive Ingredients anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylane glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

Questions or comments? 1-800-SHOPRITE

*This product is not manufactured or distributed by Pfizer, distributor of Dimetapp® Cold & Allergy.

Distributed By: Wakefern Food Corp. 5000 Riverside Drive Keasbey, NJ 08832 ©2016



Your complete satisfaction or your money back. We welcome your questions and comments. Call: 1-800-ShopRite www.shoprite.com

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING





EXP.

: 40P5P YB C5

SHOPRITE CHILDRENS COLD AND ALLERGY

phenylephrine hcl, brompheniramine maleate liquid

Product Information

Grape

4 FL OZ (118 mL)

HUMAN OTC DRUG Product Type Item Code (Source) NDC:41190-906

Route of Administration ORAL

Active Ingredient/Active Moiety

I	Ingredient Name	Basis of Strength	Strength
	PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL
	BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)		
EDETATE DISO DIUM (UNII: 7FLD91C86K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SACCHARIN SODIUM (UNII: SB8ZUX40TY)		
SODIUM BENZOATE (UNII: OJ245FE5EU)		
SORBITOL (UNII: 506T60A25R)		

Product Characteristics			
Color	PURPLE (clear bluish-red)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

ı	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1 NDC:41190-906-26	1 in 1 CARTON	07/09/2013	
	1	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	07/09/2013	

Labeler - Wakefern Food Corporation (069722418)

Revised: 12/2018 Wakefern Food Corporation