

**PAIN RELIEF- acetaminophen tablet, film coated**  
**Topco Associates, LLC**

-----  
**TopCare 44-531**

***Active ingredient (in each tablet)***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - toothache
  - headache
  - the common cold
  - backache
  - muscular aches
  - minor pain of arthritis
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

## **Ask a doctor before use if you have**

liver disease.

## **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

## **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## ***Directions***

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 tablets every 6 hours while symptoms last
  - do not take more than 6 tablets in 24 hours, unless directed by a doctor
  - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

## ***Other information***

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

## ***Inactive ingredients***

corn starch, D&C red #27 aluminum lake, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, polyethylene glycol, polyvinyl alcohol, povidone, sodium starch glycolate\*, stearic acid, sucralose, talc, titanium dioxide

\*may contain this ingredient

## ***Questions or comments?***

**1-888-423-0139**

***Principal display panel***

**+TopCare®**

health

NDC 36800-991-15

COMPARE TO THE  
ACTIVE INGREDIENT IN  
EXTRA STRENGTH TYLENOL®†

EXTRA STRENGTH

**Pain Relief**

**ACETAMINOPHEN** 500 mg  
PAIN RELIEVER • FEVER REDUCER

Contains no aspirin • Coated tablets

**50 TABLETS**

actual size

**TAMPER EVIDENT: DO NOT USE IF  
IMPRINTED SAFETY SEAL UNDER  
CAP IS BROKEN OR MISSING**

† This product is not manufactured or distributed by  
Kenvue Inc., owner of the registered trademark  
Extra Strength Tylenol®.

50844 REV1123A53115

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143

© TOPCO LNKA0124

QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com

Scan here for more  
information or call 1-888-423-0139

QUALITY GUARANTEED

This TopCare® product is laboratory  
tested to guarantee its highest quality.  
Your total satisfaction is guaranteed.



**Topcare 44-531C**

**PAIN RELIEF**

acetaminophen tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-991
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
May contain	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

### Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	11mm
Flavor		Imprint Code	44;531
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-991-15	1 in 1 CARTON	01/30/2019	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:36800-991-06	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/30/2019	09/23/2022

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/30/2019	

**Labeler** - Topco Associates, LLC (006935977)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(36800-991)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-991)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(36800-991)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(36800-991)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(36800-991)

Revised: 7/2025

Topco Associates, LLC