DRX CHOICE REGULAR STRENGTH- acetaminophen tablet, film coated Raritan Pharmaceuticals Inc.

DRx Choice Regular Strength Pain Relief

Drug Facts

Active ingredient (in each tablet)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - backache
 - minor pain of arthritis
 - the common cold
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if the user

- **has**liver disease
- is a child with pain of arthritis

Ask a doctor or pharmacist before use if the user istaking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not take more than directed (see overdose warning)

| adults and children 12 years and over | take 2 tablets every 4 to 6 hours while symptoms last do not take more than 10 tablets in 24 hours, unless directed by a doctor do not use for more than 10 days unless directed by a doctor |
|--|--|
| children 6 years to under 12 years | take 1 tablet every 4 to 6 hours while symptoms last do not take more than 5 tablets in 24 hours do not use for more than 5 days unless directed by a doctor |
| children under 6 years | ask a doctor |

Other information

• store at room temperature.

Inactive ingredients

hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, polyvinyl pyrrolidone, pregelatinized starch, stearic acid powder, talc, titanium dioxide

Questions?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

DRx Choice®

Compare to the active ingredient in Tylenol® Regular Strength*

NDC 68163-065-60 *regular strength*

pain relief

Acetaminophen 325 mg

Pain Reliever / Fever Reducer 60 tablets


TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Kenvue Inc, owner of the registered trademark Tylenol® Regular Strength

Distributed by: Raritan Pharmaceuticals

8 Joanna Court

East Brunswick, NJ 08816



DRX CHOICE REGULAR STRENGTH

acetaminophen tablet, film coated

| Product Information | | | | | |
|--------------------------|----------------|----------------|-------|---------|--------|
| Product Type | HUMAN OTC DRUG | Item Code (Sou | urce) | NDC:681 | 53-065 |
| Route of Administration | ORAL | | | | |
| | | | | | |
| Active Ingredient/Active | Moiety | | | | |

| | l | ngredient Name | 9 | | Basis of S | Strength | Strength |
|--|-----------------------|--|------------------|---------|------------------|----------|-----------------|
| ACETAMINOPHEN (UNII: 3620 | | D9ITL9D) (ACETAMINOPHEN - UNII:362O9 | | 9ITL9D) | ACETAMINOPHEN | | 325 mg |
| Inactive Ingre | dients | | | | | | |
| | | Ingredier | nt Name | | | S | trength |
| HYPROMELLOSE, | UNSPECIF | IED (UNII: 3NXW29V | 3WO) | | | | |
| MAGNESIUM STEA | RATE (UNI | I: 70097M6I30) | | | | | |
| | | LOSE (UNII: OP1R32 | | | | | |
| | | NSPECIFIED (UNII: 3 | 3WJQ0SDW1A) | | | | |
| POVIDONE, UNSPE | | | | | | | |
| STARCH, CORN (U | | - | | | | | |
| STEARIC ACID (UN | | 55AP) | | | | | |
| TALC (UNII: 7SEV7J4 | - | | | | | | |
| TITANIUM DIOXIDI | E (UNII: 15F | FIX9V2JP) | | | | | |
| | | | | | | | |
| Product Chara | acteristi | ics | | | | | |
| Color | | white | Score | | no score | | |
| Shape | | ROUND | Size | | | 17mm | |
| Flavor | | | Imprint Code | | | | |
| Contains | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| Packaging | | | | | | | |
| | | Package Descr | iption | | ing Start ate | | ting End ate |
| # Item Code | 60 in 1 B0 Product | Package Descr OTTLE; Type 0: Not a | - Combination | | - | | _ |
| # Item Code NDC:68163-065- | | - | - Combination | Da | - | | - |
| # Item Code 1 NDC:68163-065- 60 | Product | OTTLE; Type 0: Not a | - Combination | Da | - | | - |
| NDC:68163-065- | Product | OTTLE; Type 0: Not a | or Monograph | D: | - | D | _ |

Labeler - Raritan Pharmaceuticals Inc. (127602287)

Revised: 6/2025

Raritan Pharmaceuticals Inc.