

**ANTIBIOTIC, PAIN AND SCAR- bacitracin zinc, neomycin sulfate, polymyxin b,  
pramoxine hcl ointment  
CVS Pharmacy**

-----  
**CVS Pharmacy, Inc. Antibiotic, Pain & Scar Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### **Directions**

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

### **Other information**

- store at 20-25°C (68-77°F)

### **Inactive ingredients**

cocoa butter, cottonseed oil, olive oil, petrolatum, sodium pyruvate, tocopheryl acetate

### **Questions or comments?**

**1-800-719-9260**

### **Package/Label Principal Display Panel**

CVS Health®

Compare to the active ingredients in Neosporin® + Pain Itch Scar

MAXIMUM STRENGTH‡ OINTMENT

Antibiotic, Pain & Scar

BACITRACIN ZINC

NEOMYCIN SULFATE

POLYMYXIN B SULFATE

PRAMOXINE HCl

First aid antibiotic/pain relieving ointment

24-hour infection protection while minimizing appearance of scars from:

- Cuts & scrapes
- Itch
- Burns

Package Contains One Tube

NET WT 0.5 OZ (14 g)

‡Under OTC Monograph



## ANTIBIOTIC, PAIN AND SCAR

bacitracin zinc, neomycin sulfate, polymyxin b, pramoxine hcl ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-669
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>COCOA BUTTER</b> (UNII: 512OYT1CRR)	
<b>OLIVE OIL</b> (UNII: 6UYK2W1W1E)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>SODIUM PYRUVATE</b> (UNII: POD38AIF08)	
<b>COTTONSEED OIL</b> (UNII: H3E878020N)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

**Product Characteristics**

<b>Color</b>	YELLOW (Pale)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-669-58	1 in 1 CARTON	02/20/2017	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69842-669-64	1 in 1 CARTON	02/22/2017	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/20/2017	

