

**DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN-**  
**dextromethorphan hydrobromide and guaifenesin syrup**  
**OPMX LLC**

-----  
**Histiacil NF Children**  
**Pentrexilina NF Children**  
**Brosolvan Children**

<b>Active Ingredient (in each 5 mL)</b>	<b>Purpose</b>
Dextromethorphan HBr USP 10 mg.....	Cough suppressant
Guaifenesin, USP 100 mg.....	Expectorant

Relieves:

- Chest congestion / Mucus
- Cough

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps to loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

- **Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a

Poison Control Center right away.

### **Directions**

- take every 4 hours
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product

<b>Age</b>	<b>Dose</b>
Adults and children 12 years and over	2 teaspoonful (10 mL)
Children 6 to under 12 years	1 teaspoonful (5 mL)
Children under 6 years	Ask a doctor

### **Other information**

- Store at 20°-25°C (68° -77°F).
- Do not refrigerate.
- Retain carton for future reference on full labeling

### ***Inactive ingredients***

citric acid, flavor, glycerin, menthol, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium saccharin, sorbitol.

### **Questions or comments?**

**Call 619-600-5632**

**Tamper evident: Do not use if inner seal under cap is broken or missing.**

### **Exclusively distributed by**

**OPMX**

Chula Vista, CA91910

Phone: 619-600-5632

### **Manufactured in**

FDA Registered Facility

In the USA

**PRINCIPAL DISPLAY PANEL PENTREXCILINA CHILDREN**



NDC 69729-069-04

FORMULA ORIGINAL

Alivio eficaz  
para la Tos

**PENTREXILINA**  
NF

Dextrometorfan HBr  
Guaifenesina

**Niños**



Descongestionante  
de las Vías Respiratorias

Contenido neto 118 mL / 4 fl oz

Glue - No Coating

**Tamper-evident:** do not use if seal under the cap is broken or missing.

**Drug Facts**

**Active ingredients (in each 5 ml)**    **Purpose**  
Dextromethorphan HBr  
USP 10 mg ..... Cough suppressant  
Guaifenesin, USP 100 mg ..... Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps to loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Stop use and ask a doctor if** cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

NDC 69729-069-04


ORIGINAL FORMULA

Effective for  
Cough relief

**PENTREXILINA**  
NF

Dextrometorphan HBr  
Guaifenesin

**Children**



Cough Suppressant  
Expectorant

Net Contents 4 fl oz / 118 mL

**Drug Facts (continued)**

**Directions**

- take every 4 hours
- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product

AGE	DOSE
Adults and children 12 years and over	2 teaspoonful (10 ml)
Children 6 to under 12 years	1 teaspoonful (5 ml)
Children under 6 years	Ask a doctor

**Other information**

- Store at 20° - 25°C (68° - 77°F). ■ Do not refrigerate.
- Retain carton for future reference on full labeling.

**Inactive ingredients**

Anhydrous Citric Acid, Cherry Flavor, Glycerin, Menthol, Propylene Glycol, Purified Water, Saccharin Sodium, Sodium Benzoate, Sodium Citrate Dihydrate, Sorbitol Solution, Sucralose

**Questions or comments?**

call 619-600-5632

VERSION EN ESPAÑOL EN EL INTERIOR DE LA CAJA

Exclusively distributed by:  
**PMX**  
Chula Vista, CA 91910  
Phone: 619-600-5632

Made for:  
**PMX**  
San Diego, CA



Manufactured in  
FDA Registered Facility

REV. 11.2024  
Item # BRX1114



8 10053 18050 1

Lot No.:

Exp. Date:

NON VARNISH AREA

**PRINCIPAL DISPLAY PANEL BROSOLVAN**



**PRINCIPAL DISPLAY PANEL HISTIACIL**



<b>DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN</b> dextromethorphan hydrobromide and guaifenesin syrup			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-035
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>

<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-035-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

## DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN

dextromethorphan hydrobromide and guaifenesin syrup

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-036
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-036-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

## DEXTROMETHORPHAN HYDROBROMIDE AND GUAIFENESIN

dextromethorphan hydrobromide and guaifenesin syrup

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-069
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>MENTHOL</b> (UNII: L7T10EIP3A)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-069-04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/01/2021	

**Labeler** - OPMX LLC (029918743)**Establishment**

Name	Address	ID/FEI	Business Operations
KJD Pharma Pvt Ltd		877256314	manufacture(69729-036, 69729-069, 69729-035)