

GENTLE LAXATIVE- bisacodyl tablet, delayed release
Chain Drug Marketing Association, Inc.

Quality Choice 44-676A

Active ingredient (in each tablet)

Bisacodyl USP, 5 mg

Purpose

Stimulant laxative

Uses

- for relief of occasional constipation (irregularity)
- this product generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- a sudden change in bowel habits that lasts more than 2 weeks
- stomach pain, nausea or vomiting

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness, and cramps

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid excessive humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

carmine, colloidal silicon dioxide, corn starch, FD&C red #40 aluminum lake, hypromellose, lactose anhydrous, magnesium stearate, methacrylic acid, microcrystalline cellulose, polydextrose, polyethylene glycol, shellac wax, simethicone, sodium bicarbonate, sodium lauryl sulfate, stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-426-9391

Principal Display Panel

QC®
QUALITY
CHOICE

NDC 83324-033-30

Gentle Laxative

Bisacodyl USP, 5 mg - Stimulant Laxative

Gentle, Dependable
Constipation Relief

Actual
Size

30 Comfort Coated Tablets

**TAMPER EVIDENT: DO NOT USE
IF PACKAGE IS OPENED OR IF
BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

50844 REV0923A67601

Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

NDC 83324-033-30



Gentle Laxative

Bisacodyl USP, 5 mg - Stimulant Laxative

Gentle, Dependable
Constipation Relief

Actual
Size



30 Comfort Coated Tablets

**TAMPER EVIDENT: DO NOT USE
IF PACKAGE IS OPENED OR IF
BLISTER UNIT IS TORN,
BROKEN OR SHOWS ANY
SIGNS OF TAMPERING**

50844 REV0923A67601

No Print / No Varnish
Lot no. & Exp. date

B-0220-676A-01-R
REV0923A67601

Drug Facts (continued)
cellulose, polydextrose, polyethylene glycol, shellac wax,
simethicone, sodium bicarbonate, sodium lauryl sulfate,
stearic acid, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments? 1-800-426-9391

100% SATISFACTION
GUARANTEED
Distributed by CDM, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

Drug Facts (continued)

Warnings
Do not use if you cannot swallow without chewing.
Ask a doctor before use if you have
■ a sudden change in bowel habits that lasts more than 2
weeks
■ stomach pain, nausea or vomiting

When using this product
■ do not chew or crush tablet(s)
■ do not use within 1 hour after taking an antacid or milk
■ it may cause stomach discomfort, flatulence, and cramps
Stop use and ask a doctor if
■ you have rectal bleeding or fail to have a bowel movement
after use of a laxative. These could be signs of a serious
condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional
before use.
Keep out of reach of children. In case of overdose, get
medical help or contact a Poison Control Center right away.

Drug Facts (continued)

Directions ■ do not take more than directed
■ take with a glass of water
adults and children 12 years
take 1 to 3 tablets in a
single daily dose
children 6 to under 12 years
take 1 tablet in a single
daily dose
children under 6 years
ask a doctor

Other information
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS
OPENED OR BLISTER IS TORN OR BROKEN
■ avoid excessive humidity
■ store at 25°C (77°F); excursions permitted between
15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number

Inactive ingredients
carmellose, colloidal silicon dioxide, corn starch, FD&C red #40
magnesium stearate, methacrylic acid, microcrystalline



Quality Choice 44-676A

GENTLE LAXATIVE

bisacodyl tablet, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83324-033
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name		Strength
BISACODYL (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)		BISACODYL 5 mg

Inactive Ingredients	
Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 ALUMINUM LAKE (UNII: 6T47AS764T)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
MAGNESIUM STEARATE (UNII: 70097M6I3O)	
METHACRYLIC ACID (UNII: 1CS02G8656)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	B
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83324-033-30	2 in 1 CARTON	06/30/2025	

1	15 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/30/2025	

Labeler - Chain Drug Marketing Association, Inc. (011920774)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(83324-033)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(83324-033) , pack(83324-033)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(83324-033)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(83324-033)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(83324-033)