

ESIKA PRO PERFECT MATCH VOLUMEN (FRESA TENTACION) - RED-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (CAFE MISTERIO) - BROWN-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (ROSA DESEO) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (DURAZNO AMOR) - ORANGE-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (ROSA GOLOSA) - PINK- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (CORAL SEDUCTOR) - PINK-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (CEREZA SEXY) - PINK- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (FUCSIA SENSUAL) - PINK- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (ROJO PASION) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (VINO CALIENTE) - PURPLE-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (PIMIENTA CALIENTE) - BROWN-
octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (CAFE PARISO) - BROWN- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (ROSE BLOOM) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (FRESA ENERGY) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (BURGUNDY VITAL) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (VINO SUBLIME) - RED- octinoxate lipstick
ESIKA PRO PERFECT MATCH VOLUMEN (ROJO RADIANT) - RED- octinoxate lipstick
Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ESIKA PRO PERFECT MATCH VOLUMEN
labial FPS 20 + delineador para máximo volumen / lipstick SPF 20 + lip liner for maximum fullness

Drug Facts

Active Ingredients

OCTINOXATE 7.50 %

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.

- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

LIPSTICK

DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE, TRIDECYL TRIMELLITATE, CAPRYLIC/CAPRIC TRIGLYCERIDE, SYNTHETIC BEESWAX, POLYETHYLENE, TRIDECYL STEARATE, COPERNICIA CERIFERA (CARNAUBA) WAX, NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE, POLYGLYCERYL-3 DIISOSTEARATE, BUTYROSPERMUM PARKII (SHEA) BUTTER, HYDROGENATED VEGETABLE OIL, SILICA DIMETHYL SILYLATE, PHENOXYETHANOL, CETEARYL ETHYLHEXANOATE, GLYCERIN, FRAGRANCE, CAPRYLYL GLYCOL, CHLORPHENESIN, CERAMIDE 3, SODIUM SACCHARIN, SORBITAN ISOSTEARATE, PENTAERYTHRITYL TETRA-DI-T-BUTYL HYDROXYHYDROCINNAMATE, PORTULACA PILOSA EXTRACT, SUCROSE COCOATE, PALMITOYL TRIPEPTIDE-38, ALPHA-ISOMETHYL IONONE, d-LIMONENE, LINALOOL, AMYL CINNAMAL, CITRONELLOL.

MAY CONTAIN :

IRON OXIDES, MANGANESE VIOLET, MICA, RED 30 LAKE, TITANIUM DIOXIDE, RED 21 LAKE, YELLOW 5 LAKE, RED 27 LAKE, RED 7 LAKE, TALC, BLUE 1 LAKE.

INGREDIENTS

LIP LINER

ISODODECANE, DIMETHICONE, TRIMETHYLSILOXYSILICATE, CYCLOPENTASILOXANE, DISTEARDIMONIUM HECTORITE, PROPYLENE CARBONATE, PHENOXYETHANOL, FRAGRANCE, CAPRYLYL GLYCOL, CHLORPHENESIN, ALPHA-ISOMETHYL IONONE, d-LIMONENE, LINALOOL, AMYL CINNAMAL, CITRONELLOL.

MAY CONTAIN :

IRON OXIDES, MANGANESE VIOLET, TITANIUM DIOXIDE, RED 7 LAKE, RED 40 LAKE, MICA, RED 27 LAKE, YELLOW 5 LAKE, RED 21 LAKE, BLUE 1 LAKE, TALC.

Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (FRESA TENTACION) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (CAFE MISTERIO) - BROWN

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (ROSA DESEO) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (DURAZNO AMOR) - ORANGE

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxylethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxylethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (ROSA GOLOSA) - PINK

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (CORAL SEDUCTOR) - PINK

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (CEREZA SEXY) - PINK

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (FUCSIA SENSUAL) - PINK

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (ROJO PASION) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (VINO CALIENTE) - PURPLE

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (PIMIENTA CALIENTE) - BROWN

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxylethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxylethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (CAFÉ PARISO) - BROWN

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (ROSE BLOOM) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca pilosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (FRESA ENERGY) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (BURGUNDY VITAL) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinnamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (VINO SUBLIME) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** if swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



PRINCIPAL DISPLAY PANEL - 2,2 g Tube Box - (ROJO RADIANT) - RED

ésika
PRO

PERFECT MATCH VOLUMEN

Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / **Lip liner:** 3 ml e (0.10 fl.oz.)

Drug Facts (continued)

minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information: Protect the product in this container from excessive heat and direct sun. **Inactive Ingredients:** ▶

Drug Facts (continued)

LIPSTICK: Dipentaerythrityl hexacaprylate/hexacaprate, tridecyl trimellitate, caprylic/capric triglyceride, synthetic beeswax, polyethylene, tridecyl stearate, copernicia cerifera (carnauba) wax, neopentyl glycol dicaprylate/dicaprate, polyglyceryl-3 diisostearate, butyrospermum parkii (shea) butter, hydrogenated vegetable oil, silica dimethyl silylate, phenoxyethanol, cetearyl ethylhexanoate, glycerin, fragrance, caprylyl glycol, chlorphenesin, ceramide 3, sodium saccharin, sorbitan isostearate, pentaerythrityl tetra-di-t-butyl hydroxyhydrocinamate, portulaca plicosa extract, sucrose cocoate, palmitoyl ▼

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia

www.esika.com

Drug Facts (continued)

tripeptide-38, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, mica, red 30 lake, titanium dioxide, red 21 lake, yellow 5 lake, red 27 lake, red 7 lake, talc, blue 1 lake. **Ingredients: LIP LINER:** Isododecane, dimethicone, trimethylsiloxyethylsilicate, cyclopentasiloxane, disteardimonium Hectorite, propylene carbonate, phenoxyethanol, fragrance, caprylyl glycol, chlorphenesin, alpha-isomethyl ionone, d-limonene, linalool, amyl cinnamal, citronellol. May contain: iron oxides, manganese violet, titanium dioxide, red 7 lake, red 40 lake, mica, red 27 lake, yellow 5 lake, red 21 lake, blue 1 lake, talc.



PERFECT MATCH VOLUMEN

Labial FPS 20 + Delineador para máximo volumen
Lipstick SPF 20 + Lip liner for maximum fullness

Lipstick: Net Wt. 0.077 oz. e (2,2 g) / Lip liner: 3 ml e (0.10 fl.oz.)

Drug Facts

Active Ingredients

Octinoxate 7.50 %


Purpose

Sunscreen

Uses ■ Helps prevent sunburn. **Warnings** ■ Skin Cancer / Skin Aging Alert; Spending ▶

Drug Facts (continued)

time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. **Directions** ■ Apply liberally and evenly 15 ▼



ESIKA PRO PERFECT MATCH VOLUMEN (FRESA TENTACION) - RED

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-180
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-180-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-180-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (CAFE MISTERIO) - BROWN
 octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-181
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-181-04	1 in 1 BOX	07/10/2015	
1	NDC:13537-181-03	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (ROSA DESEO) - RED

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-182
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-182-06	1 in 1 BOX	07/10/2015	
1	NDC:13537-182-05	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (DURAZNO AMOR) - ORANGE

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-183
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-183-08	1 in 1 BOX	07/10/2015	
1	NDC:13537-183-07	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (ROSA GOLOSA) - PINK

octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-184
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
TRIDECYL STEARATE (UNII: A8OE252M6L)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
CARNAUBA WAX (UNII: R12CBM0EIZ)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
SHEA BUTTER (UNII: K49155WL9Y)
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)
GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LMI26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
ISOMETHYL-.-ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-184-10	1 in 1 BOX	07/10/2015	
1	NDC:13537-184-09	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (CORAL SEDUCTOR) - PINK

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-185
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-185-12	1 in 1 BOX	07/10/2015	
1	NDC:13537-185-11	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (CEREZA SEXY) - PINK

octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-186
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-186-14	1 in 1 BOX	07/10/2015	
1	NDC:13537-186-13	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (FUCSIA SENSUAL) - PINK octinoxate lipstick			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-302
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-302-16	1 in 1 BOX	07/10/2015	
1	NDC:13537-302-15	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (ROJO PASION) - RED

octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-304
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-304-18	1 in 1 BOX	07/10/2015	
1	NDC:13537-304-17	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (VINO CALIENTE) - PURPLE

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-480
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
TRIDECYL STEARATE (UNII: A8OE252M6L)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
CARNAUBA WAX (UNII: R12CBM0EIZ)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
SHEA BUTTER (UNII: K49155WL9Y)
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)
GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LMI26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-480-20	1 in 1 BOX	07/10/2015	
1	NDC:13537-480-19	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (PIMIENTA CALIENTE) - BROWN

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-481
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-481-22	1 in 1 BOX	07/10/2015	
1	NDC:13537-481-21	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (CAFE PARISO) - BROWN

octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-761
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-761-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-761-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (ROSE BLOOM) - RED

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-762
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-762-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-762-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (FRESA ENERGY) - RED

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-763
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-763-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-763-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (BURGUNDY VITAL) - RED
 octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-764
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	

MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
TRIDECYL STEARATE (UNII: A8OE252M6L)
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)
CARNAUBA WAX (UNII: R12CBM0EIZ)
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
SHEA BUTTER (UNII: K49155WL9Y)
SILICA DIMETHYL SILYLATE (UNII: EU2PSPOG0W)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)
GLYCERIN (UNII: PDC6A3C0OX)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LMI26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)
ISOMETHYL-.-ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.-ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.-BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-764-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-764-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (VINO SUBLIME) - RED

octinoxate lipstick

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-765
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
CERAMIDE NP (UNII: 4370DF050B)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITAN ISO STEARATE (UNII: 01S2G2C1E4)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
SUCROSE COCOATE (UNII: 3H18P0UK73)	
PALMITOYL LYSYLDIOMETHIONYLLYSINE (UNII: T7A529FB8O)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MANGANESE VIOLET (UNII: 72M48QQV8Q)	
MICA (UNII: V8A1AW0880)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
ALUMINUM OXIDE (UNII: LM26O6933)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 7 (UNII: ECW0LZ41X8)	
D&C RED NO. 21 (UNII: 08744Z6JNY)	
TALC (UNII: 7SEV7J4R1U)	

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-765-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-765-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

ESIKA PRO PERFECT MATCH VOLUMEN (ROJO RADIANT) - RED

octinoxate lipstick

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-766
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.075 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWVW)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
NEOPENTYL GLYCOL DICAPRYLATE/DICAPRATE (UNII: VLW429K27K)	
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)	
SHEA BUTTER (UNII: K49155WL9Y)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETEARYL ETHYLHEXANOATE (UNII: 9M64UO4C25)	
GLYCERIN (UNII: PDC6A3C0OX)	

CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
CERAMIDE NP (UNII: 4370DF050B)
SACCHARIN SODIUM (UNII: SB8ZUX40TY)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)
SUCROSE COCOATE (UNII: 3H18P0UK73)
PALMITOYL LYSYLDIOXYMETHIONYLLYSINE (UNII: T7A529FB8O)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MANGANESE VIOLET (UNII: 72M48QQV8Q)
MICA (UNII: V8A1AW0880)
D&C RED NO. 30 (UNII: 2S42T2808B)
ALUMINUM OXIDE (UNII: LM26O6933)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
D&C RED NO. 27 (UNII: 2LRS185U6K)
D&C RED NO. 7 (UNII: ECW0LZ41X8)
D&C RED NO. 21 (UNII: 08744Z6JNY)
TALC (UNII: 7SEV7J4R1U)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
LINALOOL, (+/-)- (UNII: D81QY6I88E)
.ALPHA.-AMYL CINNAMALDEHYDE (UNII: WC51CA3418)
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-766-02	1 in 1 BOX	07/10/2015	
1	NDC:13537-766-01	2.2 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	07/10/2015	

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-180, 13537-181, 13537-182, 13537-183, 13537-184, 13537-185, 13537-186, 13537-302, 13537-304, 13537-480, 13537-481, 13537-761, 13537-762, 13537-763, 13537-764, 13537-765, 13537-766)