## MUCUS RELIEF EXTENDED RELEASE- guaifenesin tablet Rugby Laboratories, Inc.

-----

## **Drug Facts**

## Active ingredient (in each extended-release tablet)

Guaifenesin 600 mg

#### Purpose

Expectorant

#### Uses

Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and makes coughs more productive.

#### Warnings

#### Do not use

for children under 12 years of age.

#### Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough accopanied by too much phlegm (mucus)

#### Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regard for the timing of meals

- adults and children 12 years of age and over: 1 or 2 tablet every 12 hours. Do not exceed 4 tablets in 24 hours.
- children under 12 years of age: do not use

## Other information

store between 20<sup>o</sup> to 25<sup>o</sup>C (68<sup>o</sup> to 77<sup>o</sup>F)

## Inactive ingredients

carbomer, colloidal silicon dioxide, FD&C blue #1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

Compare to the active ingredient in Mucinex®\*

Mucus Relief

Guaifenesin 600 mg

Expectorant

12-hour relief

Relieves chest congestion

Thins and loosens mucus

Extended-release tablets

\*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex®.

# TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

## KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

#### **Rugby Laboratories**

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

www.rugbylaboratories.com

Package Label

				R				
Drug Facts Active ingredient	Purpose			(Rugby)				
(in each extended-release tablet) Guailenesin 600 mg	Expectorant	$\Lambda$	111					
Uses Helps loosen phlegm (mucus) and thin bronchial secretions to rid the bron of bothersome mucus and make coughs more productive.		le	MM	Compare to the	NDC 0536-1163-61 active ingredient in Mucinex®*			
Warnings Do not use for children under 12 years of age.			1111					
Ask a doctor before use if you have persistent or chronic cough such as occurs with smoking, asthma, chronic bron cough accompanied by too much phiegm (mucus)		Reli	20	Мисия	Relief			
Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occu persistent headache. These could be signs of a serious illness. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a		Mucus Re	S	mucus	Relief			
Center right away (1-800-222-1222). Directions	Poison Control	<u>N</u>	5					
<ul> <li>do not crush, chew, or break tablet</li> <li>take with a full glass of water</li> <li>this product can be administered without regard for the timing of meals</li> </ul>			ant	Guaifenesin 6	500 mg			
adults and children 12 years of age and over: 1 or 2 tablets every 12 hours. Do in 24 hours.	not exceed 4 tablets		to	Expectorant				
children under 12 years of age: do not use <b>Other information</b> store between 20° to 25°C (68° to 77°F)		D	Expectorant					
Inactive ingredients carbomer, colloidal silicon dioxide, FD&C blue #1 alu hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulos	minum lake,	ۍ <	S X					
Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5		())))))))))))))))))))))))))))))))))))	1TL	12-hour relief				
*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex*.			111	Relieves chest co Thins and loosen				
R-58 Rev. 08/18 Distributed by:	7A FC005306	hqbn			Actual Size			
Rugby Laboratories 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152 www.rugbylaboratories.com 3 0536	1 16361 7			100 Extended-r	elease tablets			
		-		TORN, BROKEN OR SHOWS	OT USE IF BLISTER UNIT IS Any signs of tampering. Marnings and product information.			
				Lot No.:				
				Exp. Date:				
RUGBY Mucus Relief								
guaifenesin tablet								
Product Information								
Product Type	HUMAN OTC DRUG Item Co		ltem Co	de (Source)	NDC:0536-1163			
Route of Administration	ORAL							
Active Ingredient/Active	Moietv							

Ingredient Name	<b>Basis of Strength</b>	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENES IN	600 mg

Inactive Ingredients

Ingredient Name	Strength
CARBOMER 934 (UNII: Z135WT9208)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics							
Color	blue Score			no score			
Shape OVAL Size		Size		16mm			
Flavor Imprint Code			AN036				
Contains							
Packaging							
# Item Code		Package Description		Marketing Start Date	Marketing End Date		
<b>1</b> NDC:0536-1163- 61	100 in 1 CARTON		08/31/2018				
1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product						
Marketing Information							
Marketing Category	Appl	ication Numbe Citat	er or Monograph ion	Marketing Star Date	t Marketing End Date		
ANDA	ANDA20	7342		08/31/2018			

Labeler - Rugby Laboratories, Inc. (079246066)

Revised: 12/2022

Rugby Laboratories, Inc.