

**WOMENS ROGAINE UNSCENTED- minoxidil solution**  
**Johnson & Johnson Consumer Inc.**

-----  
**WOMEN'S Rogaine<sup>®</sup> UNSCENTED**

***Drug Facts***

**Active ingredient**

Minoxidil 2% w/v

**Purpose**

Hair regrowth treatment

**Use**

to regrow hair on the scalp

**Warnings**

**For external use only**

**Flammable:** Keep away from fire or flame

**Do not use if**

- your degree of hair loss is different than that shown on the side of this carton, because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at controlled room temperature 20° to 25° C (68° to 77° F)

**Inactive ingredients**

alcohol, propylene glycol, purified water

**Questions?**

- call toll-free **800-764-2463** or **215-273-8755** (collect)
- visit [www.rogaine.com](http://www.rogaine.com)

Distributed by:

JOHNSON & JOHNSON CONSUMER INC.

Skillman, NJ 08558

**PRINCIPAL DISPLAY PANEL - 60 mL Bottle Carton**

#1 DERMATOLOGIST

RECOMMENDED BRAND

WOMEN'S

Rogaine®

2% Minoxidil

Topical Solution

Hair Regrowth

Treatment

REACTIVATES

HAIR FOLLICLES

TO STIMULATE

REGROWTH

CLINICALLY PROVEN

TO HELP REGROW HAIR

Topical Solution

UNSCENTED

One Month Supply

One 60 mL (2 fl oz) Bottle



FOR BEST RESULTS  
USE TWICE DAILY  
APPLY DIRECTLY TO SCALP

#1 DERMATOLOGIST RECOMMENDED BRAND

WOMEN'S Rogaine®

2% Minoxidil Topical Solution  
HAIR REGROWTH TREATMENT

Women's Rogaine® Solution is for women who have a general thinning of hair on the top of the scalp as shown.

Women's Rogaine® has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, Women's Rogaine® may not work.



Do not use if you have patchy hair loss as shown above.

WOMEN'S Rogaine®

2% Minoxidil Topical Solution

Hair Regrowth Treatment

REACTIVATES HAIR FOLLICLES TO STIMULATE REGROWTH

CLINICALLY PROVEN TO HELP REGROW HAIR



Topical Solution

UNSCENTED

One Month Supply  
One 60 mL (2 fl oz) Bottle

**Drug Facts**

**Active ingredient** Minoxidil 2% w/v. **Purpose** Hair regrowth treatment.

**Use** to regrow hair on the scalp.

**Warnings**  
For external use only  
Flammable: Keep away from fire or flame

**Do not use if**  

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product**  

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. You may need to use this product 2 times a day for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for everyone.

**Stop use and ask a doctor if**  

- chest pain, rapid heartbeat, dizziness or faintness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  

- apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**  

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- in clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 6 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using the placebo. The liquid without minoxidil in it, for 6 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at controlled room temperature 20° to 25°C (68° to 77°F)

**Inactive ingredients**  
alcohol, propylene glycol, purified water

**Questions?**  

- call toll-free 800-764-2463 or 215-273-8755 (collect)
- visit www.rogaïne.com



**THIS PACKAGE CONTAINS**

- One 60 mL (2 fl oz) Bottle of Women's Rogaine® (one month supply)
- One child-resistant dropper applicator
- Information booklet with complete directions on how to use and obtain best results

Distributed by:  
JOHNSON & JOHNSON CONSUMER INC.  
Skillman, NJ 08558 © J&JCI 2022  
Active Made in Italy 3 0052948  
Pat. www.jjci-pats.com



LOT/EXP  
Lot #  
Exp.

**WOMENS ROGAINE UNSCENTED**  
minoxidil solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0090
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	20 mg in 1 mL	

**Inactive Ingredients**

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0090-1	1 in 1 CARTON	08/01/2010	
1		60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:69968-0090-3	3 in 1 CARTON	08/01/2010	
2		60 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019501	08/01/2010	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 4/2023

Johnson & Johnson Consumer Inc.