## 3M AVAGARD- chlorhexidine gluconate and alcohol lotion 3M Health Care

-----

# 3M AVAGARD chlorhexidine gluconate and alcohol lotion

**Drug Facts** 

#### **Active ingredients**

Chlorhexidine gluconate 1% w/w Ethyl alcohol 61% w/w

#### **Purpose**

Antiseptic

Antiseptic

#### Uses

- **surgical hand antiseptic:** significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel hand antiseptic:** hand rub to help reduce bacteria that potentially can cause disease
- recommended for repeated use

#### **Warnings**

#### For external use only. Flammable, keep away from fire or flame.

**Allergy alert:** This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use** if you are allergic to chlorhexidine gluconate or any other ingredient in this product

#### When using this product

- do not touch the eye with hands that have been treated with this preparation
- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye.
- if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

**Stop use and ask a doctor if** irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

• Use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

#### Surgical hand antiseptic

- apply to clean, dry hands and nails. For the first use of each day, clean under nails with a nail stick.
- dispense one pump (2 mL) into the palm of one hand
- dip the fingertips of the opposite hand into the lotion and work it under the nails
- spread the remaining lotion over the hand and up to just above the elbow
- using another 2 mL of lotion, repeat with the other hand
- dispense another 2 mL of lotion into either hand; reapply to all aspects of both hands up to the wrists
- allow to dry before donning gloves

#### Healthcare personnel hand antiseptic

- apply to clean, dry hands and nails
- dispense one pump (2 mL) into the palm of one hand
- paying particular attention to the spaces between the fingers and under fingernails, apply the lotion evenly to cover both hands up to the wrists
- allow to dry without wiping

#### Other information

store at 20-25°C (68-77°F)

#### **Inactive ingredients**

beheneth 10, behenyl alcohol, C20-40 pareth-24, cetyl palmitate, diisopropyl dimer dilinoleate, dimethicone, glycerin, polyethylene glycol, squalane, water

#### Questions?

Call 1-800-228-3957

Principal Display Panel – 500mL Bottle Label

#### 3M

NDC 17518-051-01

#### Avagard<sup>TM</sup>

#### (Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol 61% w/w)

#### Surgical and Healthcare Personnel Hand Antiseptic [with [Moisturizers

Peel to read Drug Facts Panel before use

Made in U.S.A. for **3M Health Care**, 2510 Conway Ave., St. Paul, MN 55144

1-800-228-3957 www.3M.com/infectionprevention © 2017, 3M. All rights reserved.

The shape and colors of the bottle and wall bracket are trademarks of 3M.

Patent: 3M.com/Patents MAL10110039XC

Flammable, keep away from fire or flame, heat, sparks and sources of static discharge.

LOT 0000000000

# 3M

# **Avagard**

Surgical and Healthcare Personnel Hand Antiseptic with Moisturizers

Flammable, keep away from fire or flame, heat, sparks and sources of static discharge.

LOT 0000000000 EXP 0000-00-00

16 fl oz • 500 mL

NDC 17518-051-01

Peel to read Drug
Facts Panel before use

(Chlorhexidine Gluconate 1% Solution and Ethyl Alcohol 61% w/w)

> Made in U.S.A. for **all 3M Health Care** 2510 Conway Ave., St. Paul, MN 55144 1-800-228-3957

www.3M.com/infectionprevention
© 2017, 3M. All rights reserved. The
shape and colors of the bottle and
wall bracket are trademarks of 3M.
Patent: 3M.com/Patents
MAL10110039XC

REF 9200

#### **Drug Facts**

# Active ingredients Purpose Chlorhexidine gluconate 1% w/w Antiseptic Ethyl alcohol 61% w/w Antiseptic

Uses • surgical hand antiseptic: significantly reduces the number of micro-organisms on the hands and forearms prior to surgery or patient care

 healthcare personnel hand antiseptic: hand rub to help reduce bacteria that potentially can cause disease

· recommended for repeated use

#### Warnings For external use only. Flammable, keep away from fire or flames.

Allergy alert: This product may cause a severe allergic reaction. Symptoms may include: • wheezing/difficulty breathing • shock • facial swelling

hives • rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you are allergic to chlorhexidine gluconate or any other ingredient in this product

When using this product • do not touch the eye with hands that have been treated with this preparation

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye.
- . if contact occurs, rinse with cold water right away
- do not use routinely if you have wounds which involve more than the superficial layers of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Drug Facts (continued)

**Directions** • use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Surgical hand antiseptic • apply to clean, dry hands and nails. For the first use of each day, clean under nails with a nail stick.

- . dispense one pump (2 mL) into the palm of one hand
- dip the fingertips of the opposite hand into the lotion and work it under the nails
- spread the remaining lotion over the hand and up to just above the elbow
   using another 2 mL of lotion, repeat with the other hand
- dispense another 2 mL of lotion into either hand; reapply to all aspects of both hands up to the wrists
- · allow to dry before donning gloves

Healthcare personnel hand antiseptic • apply to clean, dry hands and nails

- . dispense one pump (2 mL) into the palm of one hand
- paying particular attention to the spaces between the fingers and under fingernails, apply the lotion evenly to cover both hands up to the wrists
   allow to dry without wiping

Other information store at 20-25°C (68-77°F)

Inactive ingredients beheneth 10, behenyl alcohol, C20-40 pareth-24, cetyl palmitate, diisopropyl dimer dilinoleate, dimethicone, glycerin, polyethylene glycol, squalane, water

Questions? call 1-800-228-3957

#### 3M AVAGARD

chlorhexidine gluconate and alcohol lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17518-051	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Chlorhexidine Gluconate (UNII: MOR84MUD8E) (Chlorhexidine - UNII:R4KO0DY52L)	Chlorhexidine Gluconate	8.3 mg in 1 mL	
Alcohol (UNII: 3K9958V90M) (Alcohol - UNII:3K9958V90M)	Alcohol	506.3 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
beheneth-10 (UNII: 313S43DM16)			
docosanol (UNII: 9G1OE216XY)			
cetyl palmitate (UNII: 5ZA2S6B08X)			
dimethicone (UNII: 92RU3N3Y1O)			
glycerin (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
squalane (UNII: GW89575KF9)			
water (UNII: 059QF0KO0R)			

P	Packaging				
#	Item Code	Package Description	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
1	NDC:17518-051-01	8 in 1 CASE	06/14/2001		
1		500 mL in 1 BOTTLE; Type 0: Not a Combination Product			
2	NDC:17518-051-04	4 in 1 CASE	06/14/2001		
2		1200 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
NDA	NDA021074	06/14/2001		

### Labeler - 3M Health Care (006173082)

Revised: 10/2019 3M Health Care