COVER ALL PART B- sodium chlorite liquid ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Cover All Part B

Cover All Part B

Cover All^{TM} is a concentrated two part stabilized chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover All^{TM} keep teats soft and smooth. Cover All^{TM} contains alpha hydroxy acids to aid in the exfoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:

Cover All^{TM} is a two part concentrate that must be mixed prior to use. The mix ratio is 18:1:1. Mix enough Cover All^{TM} to last for 24 hours. In a clean container add 18 parts water, 1 part of Cover All RF Part A^{TM} or Cover all Part A^{TM} , and 1 part Cover All Part B^{TM} . Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800ppm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.

USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover All™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: Immediately after milking, dip each teat with Cover All™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution.

If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients when diluted:

Sodium Chlorite: 0.13%

Hazard statement(s):

Causes skin irritation, Causes serious eye irritation.

Precautionary statement(s):

Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and face protection.

Hazards not otherwise classified: None Known

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding evelids apart. Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Immediately move to fresh air.

Get medical attention immediately.

Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: Emergency treatment if irritation or redness occurs to the skin.

Cover All Part B



Cover All Part B™

Sodium Chlorite

For Use Only With Cover All RF Part A™ or Cover All Part A™ Activator And Skin Conditioning Package



FOR FARM OR INDUSTRIAL USE ONLY - KEEP OUT OF REACH OF CHILDREN

Cover All TM is a concentrated two part stabilized chlorine dioxide teat dip that will aid in the prevention of the spread of mastitis causing organisms. Ample amounts of skin conditioners in Cover All TM keep teats soft and smooth. Cover All TM contains alpha hydroxy acids to aid in the extoliation of teat skin and soften the hyperkeratosis at the teat end.

MIXING INSTRUCTIONS:
Cover All™ is a two part concentrate that must be mixed prior to use.
The mix ratio is 18:1:1.1 Mix enough Cover All™ to last for 24 hours. In a clean container add 18 parts water, 1 part of Cover All RF Part A™ or Cover all Part A™ and 1 part Cover All Part B™. Mix gently and let stand for a minimum of 15 minutes. The mixed solution will reach or exceed 800pm chlorine dioxide within 15 minutes. Keep the containers tightly closed and store in a cool, dry area away from direct sunlight.
USE INSTRUCTIONS:
Pre-Dippinger If teats are dirty pre-clean with a suitable udder wash and a


USE INSTRUCTIONS:

Pre-Dipping: If teats are dirty, pre-clean with a suitable udder wash and a single service towel. Dip, spray or foam each teat with Cover All™ chlorine dioxide. Leave on teats a minimum of 15-30 seconds. Wipe teats dry with a single service towel and apply milker units.

Post-Dipping: immediately after milking, dip each teat with Cover All™ chlorine dioxide teat dip. Allow to air dry.

Always use this mixture full strength. If product in dip cup becomes dirty, discard contents and fill with a fresh solution. If teat irritation occurs, discontinue use until irritation subsides. Consult your veterinarian if irritation persists.

Ingredients when diluted: Sodium Chlorite: 0.13%



WARNING

Hazard statement(s):
Causes skin irritation, Causes serious eye irritation.
Precautionary statement(s):
Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke while using this product. Wear protective gloves, clothing, and eye and

face protection. Hazards not otherwise classified: None Known

First Aid:

External: Immediately flush skin with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Immediately move to fresh air.

Get medical attention immediately. Most important symptoms/effects, acute and delayed: None known immediate medical attention and special treatment needed, if any: Emergency treatment if irritation or redness occurs to the skin.



FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



COVER ALL PART B

sodium chlorite liquid

Product Information					
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:63927-4118		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety			
Basis of Strength	Strength		
SODIUM CHLORITE	10.75 kg in 100 kg		
	Strength		

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63927- 4118-2	18.88 kg in 1 JUG				
2	NDC:63927- 4118-3	56.63 kg in 1 DRUM				
3	NDC:63927- 4118-4	207.65 kg in 1 DRUM				
4	NDC:63927- 4118-5	1038.23 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK				

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	12/02/2024			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment					
Name	Address	ID/FEI	Business Operations		
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, label, pack, repack		

Revised: 12/2024 ProActive Solutions USA, LLC