

SUNMARK INFANTS GAS RELIEF DROPS - simethicone emulsion
McKesson

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Sunmark gas relief drops infants

Active ingredient (in each 0.3 mL)

Simethicone 20 mg

Purpose

Antigas

Uses

relieves the symptoms of gas frequently caused by air swallowing or certain formulas or foods

Warnings

When using this product

do not exceed 12 doses per day

Keep out of the reach of children.

Directions

- shake well before using
- all dosages may be repeated as needed, after meals and at bedtime
- fill enclosed dropper to recommended dosage level
- dispense liquid slowly into baby's mouth, toward the inner cheek
- may mix with 1 oz. of cool water, infant formula or other suitable liquids
- clean dropper after each use replace original cap.

age (yr)	weight (lb)	dose
infants under 2	under 24	0.3 mL
children over 2	over 24	0.6 mL

Other information

store at room temperature (59°F-86°F)

Inactive ingredients

benzoic acid, red # 22, red # 28, flavor, magnesium aluminum silicate, purified water, sorbitol, xanthan

gum.

Principal Display Panel

Sunmark

compare to Mylicon[®] Infant drops active ingredient

gas relief drops infants'

Fast relief of gas symptoms

Alcohol and Saccharin free

No artificial flavor

1 fl oz (30 mL) 100 Doses



MCKESSON
Empowering Healthcare

Another Quality Product
Distributed By McKesson
One Post Street, San Francisco, CA 34104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com



sunmark™

gas relief drops

Infants'

SEALED WITH PRINTED BOTTLE WRAP FOR YOUR PROTECTION

sunmark™

COMPARE TO
MYLICON® INFANT DROPS
ACTIVE INGREDIENT*

NDC# 49348-577-34

gas relief drops

Infants'

Fast relief of
gas symptoms
Alcohol &
saccharin Free



sunmark™

gas relief drops

Infants'



SUNMARK INFANTS GAS RELIEF DROPS

simethicone emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-577
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 0.3 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
WATER (UNII: 059QF0KO0R)	
D&C RED NO. 22 (UNII: 1678RXX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	pink	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-577-34	1 in 1 CARTON		
1		30 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	10/31/2003	

Labeler - McKesson (177667227)

Revised: 9/2012

McKesson