

**HUMCO CALAGESIC- calamine and pramoxine hydrochloride lotion**  
**Humco Holding Group, Inc.**

-----  
**Humco Calagesic Lotion**

**Drug Facts**

**Active Ingredients**

Calamine 8%

Pramoxine HCl 1%

**Purpose**

Skin Protectant

External analgesic

**Uses**

Dries the oozing and weeping, and temporarily relieves pain and itching of poison ivy, oak, and sumac or other skin irritations.

**Warnings**

For external use only. Use only as directed.

When using this product. Avoid contact with eyes and mucous membranes.

**Stop use and ask a doctor if**

condition worsens. Symptoms last for more than 7 days or clear up and occur again within a few days.

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

**Directions**

Adults and children 2 yr. of age and older. Shake well before using. Cleanse the skin with soap and water and let dry. Apply to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.

Children under 2 yrs. of age. Consult a doctor before use.

## Inactive Ingredients

SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben and Purified Water.

## Other information

Store at room temperature 15-30C (59-86F)

## Principal Display Panel

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic
<b>Uses</b> Dries the oozing and weeping and temporarily relieves pain and itching of poison ivy, poison oak, and poison sumac or other minor skin irritations.	
<b>Warnings</b>	
■ <b>For External use only.</b> Use only as directed.	
■ <b>Avoid contact with eyes and mucous membranes.</b>	
■ <b>Ask a doctor before using</b> on children under 2 years of age.	
<b>When using this product</b>	
Discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.	
<i>Continued</i> ▶	

HUMCO, Texarkana, TX 75501  
 Questions or Comments? ☎1-800-662-3435  
 "We Help People Feel Better"

**CALAGESIC®  
 LOTION**

**HUMCO™**  
 A trusted name  
 in home health care

## First Aid

\*Compare to  
**Caladryl®  
 Lotion**

- External analgesic
- Skin protectant
- Drying agent
- Itch relief

6 fl oz  
 (177 mL)

<b>Drug Facts</b> (CONTINUED)
<b>Directions</b>
■ Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.
■ Children under 2 years of age: Consult a doctor before use.
<b>Other information</b>
Store at room temperature 15-30°C (59-86°F)
<b>Inactive ingredients</b>
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, Purified Water.

\*This product is not manufactured or distributed by Valsart Pharmaceuticals, owner of the registered trademark "Caladryl" Lotion.

R011218



Go to: [www.simplehomemedies.com](http://www.simplehomemedies.com) to find helpful hints and learn more about Calagesic® Lotion.

Drug Facts	
<b>Active ingredients</b>	<b>Purpose</b>
Calamine 8%.....	Skin protectant
Pramoxine HCl 1%.....	External analgesic
<b>Uses</b> Dries the oozing and weeping and temporarily relieves pain and itching of ■poison ivy ■poison oak and ■poison sumac or other minor skin irritations.	
<b>Warnings</b>	
■For External Use Only. Use only as directed.	
■Avoid contact with eyes and mucous membranes.	
■Ask a doctor before using on children under 2 years of age.	
<b>When using this product</b> discontinue use if condition worsens, does not improve or if symptoms persist for more than 7 days, or clear up and occur again within a few days, and consult a doctor.	
<b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately 1-800-222-1222.	

Continued

Distributed by:  
HUMCO, Austin, TX 78701  
Questions or Comments?  
1-800-662-3435  
"We Help People Feel Better"

**CALAGESIC<sup>®</sup>**  
**LOTION**

**HUMCO**<sup>™</sup>  
A trusted name  
in home health care

**First Aid**

\*Compare to  
**Caladryl<sup>®</sup>**  
**Lotion**

- External analgesic
- Skin protectant
- Drying agent
- Itch relief

6 fl oz  
(177 mL)

Drug Facts (continued)	
<b>Directions</b>	
■Adults and children 2 years of age and older: Shake well before using. Cleanse the skin with soap and water and let dry before each use. Apply lotion to the affected area using cotton or soft cloth, not more than 3 to 4 times daily as needed for comfort.	
■Children under 2 years of age: Consult a doctor before use.	
<b>Other information</b>	
Store at room temperature 15-30°C (59-86°F)	
<b>Inactive ingredients</b>	
SD Alcohol 38B 2.5%, Camphor, Diazolidinyl Urea, Fragrances, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Polysorbate 80, Propylene Glycol, Propylparaben, and Purified Water.	

\*This product is not manufactured or distributed by Valeant Pharmaceuticals, owner of the registered trademark "Caladryl" Lotion.

REV 02/25



## HUMCO CALAGESIC

calamine and pramoxine hydrochloride lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0395-0420
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	80 mg in 1 mL
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>CAMPHOR (NATURAL)</b> (UNII: N20HL7Q941)	
<b>DIAZOLIDINYL UREA</b> (UNII: H5RIZ3MPW4)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0395-0420-96	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2017	

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/25/1998	

**Labeler** - Humco Holding Group, Inc. (825672884)

**Registrant** - Pharma Nobis, LLC (118564114)

**Establishment**

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(0395-0420) , analysis(0395-0420) , pack(0395-0420) , label(0395-0420)

Revised: 12/2025

Humco Holding Group, Inc.