THERAFLU SEVERE COLD RELIEF CHEST CONGESTION DAYTIMEacetaminophen, dextromethorphan hbr, guaifenesin syrup Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 30 mL)

Acetaminophen 650 mg Dextromethorphan HBr 20 mg Guaifenesin 400 mg

Purposes

Pain reliever/Fever reducer

Cough suppressant

Expectorant

Uses

- temporarily relieves these symptoms due to a cold:
 - minor aches and pains
 - minor sore throat pain
 - headache
 - cough due to minor throat and bronchial irritation
- temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

• rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by a fever, headache, rash, nausea, or vomiting consult a doctor promptly.

Do not use

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

• taking the blood thinning drug warfarin

Stop use and ask a doctor if

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not use more than directed
- measure the dose correctly using the enclosed dosing cup
- take every 4 hours in dosing cup provided, while symptoms persist
- do not take more than 5 doses (150 mL) in 24 hours unless directed by a doctor

Age	Dose
Adults and children 12 years of age and	30 mL
over	
Children under 12 years of age	do not use

Other information

- each 30 mL contains: potassium 30 mg, sodium 13 mg
- store at controlled room temperature 20°-25°C (68°-77°F)

Inactive ingredients

acesulfame potassium, anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, glycerin, maltitol solution, natural and artificial flavors, propylene glycol, purified water, sodium benzoate, sodium citrate

Questions or comments?

1-855-328-5259

Generic Section

Distributed by: Haleon, Warren, NJ 07059 Made in Mexico

Trademarks are owned by or licensed to the Haleon group of companies.

©2024 Haleon group of companies or its licensor. Pat. Info www.productpats.com

PEEL BACK HERE

DO NOT USE IF NECKBAND PRINTED WITH "SEALED FOR SAFETY" IS TORN OR MISSING.

Package/Label Principal Display Panel

MULTI-SYMPTOM COLD RELIEF

THERAFLU

SEVERE

COLD RELIEF

+ CHEST CONFESTION

Acetaminophen

Pain reliever/Fever Reducer

Dextromethorphan HBr

Cough Suppressant

Guaifenesin / Expectorant

DAYTIME FORMULA

Powerful formula that relieves:

/ Chest congestion

/ Thins and loosens mucus

/ Head and body ache

/ Fever

/ Cough

/ Sore throat pain

8.3 FL OZ (245.5 mL)

Berry Flavor

PARENTS:

Learn about teen medicine abuse

 $www. {\it StopMedic ineAbuse.org}$

MULTI-SYMPTOM COLD RELIEF HALEON HERAFLU SEVERE **COLD RELIEF** CHEST CONGESTION www_StopMedicineAbuse_org PARENTS: earn about teen medicine abuse ATIM Acetaminophen Pain Reliever/Fever Reducer **Dextromethorphan HBr** RMUY **Cough Suppressant Guaifenesin** / Expectorant **Powerful formula that relieves:** Chest congestion / Thins and loosens mucus / Head and body ache / Fever / Cough Sore throat pain Berry 8.3 FL 0Z (245.5 mL Flavor

THERAFLU SEVERE acetaminophen, dextrometho			NGESTION	DAYT	IME
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:0067-0104	
Route of Administration	ORAL				
Active Ingredient/Active	Moiety				
Ingred	lient Name		Basis of Stre	ength	Strength
ACETAMINOPHEN (UNII: 36209ITL	ACETAMINOPHEN		650 mg in 30 mL		
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)			DEXTROMETHORPHAN HYDROBROMIDE		20 mg in 30 mL
CHALEENECIN (UNII) 405/47/4511/0) (CHALEENECIN UNII) 405/47/4511/0)					400 mg

GOALEENESIN (UNII: 49300/4310Q) (GOALEINESIN - UNII:49300/4310Q)

GUAIFENESIN

Ingredient Name						Strength
ACESULFAN	IE POTASS	IUM (UNII: 230V7)	3Q5G9)			
ANHYDROU	S CITRIC A	CID (UNII: XF417D	3PSL)			
EDETATE D	ISODIUM (L	JNII: 7FLD91C86K)				
FD&C BLUE	NO.1 (UN	I: H3R47K3TBD)				
FD&C RED	NO. 40 (UN	I: WZB9127XOA)				
GLYCERIN (UNII: PDC6A	3C0OX)				
MALTITOL (UNII: D65DG	142WK)				
		JNII: 6DC9Q167V3	;)			
WATER (UNI						
		NII: OJ245FE5EU) SPECIFIED FORM				
Product (Characte			6		
Product	Characte	eristics				
Color		RED		Score		
Shape 				Size		
Flavor			Imprint Co	it Code		
				•		
Contains						
Contains						
	g					
Packagin	-	Package	e Descriptio		Marketing Start Date	Marketing Enc Date
Packagin # Item C	ode	5 mL in 1 BOTTLE		'n	-	
Packagin # Item C 1 NDC:0067	ode - 245.	5 mL in 1 BOTTLE		'n	Date	
Packagin # Item C 1 NDC:0067 0104-08	ode 2- 245. Proc	5 mL in 1 BOTTLE		'n	Date	
Packagin # Item C 1 NDC:0067 0104-08	ode 245. Proc ing Inf	5 mL in 1 BOTTLE luct Ormation Application N	; Type 0: Not a	n Combination	Date	

Labeler - Haleon US Holdings LLC (079944263)

Revised: 1/2025

Haleon US Holdings LLC