

SEVERE CONGESTION AND COUGH MAX- dextromethorphan hbr, guaifenesin, phenylephrine hcl solution
Best Choice

Best Choice Severe Congestion & Cough Max

Drug Facts

Active ingredients

(in each 20 mL)

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

Purpose

Dextromethorphan HBrCough suppressant

GuaifenesinExpectorant

Phenylephrine HCl Nasal Decongestant

Uses

■ helps loosen phlegm (mucus)
and thin bronchial secretions
to drain bronchial tubes

- Temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation
 - nasal congestion

Warnings

Do not use: ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

- for children under 12 years of age.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

When using this product, do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by a fever
- cough comes back, or occurs with fever, rash or persistent headache.

These could be signs of a serious condition.

If pregnant or breast feeding ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as recommended
- use dosage cup
- mL= milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

Other information

- **Each 20 mL contains:** sodium 10 mg
- dosage cup provided
- store between 15-30° C (59-86° F)
- do not refrigerate

Inactive ingredients

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at **1-877-798-5944**

Product Label: Best Choice® Max Severe Congestion & Cough

Best Choice®

MAXIMUM STRENGTH

Max Severe Congestion & Cough

6 FL OZ (177 mL)

PROUDLY DISTRIBUTED BY:

VALUE MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

Compare to the active ingredients in
Mucinex® FAST-MAX™ Severe
Congestion & Cough*

*This product is not manufactured or
distributed by Reckitt Benckiser Inc.,
distributor of Mucinex® FAST-MAX™
Severe Congestion & Cough*

Best
Choice®

*Compare to the active ingredients in
Mucinex® Fast-Max™
Severe Congestion
& Cough

LF-027

MAXIMUM STRENGTH
Max Severe
Congestion &
Cough



DEXTROMETHORPHAN HBr /
COUGH SUPPRESSANT
GUAIFENESIN / EXPECTORANT
PHENYLEPHRINE HCl /
NASAL DECONGESTANT

- Controls cough
- Thins & loosens mucus
- Relieves nasal & chest congestion

FOR AGES 12 & OVER

6 FL OZ
(177 mL)

**Peel Corner to Read Complete
Drug Facts and Information**



**DO NOT USE IF PRINTED SEAL
UNDER CAP IS TORN OR MISSING**

Best Choice
100% Guaranteed

www.bestchoicebrand.com LB-027

BEST CHOICE

66258-1222-AP



Lot:

Exp:

Drug Facts

Active Ingredients (in each 20 mL)
 Dextromethorphan HBr 20 mg.....
 Cough suppressant
 Guaifenesin 400 mg.....Expectorant
 Phenylephrine HCl 10 mg.....
Nasal Decongestant

Purpose

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
 - cough due to minor throat and bronchial irritation
 - nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)

- for children under 12 years of age

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema.
- cough that occurs with too much phlegm (mucus)

When using this product

- do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by a fever
- cough comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take only as recommended
- use dosage cup
- mL = milliliter
- do not take more than 6 doses in any 24-hour period

Age	Dose
Adults & children 12 years and older	20 mL every 4 hours
Children under 12 years of age	Do not use

Other information

- Each 20 mL contains: sodium 10 mg
- dosage cup provided
- store between 15-30°C (59-86°F)
- do not refrigerate

Drug Facts (continued)

Inactive ingredients
 anhydrous citric acid, edelate disodium, FD&C Blue #1, FD&C Red #40, flavors, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

Questions? Call weekdays from 9:30 AM to 4:30 PM EST at 1-877-798-5944

* This product is not manufactured or distributed by Reckitt Benckiser Inc., distributor of Mucinex® FAST-MAX™ Severe Congestion & Cough

PROUDLY DISTRIBUTED BY:
 VALU MERCHANTISERS, CO.
 5000 KANSAS AVE
 KANSAS CITY, KS 66106



Scan here for more product information. Call 1-844-202-1112 for more product information

bestchoicebrand.com



res

SEVERE CONGESTION AND COUGH MAX

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-517
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	10 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	

WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	blue	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-517-25	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/01/2025	

Labeler - Best Choice (868703513)

Registrant - AptaPharma Inc. (790523323)

Establishment

Name	Address	ID/FEI	Business Operations
AptaPharma Inc.		790523323	manufacture(63941-517)

Revised: 1/2025

Best Choice