

SENNALAXATIVE- sennosides tablet H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Stimulant Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 6-12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablets once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- store at 25°C (77° F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose*, magnesium stearate, microcrystalline cellulose, mineral oil*, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, talc*, triacetin*

*contains one or more of these ingredients

Questions or comments?

Call toll-free: **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to Senokot® active ingredient**

Senna Laxative

Sennosides, 8.6 mg

Stimulant Laxative

TABLETS

**This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

Product Label

Compare to Senokot® active ingredient**

NDC 37808-731-01



Senna Laxative

Sennosides, 8.6 mg

Stimulant Laxative



actual size

100 TABLETS

100% GUARANTEE
If you aren't completely pleased with this product, we're happy to replace it or refund your money. You have our word on it.



8587-1808

0 41220 51913 2

FC005126 PLD-F2ZY
Lot No.:
Exp. Date:

MADE WITH PRIDE AND CARE FOR H-E-B®, SAN ANTONIO, TX 78204

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

Drug Facts (continued)

Other information

- each tablet contains: calcium 30 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, silicon dioxide, sodium lauryl sulfate, stearic acid, talc, triacetin

*contains one or more of these ingredients

Questions or comments? Call toll free: 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts

Active ingredient (in each tablet) Sennosides 8.6 mg

Purpose Stimulant Laxative

Uses

- relieves occasional constipation (irregularly)
- generally produces a bowel movement in 6 - 12 hours

Warnings

- Do not use
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting

■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

H-E-B Senna Laxative

SENNA LAXATIVE

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-731
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
TRIACETIN (UNII: XHX3C3X673)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MINERAL OIL (UNII: T5L8T28FGP)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	TCL080;PS23;S8
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-731-01	1 in 1 BOX	02/28/2019	12/31/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph not final	part334	02/28/2019	12/31/2025

Labeler - H E B (007924756)

Revised: 2/2023

H E B