

HONGO KILLER- tolnaftate powder
Efficient Laboratories Inc

Drug Facts

Active Ingredients: **Purpose**
Tolnaftate 1% W/W..... Antifungal

Uses

For effective treatment of:

- athlete's foot (tinea pedis)
- jock itch (Tinea Cruris)
- ringworm (tinea corporis)

For the relief of itching, burning feet.

For the prevention of athlete's foot with daily use

Purpose

Antifungal

Warnings

For external use only. Avoid contact with eyes.

Do not use on children under 2 years of age

Stop use and ask a doctor if irritation occurs or if there's no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks for jock itch.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding consult a health professional before use.

Directions

- clean the affected area and dry thoroughly
- Sprinkle Hongo Killer powder liberally over the affected area twice daily (morning and night) or as direct by doctor
- For athlete's foot: pay special attention to spaces between the toes. Wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on scalp or nails.
- Supervise children in the use of Hongo Killer

Questions or comments?

www.efficientlabs.com

Please Call 305-805-3456 (M-F 9:00-5:00 pm EST)

Inactive ingredients Corn (Zea Mays) Starch, Methylparaben, Propylparaben, Sodium

Bicarbonate, Talc and Zinc Oxide.

Drug Facts	
Active Ingredients (%)	Purpose
Tolnaftate 1% w/w	Antifungal
Uses For effective treatment of: • athlete's foot (Tinea Pedis) • jock itch (Tinea Cruris) • ringworm (Tinea Corporis). For the relief of itching, burning feet • For the prevention of athlete's foot with daily use.	
Warnings For external use only. Avoid contact with eyes.	
Do not use • on children under 2 years of age.	
Stop use and ask a doctor if • irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks for (jock itch).	
Keep Out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding consult a health professional before use.	
Directions • Clean the affected area and dry thoroughly • Sprinkle Hongo Killer® powder liberally over the affected area twice daily (morning and night) or as directed by a doctor. For athlete's foot: Pay special attention to spaces between the toes, wear well-fitting ventilated shoes and change shoes and socks at least once daily. • For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor. This product is not effective on the scalp or nails. • Supervise children in the use of Hongo Killer®.	
Other Information • Store between 15° - 30°C (59° - 86° F) • Hongo Killer® is also available in spray, antifungal solution, cream, nail formula and spray powder.	
Inactive ingredients • Corn (Zea Mays) Starch, Methylparaben, Propylparaben, Sodium Bicarbonate, Talc, and Zinc Oxide.	
Questions or Comments? www.efficientlabs.com - 305-805-3456 M-F 9am-5pm EST	

Distributed by Efficient Laboratories, Inc.
Miami, FL 33166
Manufactured in Dominican Republic

REV: 11/15







Hongo Killer®

Tolnaftate ANTIFUNGAL

Powder



Cures
Athlete's
Foot-Jock
Itch &
Ringworm

Alivio
Efectivo
del Picor
y Ardor

NET WT 90 g (3.17 oz)




Hongo Killer[®]

 ANTIFUNGAL



Powder/Polvo



IMPROVED FORMULA
 NOW WITH COOL SOOTHING SCENT

MULTIPLE ACTION

Elimina el Pie de Atleta
 Quita la Picazón
 Absorbe la Humedad
 Controla el Mal Olor

Eliminates Athlete Foot
 Removes Jock Itch
 Absorbs Moisture
 Controls Foot Odor

1% Tolnaftate
 NET WT 200 g (7.05 oz)

110 mm

Drug Facts

Active ingredient (%)	Purpose
Tolnaftate 1% w/w	Antifungal

Uses For effective treatment of: • athlete's foot (Tinea Pedis) • jock itch (Tinea Cruris) • ringworm (Tinea Corporis). For the relief of itching, burning feet • For the prevention of athlete's foot with daily use.

Warnings For external use only. Avoid contact with eyes.
Do not use • on children under 2 years of age, unless directed by a doctor.

Stop use and ask a doctor if • irritation occurs (for the prevention of athlete's foot) or if irritation occurs or if there is no improvement within 4 weeks (for athlete's foot or ringworm) or within 2 weeks for (jock itch)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If pregnant or breast-feeding, consult a health professional before use.

Directions • Clean the affected area and dry thoroughly.
 • Sprinkle a thin layer of Hongo Killer[®] powder over affected area twice daily (morning and night) or as directed by a doctor.
 • Supervise children in the use of Hongo Killer[®]. For athlete's foot: Pay special attention to spaces between the toes, wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.
 • For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If condition persists longer, consult a doctor.
 This product is not effective on the scalp or nails.
 • To prevent athlete's foot, wash the feet and dry thoroughly. Apply a thin layer of Hongo Killer[®] powder to the feet once or twice daily (morning and/or night).

Other information • Store between 15°-30° C (59°-86° F)

Inactive ingredients • Corn (Zea Mays) Starch, Fragrance, Methylparaben, Propylparaben, Sodium Bicarbonate, Talc, and Zinc Oxide.

Questions or Comments? www.efficientlabs.com - 305-805-3456 M-F 9am-5pm EST

• Hongo Killer[®] is also available in spray, antifungal solution, cream, nail formula and spray powder.

Distributed by:
EFFICIENT LABORATORIES
 Miami, FL 33166
 Made in the Dominican Republic

REV: 10/16



0 00856 10751 9

HONGO KILLER			
tolnaftate powder			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58593-288
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g
Inactive Ingredients			
	Ingredient Name		Strength

STARCH, CORN (UNII: O8232NY3SJ)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
TALC (UNII: 7SEV7J4R1U)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58593-288-04	90 g in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2000	10/15/2015
2	NDC:58593-288-07	200 g in 1 BOTTLE; Type 0: Not a Combination Product	05/02/2016	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	01/01/2000	

Labeler - Efficient Laboratories Inc (969044932)

Revised: 10/2025

Efficient Laboratories Inc