ACETAMINOPHEN PM- acetaminophen, diphenhydramine hcl tablet Kareway Product, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients (in each caplet)

Acetaminophen 500mg

Diphenhydramine HCl 25mg

Purpose

Pain reliever

Nighttime sleep aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessnes

Warnings

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000ms of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

• drowsiness will occur

- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Enter section text here

Overdose warning:

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• Do not take more than directed (see overdose warning)

adults and children under 12 years and over	 take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours 	
	do not use this adult product in children under 12 years of age; this will provide	
years	ears more than the recommended dose (overdose) and may cause liver damage	

Other information

- do not use if safety seal under cap is broken or missing
- store between 20-25°C (68-77°F)
- see end panel for lot number and expiration date

Inactive ingredients

corn starch, cydroxypropyl cellulose, hypromellose 2910, blue no.1, magnesium stearate, microcrystalline cellulose, polyethylene glycol 6000, sodium starch glycolate, titanium dioxide



EXP.

Drug Facts (continued)

Directions
■ do not take more than directed (see overdose warning)

12 years

adults and a take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours

children under 12 years

do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

Other information

- do not use if safety seal under cap is broken or missing.
- store between 20-25°C (68-77°F) see end panel for lot number and expiration date

Inactive ingredients
corn starch, hydroxypropyl cellulose,
hypromellose 2910, blue no.1, magnesium
stearate, microcrystalline cellulose, polyethylene glycol 6000, sodium starch glycolate, titanium dioxide

McNeil Consumer & Specialty I distributor of Tylenol® Extra

This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, istributor of Tylenol® Extra Strenth PM.

Pure-Aid"

Drug Facts

Active ingredients (in each caplet) Acetaminophen 500 mg

Acetaminophen 500 mg......Pain reliever Diphenhydramine HCl 25 mg..Nighttime sleep aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Do not use with any other drug containing acetaminophen (prescription or nonprescription If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age if you have ever had an allergic reaction to
- this product or any of its ingredients

Ask a doctor before use if you have ■ liver disease ■ glaucoma

Drug Facts (continued)

■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are atking the blood thinning drug warfarin • taking sedatives or tranquilizers

When using this product = drowsiness will occur = avoid alcoholic drinks = do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

 pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
 redness or swelling is present

■ new symptoms occur
These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health

rofessional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

ACETAMINOPHEN PM

acetaminophen, diphenhydramine hcl tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:67510-0154

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength ACETAMINO PHEN (UNII: 36209 ITL9D) (ACETAMINO PHEN - UNII: 36209 ITL9D) ACETAMINOPHEN 500 mg

HYDROCHLORIDE

25 mg

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL 6000 (UNII: 30 IQX730 WE)		
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics					
Color	blue (blue)	Score	no score		
Shape	ROUND	Size	17mm		
Flavor		Imprint Code	PM		
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:67510-0154-2	1 in 1 BOX				
1		24 in 1 BOTTLE				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part343	0 1/28/20 11			

Labeler - Kareway Product, Inc. (121840057)

Revised: 8/2013 Kareway Product, Inc.