

THERAPEUTIC RELIEF PREFERRED PLUS PHARMACY- menthol gel Kinray Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Menthol 2.0%

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with: simple backache, arthritis, strains, bruises, and sprains.

Warnings

For external use only. When using this product: avoid contact with the eyes, do not bandage tightly, do not apply to wounds or damaged skin, and do not use with heating pads or other heating devices. **Stop use and ask doctor if:** condition gets worse, symptoms last more than 7 days, or symptoms clear up and occur again in a few days.

Directions

Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. Children under 2 years of age: do not use, consult a doctor.

Inactive ingredients

Ammonium Hydroxide, Carbomer, Cupric Sulfate, Blue 1, Isopropyl Alcohol, Magnesium Sulfate, Sodium Hydroxide, Thymol, Water.


Purpose

Pain relieving gel.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Therapeutic Relief Gel External Analgesic.



Preferred plus Pharmacy Compare to the Active Ingredient of Mineral Ice**

THERAPEUTIC RELIEF GEL

EXTERNAL ANALGESIC

For the temporary relief of minor muscle and joint aches and pains associated with muscle strains and sprains, bruises, backache and arthritis

NET WT 8 OZ (227 g)

Drug Facts

Active Ingredient
Menthol 2%.....Pain relieving gel

Uses for the temporary relief of minor aches and pains of muscles and joints associated with

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

When using this product

- avoid contact with the eyes
- do not bandage tightly
- do not apply to wounds or damaged skin
- do not use with heating pads or other heating devices

Stop use and ask doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center.

Directions

- adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- children under 2 years of age: do not use, consult a doctor

Inactive ingredients

Ammonium Hydroxide, Carbomer, Cupric Sulfate, FD&C Blue No. 1, Isopropyl Alcohol, Magnesium Sulfate, Sodium Hydroxide, Thymol, Water.

* This product is not manufactured by Bristle-Myers Products owner of the registered trademark Mineral Ice®.

All Preferred Plus Pharmacy products are satisfaction guaranteed or your money back from retailer where purchased.

Distributed by: Kinray Inc.
152-35 10th Ave.
Whitestone, NY 11357

7 27510 00127 2

menthol gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:6 1715-021
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Menthol (UNII: L7T10EIP3A) (Menthol - UNII:L7T10EIP3A)	Menthol	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
Ammonia (UNII: 5138Q19F1X)	
Carbomer 934 (UNII: Z135WT9208)	
Cupric Sulfate (UNII: LRX7AJ16DT)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
Isopropyl Alcohol (UNII: ND2M416302)	
Magnesium Sulfate (UNII: DE08037SAB)	
Sodium Hydroxide (UNII: 55X04QC32I)	
Thymol (UNII: 3J50XA376E)	
Water (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:6 1715-021-08	227 g in 1 JAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	03/15/2013	

Labeler - Kinray Inc. (012574513)

Revised: 6/2013

Kinray Inc.