

**ERASE IT KIT- salicylic acid, titanium dioxide, zinc oxide
mybody**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

SALICYLIC ACID 2%

PURPOSE

ACNE TREATMENT

USE FOR TREATMENT OF ACNE

WARNINGS

FOR EXTERNAL USE ONLY

DO NOT USE * IF YOU HAVE VERY SENSITIVE SKIN OR ARE SENSITIVE TO SALICYLIC ACID.

ASK A DOCTOR OR PHARMACIST BEFORE USE IF *PREGNANT OR LACTATING. YOU ARE USING OTHER TOPICAL ACNE MEDICATIONS AT THE SAME TIME OR IMMEDIATELY FOLLOWING USE OF THIS PRODUCT. THIS MAY INCREASE DRYNESS OR IRRITATION OF THE SKIN. IF THIS OCCURS, ONLY ONE MEDICATION SHOULD BE USED UNLESS DIRECTED BY A DOCTOR.

WHEN USING THIS PRODUCT * AVOID CONTACT WITH EYES. IF CONTACT OCCURS, FLUSH THOROUGHLY WITH WATER. * KEEP AWAY FROM LIPS AND MOUTH.

KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS

* USE AM/PM OR AS DIRECTED BY A DOCTOR. APPLY A NICKEL-SIZE AMOUNT TO WET HANDS. RUB TOGETHER. GENTLY MASSAGE ONTO FACE AND NECK WITH CIRCULAR MOTIONS. LEAVE ON 1-2 MINUTES THEN RINSE WELL.

OTHER INFORMATION

* AVOID STORAGE AT EXTREME TEMPERATURES (BELOW 40°F AND ABOVE 100°F).

INACTIVE INGREDIENTS: WATER, DISODIUM LAURETH SULFOSUCCINATE, SODIUM COCOYL ISETHIONATE, SODIUM LAUROAMPHOACETATE, GLYCERIN, SODIUM METHYL COCOYL TAURATE, METHYLISOTHIAZOLINONE, COCAMIDOPROPYL BETAINE, BISABOLOL, ZINGIBER OFFICINALE (GINGER) ROOT EXTRACT, OAT (AVENA SATIVA) KERNEL EXTRACT, DISODIUM EDTA, BETA GLUCAN, EUCALYPTUS GLOBULUS OIL, XANTHAN GUM, MENTHOL, MYRISTOYL TETRAPEPTIDE-13, ACETYL CARBOXYMETHYL COCOYL GLYCINE, PHENOXYETHANOL, CAPRYLYL GLYCOL.

QUESTIONS OR COMMENTS?

CALL 877.423.1314 * WWW.LOVEMYBODY.COM

FRONT



ERASE IT™

Clarifying + Anti-Aging Essentials

mydailykit
4 STEPS • AM / PM

ACNE



STEP 1 : mycleanser*
TAKE CONTROL™
 Calming Gel Cleanser • 2% Salicylic Acid
 AM / PM
 5 FL OZ US / 150 mL
 A concentrated gel cleanser with 2% Salicylic Acid purifies and combats acne while helping to prevent future breakouts.

Application and Usage: Use AM/PM. Apply a nickel-size amount to wet hands. Rub together. Gently massage onto face and neck with circular motions. Rinse well.



STEP 2 : mytreatment*
LET ME CLARIFY™
 Refining Gel • 2% Salicylic Acid
 AM / PM
 1 FL OZ US / 30 mL
 The skin retexturizing and pore-refining gel features natural skin brighteners and calming actives to help restore skin clarity.

Application and Usage: Use AM/PM. After cleansing, gently apply to face or affected areas. Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two times daily if needed or as directed by a doctor. If you experience some dryness or peeling, reduce application to once a day or every other day.



STEP 3 : myhydrator*
BREAK FREE™
 Oil-Free Hydrator
 AM / PM
 1.7 FL OZ US / 50 mL
 This unique oil-absorbing hydrator helps calm inflammation and redness while it rehydrates and rebalances skin that is dry, depleted and stressed from excessive use of anti-acne products.

Application and Usage: Use AM/PM. Apply generously to face and neck.



STEP 4 : mySPF*
PROTECT & SERVE™
 Tinted Sun Shield
 Broad Spectrum UVA/UVB SPF 30
 AM
 2 FL OZ US / 60 mL
 This high-performance tinted physical facial sunscreen protects the skin with broad spectrum UVA/UVB SPF 30 and serves the skin with a healthy dose of essential antioxidants.

Application and Usage: Use AM. Apply to face and neck area. Can also be applied to the ears, hands and décolletage. Apply liberally 15 minutes before sun exposure and as needed. Reapply at least every 2 hours or as needed after swimming or perspiring. Apply liberally to face and neck before sun exposure. Children under 6 months of age: Ask a doctor.

103257-A2

Part 1 of 4

PROTECT AND SERVE TINTED SUN SHIELD SPF 30

titanium dioxide and zinc oxide lotion

Product Information

Item Code (Source)	NDC:49520-301
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	11 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	4 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE (UNII: NMQ347994Z)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EG97988M5Q)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
CALCIUM BEHENATE (UNII: J5VFA9V6YG)	
MELANIN SYNTHETIC (TYROSINE, PEROXIDE) (UNII: O0CV1RMR44)	
DIMETHICONOL (41 MPA.S) (UNII: 343C7U75XW)	
ALUMINUM OXIDE (UNII: LM26O6933)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
LYCOPENE (UNII: SB0N2N0WV6)	
GLYCERIN (UNII: PDC6A3C0OX)	
SUCROSE PALMITATE (UNII: 3OSQ643ZK5)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/23/2012	

Part 2 of 4

TAKE CONTROL CALMING CLEANSER

salicylic acid gel

Product Information

Item Code (Source) NDC:49520-104

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DISODIUM LAURETH SULFO SUCCINATE (UNII: D6DHIDTN7E)	
SODIUM COCOYL ISETHIONATE (UNII: 518XTE8493)	
SODIUM LAURO AMPHO ACETATE (UNII: SLK428451L)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM METHYL COCOYL TAURATE (UNII: JVL98CG53G)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
.ALPHA.-BISABOLOL, (+/-)- (UNII: 36HQN158VC)	
GINGER (UNII: C5529G5JPQ)	
OAT (UNII: Z6J799EAJK)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CURDLAN (UNII: 6930DL209R)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
XANTHAN GUM (UNII: TTV12P4NEE)	
MENTHOL (UNII: L7T10EIP3A)	
MYRISTOYL PENTAPEPTIDE-4 (UNII: PMA59A699X)	
ACETYL CARBOXYMETHYL COCOYL GLYCINE (UNII: 3TNX4P92J3)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	09/27/2012	

Part 3 of 4

LET ME CLARIFY

salicylic acid gel

Product Information

Item Code (Source)	NDC:49520-103
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
1,3-BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
GLYCOLIC ACID (UNII: 0WT12SX38S)	
POLYQUATERNIUM-10 (400 CPS AT 2%) (UNII: HB1401PQFS)	
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
ACETYL CARBOXYMETHYL COCOYL GLYCINE (UNII: 3TNX4P92J3)	
MYRISTOYL TETRAPEPTIDE-4 (UNII: 87AV1IB2EU)	
HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	09/24/2012	

Part 4 of 4

BREAK FREE

lotions, oils, powders, and creams

Product Information

Item Code (Source)	NHRIC:49520-901
--------------------	-----------------

Other Ingredients

Ingredient Kind	Ingredient Name	Quantity
INGR	WATER (UNII: 059QF0KO0R)	

INGR	PENTYLENE GLYCOL (UNII: 50C1307PZG)	
INGR	COCO-GLYCERIDES (UNII: ISE9I7DNUG)	
INGR	LAURYL LAURATE (UNII: GPW77G0937)	
INGR	MYRISTOYL PENTAPEPTIDE-4 (UNII: PMA59A699X)	
INGR	HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
INGR	4-TERT-BUTYLCYCLOHEXANOL (UNII: K0H1405S9C)	
INGR	SODIUM HYDROXIDE (UNII: 55X04QC32I)	
INGR	EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6)	
INGR	LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
INGR	POLYGLYCERIN-10 (UNII: P9060O936A)	
INGR	CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 71DD5V995L)	
INGR	ACETYL CARBOXYMETHYL COCOYL GLYCINE (UNII: 3TNX4P92J3)	
INGR	LAURYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER (UNII: EX0F4CZ66H)	
INGR	TROMETHAMINE (UNII: 023C2WHX2V)	
INGR	BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
INGR	CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
INGR	PHENOXYETHANOL (UNII: HE492ZZ3T)	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Cosmetic		09/24/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	05/10/2014	

Labeler - mybody (004460532)