

COMPLEXION PROTECTION MOISTURIZER SPF- benzophenone, avobenzone, octinoxate, octisalate cream cream
USRX LLC

Complexion Protection Moisturizer SPF 30

<p style="text-align: center;">USRx[®]</p> <p style="text-align: center;"></p> <p style="text-align: center;">Complexion Protection Moisturizer</p> <p style="text-align: center;">BROAD SPECTRUM SPF 30 SUNSCREEN</p> <hr/> <p style="text-align: center;">SQUALANE VITAMIN E</p> <hr/> <p style="text-align: center;">FOR ALL SKIN TYPES</p> <hr/> <p style="text-align: center;">URBAN SKIN Rx[®]</p> <p style="text-align: center;">0.4 fl oz 12 mL</p>	<div style="text-align: center; margin-bottom: 10px;"></div> <table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <th><i>Active Ingredients</i></th> <th><i>Purpose</i></th> </tr> <tr> <td>Avobenzone 1%.....</td> <td>Sunscreen</td> </tr> <tr> <td>Octinoxate 7.5%.....</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 5%.....</td> <td>Sunscreen</td> </tr> <tr> <td>Oxybenzone 6%.....</td> <td>Sunscreen</td> </tr> <tr> <th colspan="2"><i>Uses</i></th> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun </td> </tr> <tr> <th colspan="2"><i>Warnings</i></th> </tr> <tr> <td colspan="2">For external use only</td> </tr> <tr> <td colspan="2">Do not use on • damaged or broken skin</td> </tr> <tr> <td colspan="2">When using this product: • keep out of eyes. Rinse with water to remove.</td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if: • rash occurs</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</td> </tr> <tr> <th colspan="2"><i>Directions</i></th> </tr> <tr> <td colspan="2">For sunscreen use:</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age. Ask a doctor </td> </tr> <tr> <th colspan="2"><i>Other Information</i></th> </tr> <tr> <td colspan="2">• protect the product in this container from excessive heat and direct sun</td> </tr> <tr> <th colspan="2"><i>Inactive Ingredients</i></th> </tr> <tr> <td colspan="2">Aqua (Water), Caprylic/Capric Triglyceride, Corn Starch Modified, Cetearyl Olivate, Diethylhexyl 26-Naphthalate, C12-15 Alkyl Benzoate, Sorbitan Olivate, Gluconolactone, Dodecylalcoanol, Glycerin, Squalane, Phenylethylol, Sodium Benzoate, Caprylyl Glycol, Xanthan Gum, Aminomethyl Propanol, Carbomer, Tocopherol Acetate (D-alpha), Sodium Hyaluronate (L), Trisodium Ethylenediamine Disuccinate, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana (Witch Hazel) Water, Citric Acid, Alcohol, Sodium Hydroxide</td> </tr> </table> <p>A USRx[®] Product Distributed by USRx, LLC 8604 Cliff Cameron Drive, Suite 175 Charlotte, NC 28269 urbanskinrx.com © Reg. U.S. Pat. & Tm. Off</p> <div style="text-align: right;">  VEGAN </div>	Drug Facts		<i>Active Ingredients</i>	<i>Purpose</i>	Avobenzone 1%.....	Sunscreen	Octinoxate 7.5%.....	Sunscreen	Octisalate 5%.....	Sunscreen	Oxybenzone 6%.....	Sunscreen	<i>Uses</i>		<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 		<i>Warnings</i>		For external use only		Do not use on • damaged or broken skin		When using this product: • keep out of eyes. Rinse with water to remove.		Stop use and ask a doctor if: • rash occurs		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.		<i>Directions</i>		For sunscreen use:		<ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age. Ask a doctor 		<i>Other Information</i>		• protect the product in this container from excessive heat and direct sun		<i>Inactive Ingredients</i>		Aqua (Water), Caprylic/Capric Triglyceride, Corn Starch Modified, Cetearyl Olivate, Diethylhexyl 26-Naphthalate, C12-15 Alkyl Benzoate, Sorbitan Olivate, Gluconolactone, Dodecylalcoanol, Glycerin, Squalane, Phenylethylol, Sodium Benzoate, Caprylyl Glycol, Xanthan Gum, Aminomethyl Propanol, Carbomer, Tocopherol Acetate (D-alpha), Sodium Hyaluronate (L), Trisodium Ethylenediamine Disuccinate, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana (Witch Hazel) Water, Citric Acid, Alcohol, Sodium Hydroxide	
Drug Facts																																											
<i>Active Ingredients</i>	<i>Purpose</i>																																										
Avobenzone 1%.....	Sunscreen																																										
Octinoxate 7.5%.....	Sunscreen																																										
Octisalate 5%.....	Sunscreen																																										
Oxybenzone 6%.....	Sunscreen																																										
<i>Uses</i>																																											
<ul style="list-style-type: none"> • helps prevent sunburn • if used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun 																																											
<i>Warnings</i>																																											
For external use only																																											
Do not use on • damaged or broken skin																																											
When using this product: • keep out of eyes. Rinse with water to remove.																																											
Stop use and ask a doctor if: • rash occurs																																											
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.																																											
<i>Directions</i>																																											
For sunscreen use:																																											
<ul style="list-style-type: none"> • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age. Ask a doctor 																																											
<i>Other Information</i>																																											
• protect the product in this container from excessive heat and direct sun																																											
<i>Inactive Ingredients</i>																																											
Aqua (Water), Caprylic/Capric Triglyceride, Corn Starch Modified, Cetearyl Olivate, Diethylhexyl 26-Naphthalate, C12-15 Alkyl Benzoate, Sorbitan Olivate, Gluconolactone, Dodecylalcoanol, Glycerin, Squalane, Phenylethylol, Sodium Benzoate, Caprylyl Glycol, Xanthan Gum, Aminomethyl Propanol, Carbomer, Tocopherol Acetate (D-alpha), Sodium Hyaluronate (L), Trisodium Ethylenediamine Disuccinate, Phenethyl Alcohol, Potassium Sorbate, Hamamelis Virginiana (Witch Hazel) Water, Citric Acid, Alcohol, Sodium Hydroxide																																											

USR^x[®]



Complexion Protection Moisturizer

BROAD SPECTRUM SPF 30
SUNSCREEN

SQUALANE
VITAMIN E

FOR ALL SKIN TYPES

URBAN SKIN R_x[®]
1.7 fl oz | 50 mL

Drug Facts

Active Ingredients	Purpose
Avobenzene 1%	Sunscreen
Octinoxate 7.5%	Sunscreen
Octisalate 5%	Sunscreen
Oxybenzone 6%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on • damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure • reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.–2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients

Aqua (Water), Caprylic/Capric Triglyceride, Corn Starch Modified, Cetearyl Oliviate, Diethylhexyl 2,6-Naphthalate, C12-15 Alkyl Benzoate, Sorbitan Oliviate, Gluconolactone, Cyclopentasiloxane, Glycerin, Squalane, Phenoxyethanol, Sodium Benzoate, Caprylyl Glycol, Xanthan Gum, Aminomethyl Propanol, Carbomer, Tocopheryl Acetate (D-alpha), Sodium Hyaluronate (L), Trisodium Ethylenediamine Disuccinate, Phenethyl Alcohol, Potassium Sorbate, Hexanellol Virginiana (Witch Hazel) Water, Citric Acid, Alcohol, Sodium Hydroxide

A USRx[®] Product | Distributed by USRx, LLC | 8604 Cliff Cameron Drive, Suite 175, Charlotte, NC 28269 | urbanskinrx.com
© Reg. U.S. Pat. & Tm. Off.

FREE OF PARABENS, FRAGRANCE AND SULFATES
NOT TESTED ON ANIMALS



ACTIVE INGREDIENT -

Benzophenone 3.6%

Avobenzene 1%

Octinoxate 7.5%

Octisalate 5%

Sunscreen

FOR EXTERNAL USE ONLY

DO NOT USE - On damaged or broken skin

STOP USE AND ASK A DOCTOR IF A RASH OCCURRS

Aqua (Water), Caprylic/Capric Triglyceride, Corn Starch Modified, Cetearyl Oliviate, Diethylhexyl 2,6-Naphthalate, C12-15 Alkyl Benzoate, Sorbitan Oliviate, Gluconolactone, Squalane, Glycerin, Cyclopentasiloxane, Tocopheryl Acetate (D-alpha), Sodium Hyaluronate (L), Xanthan Gum, Carbomer, Aminomethyl Propanol, Sodium Benzoate, Phenethyl Alcohol, Caprylyl Glycol, Phenoxyethanol, Trisodium Ethylenediamine Disuccinate, Potassium Sorbate

COMPLEXION PROTECTION MOISTURIZER SPF

benzophenone, avobenzone, octinoxate, octisalate cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70809-1902
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 mg in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 mg in 100 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1 mg in 100 mL
BENZOPHENONE (UNII: 701M4TTV9O) (BENZOPHENONE - UNII:701M4TTV9O)	BENZOPHENONE	3.6 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
XANTHAN GUM (UNII: TTV12P4NEE)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
POTASSIUM SORBATE (UNII: 1VPU26JZ4)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
STARCH, CORN (UNII: O8232NY3SJ)	
WATER (UNII: 059QF0K00R)	
CETEARYL OLIVATE (UNII: 58B69Q84JO)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SQUALANE (UNII: GW89575KF9)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:70809-1902-1	50 mL in 1 TUBE; Type 0: Not a Combination Product	07/08/2019	
2	NDC:70809-1902-2	12 mL in 1 TUBE; Type 0: Not a Combination Product	02/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/08/2019	

Labeler - USRX LLC (115270633)

Registrant - USRX LLC (115270633)

Revised: 10/2024

USRX LLC